



2017



wiha 


Tools that work for you

# Professional TORX® Tools

























**TORX  
For  
Tooling**

## Complete TORX® Program
















00017 wsa Wiha TORX Catalogue

## Torx® Index





	DESCRIPTION	Page
	SoftFinish® Cushion Grip	5
	ESD Safe SoftFinish® Cushion Grip	6
	Insulated Cushion Grip	7
	MicroFinish Non-Slip Grip	7
	Powerhandle	8
	Protturn	8
	3K Series	9
	Drive-Loc VI Blades	10
	T-handle & ComfortGrip	13
	L-Keys Offset Screwdrivers	12-13 11
	PocketStar Fold Outs	11
	Wing Handle	14
	Flag Handle	14
	TorqueControl Blades	20-22
Precision Tools		
	Standard	23
	PicoFinish	23
	ESD Safe	24
	SYSTEM 4 Blades	24
	SYSTEM 4 Micro Bits	25
	Bit Sets	26-27
	Insert & Power Bits	29-32
	Bit Sockets & Sets	35-36

\* Standard TORX® are not for use in TORXPlus® fasteners











## TorxPlus® Index

	DESCRIPTION	Page
	Wing Handle	16
	Flag Handle	16
	PocketStar Fold Outs	16
	SoftFinish® Cushion Grip	17
	T-handles	17
	L-Keys Short/Long Arm	18
	TorqueControl Blade	20-22
	ESD Safe Precision	24
	Bit-Selectors	27
	Insert Bits	34
	Power Bits	34
	Bit Sockets & Sets	35,37








## Ball End Torx® Index

	DESCRIPTION	Page
	SoftFinish Drivers Cushion Grip	15
	L-Keys	15
	Power Bits	15





## Security Torx® Index

	DESCRIPTION	Page
	SoftFinish® Cushion Grip & Insulated	6,11
	Drive-Loc VI Blades	10
	L-Keys	12
	PocketStar Fold Outs	11
	SYSTEM 4 Micro Bits	25
	Bit Sets	26-27
	Insert Bits - 1/4" & 5/16"	33
	Power Bits	33
	Bit Sockets	35,37














## MagicSpring Screw Holding

	DESCRIPTION	Page
	SoftFinish® Screw Holding Cushion Grip	19
	PicoFinish Soft Grip Screw Holding	19
	L-keys Screw Holding	18
	Wing Handle Screw Holding	19
	TorqueControl Blades Screw Holding	20
	Power Bits	34





## Wing/Flag & L-keys Index

	DESCRIPTION	Page
	L-Keys	12-13
	Offset Screwdrivers	11
	Wing Handle Torx®, TorxPlus® & MagicSpring	14,16,19
	Flag Handle Torx® & TorxPlus®	14,16

## Screwdrivers Index

	DESCRIPTION	Page
	SoftFinish® CushionGrip Torx®, Security Torx®, TorxPlus®, MagicSpring	5-6,15,17,19
	ESD Safe SoftFinish® Cushion Grip - Torx®	6
	Insulated Torx® & Security Torx®	7,11
	MicroFinish Non-Slip Grip - Torx®	7
	Powerhandle- Torx®	8
	Protturn - Torx®	8
	3K Series - Torx®	8
	Offset Screwdrivers	11
	T-handle/ComfortGrip Torx® & TorxPlus®	13,17
	Precision Tools	
	Standard	23
	PicoFinish	23
	ESD Safe	24










## Drive-Loc VI Interchangeable

	DESCRIPTION	Page
	Drive-Loc VI Handle SoftFinish® Cushion Grip	10
	Drive-Loc VI Handle ESD Safe Cushion Grip	10
	Drive-Loc VI Handle MicroFinish Non-Slip Grip	10
	Drive-Loc VI Blades Torx® / Security Torx®	10




## Fold Outs Index

	DESCRIPTION	Page
	PocketStars Torx, Security Torx, TorxPlus	11,16

## TorqueControl Index

DESCRIPTION	Page
 TorqueVario Handle	20
 Torx® / TorxPlus® Blades	20
 Insulated Torque Tools	21
 Easy Torque Tools	21
 ESD Safe TorqueControl	22
 ESD Safe Torx® Blades	22
 T-handle Torque Tools	22
 Interchangeable Blades For Torque T-handle	22
 TorqueControl Sets	22










## High Performance Bits Index

DESCRIPTION	Page
 Torx® Dura Insert Bits Tungsten Carbide Coated	30
 Torx® Diamond Bits	30
 Torx® TiN Coated- Titanium	30







## Standard Bits Index

DESCRIPTION	Page
 Torx® Insert/Power Bits	30-32

## Specialty Bits Index


DESCRIPTION	Page
  Ball End Torx®	15
  Torx® Align Bits Insert/Power Bits	32
  Security Torx® Insert/Power Bits	33
  TorxPlus® Bits Insert/Power Bits	34
  Security Pentalobe	34

## Bit Sets Index








DESCRIPTION	Page
 BitFlip Sets	26
 Six-in-One Bit Sets	26
 Bit Selector Sets	27
 Power Bit Belt Packs	27
 SYSTEM 4 Sets Micro Bits & Interchangeable Blades	25
 XSelectors	27

 See Bit Holders on Pg. 26-28

## ESD Blade Set Index

DESCRIPTION	Page
 Interchangeable Blade Set	24-25

## Sockets Index

DESCRIPTION	Page
 Torx® 1/4" Drive	35-37
 Torx® 3/8" Drive	35-37
 Torx® 3/8" - 5/16" Bits	35-37
 Security Torx® 3/8", 1/2"	35,37
 External Torx® Sockets 1/4", 3/8", 1/2"	36
 6" Bit Sockets 1/4" & 3/8" Drive	36
 Bit Socket Sets	36-37



**Wiha TORX® SoftFinish® Screwdrivers - Ergonomic Cushion Grip Handle**



**TORX®**

Extra large diameter to achieve high torque

Improved torque zone. For all working conditions with molded on soft cushion grips

Flat surfaces give roll-off protection



Handle is molded directly onto the blade for a permanent bond



**362 TORX® Screwdriver, With Wiha-SoftFinish® Handle**

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36264	T5	60	2.4	2.5	.098	164	6.5	.05	10
36266	T6	60	2.4	3.5	.139	164	6.5	.06	10
36268	T7	60	2.4	3.5	.139	164	6.5	.06	10
36270	T8	60	2.4	3.5	.139	164	6.5	.06	10
36272	T9	60	2.4	4.0	.157	171	6.7	.10	10
36274	T10	80	3.1	4.0	.157	191	7.5	.11	10
36276	T15	80	3.1	4.0	.157	191	7.5	.11	10
36278	T20	100	3.9	4.0	.157	211	8.3	.11	10
36280	T25	100	3.9	4.5	.177	211	8.3	.12	10
36282	T27	115	4.5	5.5	.216	233	9.2	.19	10
36284	T30	115	4.5	6.0	.236	233	9.2	.20	10
36286	T40	130	5.1	7.0	.275	254	10.0	.27	10
36288	T45	130	5.1	8.0	.315	254	10.0	.31	10



**36294 8 Pcs. TORX® Set**

Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Size	mm	lbs.
36294	T6	60	T20	100	1.24
	T8	60	T25	100	
	T10	80	T27	115	
	T15	80	T30	115	



**36291 6 Pcs. TORX® Set**

Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Size	mm	lbs.
36291	T6	60	T9	60	.77
	T7	60	T10	80	
	T8	60	T15	80	



**36201 6 Pcs. TORX® Set**

Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Size	mm	lbs.
36201	T6	60	T15	80	.83
	T8	60	T20	100	
	T10	80	T25	100	



**36267 Set 12 Pcs. TORX® Round**

blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Size	mm	lbs.
36267	T5	60	T15	80	2.03
	T6	60	T20	100	
	T7	60	T25	100	
	T8	60	T27	115	
	T9	60	T30	115	
	T10	80	T40	130	





## Wiha Security TORX® Drivers



### 362 Security TORX® Screwdriver With Wiha-SoftFinish® Handle

Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36269	T7s	60	2.4	3.5	.139	164	6.5	.06	10
36271	T8s	60	2.4	3.5	.139	164	6.5	.06	10
36273	T9s	60	2.4	4.0	.157	171	6.7	.10	10
36275	T10s	80	3.1	4.0	.157	191	7.5	.11	10
36277	T15s	80	3.1	4.0	.157	191	7.5	.11	10
36279	T20s	100	3.9	4.0	.157	211	8.3	.11	10
36281	T25s	100	3.9	4.5	.177	211	8.3	.11	10
36283	T27s	115	4.5	5.5	.216	233	9.2	.19	10
36285	T30s	115	4.5	6.0	.236	233	9.2	.20	10
36287	T40s	130	5.1	7.0	.275	254	10.0	.28	10



### 36298 7 Pcs. Security TORX® Set

Item No.	Size	mm	Size	mm	lbs.
36298	T7s	60	T15s	80	.95
	T8s	60	T20s	100	
	T9s	60	T25s	100	
	T10s	80			



### 36259 10 Pcs. Security TORX® Set

Item No.	Size	mm	Size	mm	lbs.
36259	T7s	60	T20s	100	1.5
	T8s	60	T25s	100	
	T9s	60	T27s	115	
	T10s	80	T30s	115	
	T15s	80	T40s	130	

## Wiha SoftFinish® ESD Safe Handle



ESD Safe (10<sup>6</sup>-10<sup>9</sup> Ohm)

### 362 ESD Safe TORX® Driver, Wiha-SoftFinish® Handle DIN EN 61340-5-1/61340-5-2

Round blade, CVM steel, hardened, hard chromed. Offers protection against electrostatic discharge. Dissipative SoftFinish® cushion grip handle, multi-component.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36260	T3	60	2.4	3.5	.139	164	6.5	.06	10
36204	T4	60	2.4	3.5	.139	164	6.5	.06	10
36200	T5	60	2.4	3.5	.139	164	6.5	.06	10
36206	T6	60	2.4	3.5	.139	164	6.5	.06	10
36208	T8	60	2.4	3.5	.139	164	6.5	.06	10
36209	T9	60	2.4	4.0	.157	171	6.7	.10	10
36218	T10	80	3.1	4.0	.157	191	7.5	.11	10
36219	T15	80	3.1	4.0	.157	191	7.5	.11	10
36224	T20	100	3.9	4.0	.157	211	8.3	.11	10



ESD Safe (10<sup>6</sup>-10<sup>9</sup> Ohm)



### 36289 Set 6 Pcs. ESD Safe TORX® Screwdrivers

Item No.	TORX®	lbs.
36289	T6, T8, T9, T10, T15, T20	.81

## Wiha ESD Safe Interchangeable Blade Set

In Durable Pouch



### 10893 ESD Safe 5 Piece TORX®

Interchangeable Blade Set Includes ESD Safe handle & 4 interchangeable blades.

Item No.	lbs.
10893	.75
TORX®: T6, T7, T8, T9, T10, T15, T20, T25	
Wiha ESD Safe Handle	








**Wiha Insulated TORX® Screwdrivers**

  1000Volt



**325 TORX® Screwdriver, With Wiha-SoftFinish® Handle Insulation According to ASTM F-1505-10, New VDE Specification 0682/part 201 and EN/IEC 60900, NFPA70E, up to 1000 Volt. Individually Tested.**






Blade high alloy cvm steel, hardened, black finish. Insulation molded directly onto blade.

Item No.	 Size	 mm	 Inch	 mm	 Inch	 lbs.	 pkg.
32505	T5	60	2.4	164	6.5	.06	10
32511	T6	60	2.4	164	6.5	.06	10
32516	T7	60	2.4	164	6.5	.06	10
32521	T8	60	2.4	164	6.5	.06	10
32526	T9	60	2.4	164	6.5	.06	10
32531	T10	60	2.4	164	6.5	.06	10
32536	T15	80	3.1	191	7.5	.12	10
32541	T20	80	3.1	191	7.5	.12	10
32546	T25	80	3.1	198	7.8	.17	10
32551	T27	100	3.9	218	8.6	.20	10
32556	T30	100	3.9	218	8.6	.20	10
32561	T40	150	5.9	274	10.8	.30	10
32566	T45	150	5.9	274	10.8	.35	10

  1000Volt







**32590 Set 6 Pcs. TORX®**

Item No.	 Size	 mm	 Size	 mm	 lbs.
32590	T8	60	T15	80	.83
	T9	60	T20	80	
	T10	60	T25	80	



  1000Volt

**32592 Set 10 Pcs. TORX®**

Item No.	 Size	 mm	 Size	 mm	 lbs.
32592	T6	60	T15	80	1.2
	T7	60	T20	80	
	T8	60	T25	80	
	T9	60	T27	100	
	T10	60	T30	100	

**Wiha TORX® MicroFinish Handle Non-Slip Grip**

**Wiha MicroFinish handle** has a patented non-slip surface - it won't peel, crack or deteriorate when exposed to petroleum solvents. Oil and moisture flow away from the handle surface for a powerful, non-slip grip. You get maximum force and comfort with dry, oily or wet hands.

**Exact** fit precision ground tips

**Blades** are hardened & hard chromed










**MicroFinish Handle** with patented non-slip surface. Ergo handle shape for maximum comfort & exceptional torque transfer

**Safe**, high density material, eliminates risk of sharp objects becoming embedded in the handle








**527 TORX® Screwdriver, With Wiha-MicroFinish Handle**

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant. Round blades.

Item No.	 Size	 mm	 Inch	 mm	 Inch	 mm	 Inch	 lbs.	 pkg.
52711	T9	60	2.4	4.0	.157	171	6.7	.15	10
52713	T10	80	3.1	4.0	.157	191	7.5	.15	10
52716	T15	80	3.1	4.0	.157	191	7.5	.15	10
52719	T20	100	3.9	4.0	.157	211	8.3	.15	10
52722	T25	100	3.9	4.5	.177	211	8.3	.16	10
52726	T27	115	4.5	5.5	.216	233	9.2	.25	10
52729	T30	115	4.5	6.0	.236	233	9.2	.27	10
52732	T40	130	5.1	7.0	.275	254	10.0	.40	10








**52790 Set 5 Pcs. TORX®**

Item No.	 Size	 mm	 Size	 mm	 lbs.
52790	T10	80	T25	100	1.0
	T15	80	T30	115	
	T20	100			





**52791 Set 8 Pcs. TORX®**

Item No.	 Size	 mm	 Size	 mm	 lbs.
52791	T9	60	T25	100	1.89
	T10	80	T27	115	
	T15	80	T30	115	
	T20	100	T40	130	







## Wiha Powerhandle TORX®



### 362 TORX® Screwdriver, With Wiha-Powerhandle

CVM steel blade, hardened, hard chromed. Wiha-powerhandle cellulose-acetate.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36205	T5	50	2.0	2.5	.098	110	4.3	.03	10
36210	T6	50	2.0	3.5	.139	125	4.9	.06	10
36212	T7	50	2.0	3.5	.139	125	4.9	.06	10
36215	T8	60	2.4	3.5	.139	135	5.3	.06	10
36220	T9	60	2.4	4.0	.157	140	5.5	.09	10
36225	T10	80	3.1	4.0	.157	170	6.7	.13	10
36230	T15	80	3.1	4.0	.157	170	6.7	.13	10
36235	T20	100	3.9	4.0	.157	200	7.9	.17	10
36240	T25	100	3.9	4.5	.177	200	7.9	.18	10
36245	T27	115	4.5	5.5	.216	215	8.5	.20	10
36250	T30	115	4.5	6.0	.236	225	8.9	.28	10



### 36292 8 Pcs. Set TORX® With Wiha-Powerhandle

Item No.	TORX®	lbs.
36292	T6, T8, T10, T15, T20, T25, T27, T30	1.45



### 36293 6 Pcs. Set TORX® With Wiha-Powerhandle

Item No.	TORX®	lbs.
36293	T6, T7, T8, T9, T10, T15	.78

## Wiha TORX® Protturn Screwdrivers

# protturn

## TORX®

Molded on ergonomic handle proportioned to blade sizes

Black finish blades

Through hardened for optimum wear resistance

High performance tool steel



### 45591 6 Pcs. TORX® Set

Item No.	TORX®	lbs.
45591	T7, T8, T9, T10, T15, T20	.72



### 45592 8 Pcs. TORX® Set

Item No.	TORX®	lbs.
45592	T8, T9, T10, T15, T20, T25, T27, T30	1.07



### 45589 11 Pcs. TORX® Set

Item No.	TORX®	lbs.
45589	T6, T7, T8, T9, T10x80, T15, T20, T25, T27, T30, T40	2.2



### 455 TORX® Screwdriver, With Wiha-Protturn Handle

Blade high alloy CVM steel, hardened, black finish. Molded on ergonomic Wiha-Protturn handle, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
45505	T6	50	2.0	3.5	.139	129	5.1	.05	10
45506	T7	50	2.0	3.5	.139	129	5.1	.05	10
45511	T8	60	2.4	3.5	.139	139	5.5	.06	10
45516	T9	60	2.4	4.0	.157	149	5.8	.08	10
45521	T10	80	3.1	4.0	.157	170	6.7	.10	10
45522	T10	275	10.8	4.0	.157	363	14.2	.13	10
45526	T15	80	3.1	4.0	.157	170	6.7	.10	10
45531	T20	100	3.9	4.0	.157	190	7.5	.11	10
45536	T25	100	3.9	4.5	.177	190	7.5	.11	10
45541	T27	115	4.5	5.5	.216	215	8.4	.11	10
45546	T30	115	4.5	6.0	.236	215	8.4	.20	10
45551	T40	130	5.1	7.0	.275	240	9.4	.28	10
45561	T50	130	5.1	9.0	.354	240	9.4	.31	10



**Wiha TORX® 3K Series Drivers and Sets**


**3K Series**

Blade high alloy CVM steel, hardened

Hole for hanging

Precision black tip

Molded on soft grip ergonomic handle, impact resistant



**45593 Set 5 Pcs. TORX® Blade CVM steel, hardened, precision black tip. Wiha-3K Ergo handle, cushion grip.**

<b>Item No.</b>	<b>TORX®</b>	lbs.
45593	T8, T10, T15, T20, T25	.86



**45598 Set 6 Pcs. TORX® Blade CVM steel, hardened, precision black tip. Wiha-3K Ergo handle, cushion grip.**

<b>Item No.</b>	<b>TORX®</b>	lbs.
45598	T6, T7, T8, T9, T10, T15	.88



**45595 Set 8 Pcs. TORX® Wiha-3K Ergo handle, cushion grip.**

<b>Item No.</b>	<b>TORX®</b>	lbs.
45595	T8, T9, T10, T15, T20, T25, T27, T30	1.36

















**45597 Set 11 Pcs. TORX® 3K Ergo Series Screwdriver Set**

<b>Item No.</b>	<b>TORX®</b>	lbs.
45597	T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40	1.72












**455 TORX® Screwdriver, With Wiha-3K Series Handle** Blade high alloy CVM steel, hardened, precision black tip. Molded on ergonomic Wiha-3K Series handle, impact resistant.

Item														
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.					
45504	T6	60	2.4	3.2	9/64	145	5.7	.06	10					
45507	T7	60	2.4	3.5	9/64	129	5.1	.05	10					
45508	T8	60	2.4	3.5	9/64	139	5.5	.06	10					
45509	T9	60	2.4	4.0	5/32	149	5.8	.08	10					
45510	T10	80	3.1	4.0	5/32	170	6.7	.10	10					
45515	T15	80	3.1	4.0	5/32	190	7.5	.11	10					
45520	T20	100	3.9	5.5	7/32	215	8.4	.11	10					
45525	T25	100	3.9	6.0	1/4	215	8.4	.20	10					
45527	T27	115	4.5	7.0	9/32	240	9.4	.28	10					
45530	T30	115	4.5	6.0	1/4	233	9.1	.21	10					
45540	T40	130	5.1	7.0	9/32	248	9.7	.25	10					
45545	T45	130	5.1	8.0	5/16	249	9.8	.30	10					
45550	T50	130	5.1	9.0	3/8	249	9.8	.33	10					

**Wiha Bit Holders**












**48401 1/4" Bit holding Screwdriver, With Wiha-Ergo 3K Handle** Magnetic, holds bit & screw. Retainer out of stainless steel. CVM tool steel, nickel plated.

<b>Item</b>									
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.		
48401	1/4"	125	5.0	211	8.3	.24	1		



**48400 1/4" Bit holding Screwdriver, With Wiha-Proturn Handle** Magnetic, holds bit & screw. Retainer out of stainless steel. Shaft CVM tool steel, nickel plated.

<b>Item</b>									
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.		
48400	1/4"	125	5.0	243	9.6	.24	10		



**46790 Set 30 Pcs. TORX® & Hex Inch/Metric Workstation 3K Ergo Series Screwdriver Set.** Blade CVM steel, hardened, precision black tip. Wiha-3K Ergo handle, cushion grip.

<b>Item No.</b>	<b>TORX®</b>
46790	T6, T7, T8, T9, T10, T15, T20, T25, T27, T30
lbs.	<b>Hex Metric</b> 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm
	<b>Hex Inch</b> 1/4, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16"

## Wiha Drive-Loc VI Handles, Blades & Sets



**28488 Drive-Loc VI Cushion Grip Handle**  
 Wiha-SoftFinish® impact resistant, with roll off protection. Ergonomic cushion grip, Drive-Loc mechanism guarantees a secure hold & rapid blade exchange.

Item No.	mm	mm	Inch	mm	Inch	lbs.
28488	6.0	115	4.5	36.0	1.41	.20



**28486 ESD Safe Drive-Loc VI Cushion Grip Handle**  
 Wiha-SoftFinish® impact resistant, with roll off protection. Ergonomic cushion grip, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange. Static Dissipative

Item No.	mm	mm	Inch	mm	Inch	lbs.
28486	6.0	115	4.5	36.0	1.41	.20



**28487 Drive-Loc VI MicroFinish Non-Slip Grip Handle**  
 Wiha-MicroFinish handle, won't peel, crack or deteriorate when exposed to petroleum solvents. Ideal for Hex, TORX® & Nut Drivers. Ergonomic handle shape for maximum comfort, mechanism guarantees a secure hold & rapid blade exchange.

Item No.	mm	mm	Inch	mm	Inch	lbs.
28487	6.0	115	4.5	36.0	1.41	.20



**10810 Drive-Loc VI Standard Narrow Profile Tech Handle**  
 Dynamic non-locking, impact resistant, friction hold. Fits all Drive-Loc blades. Does not have locking feature.

Item No.	mm	mm	Inch	mm	Inch	lbs.
10810	6.0	135	5.3	15.2	.60	.16



## Drive-Loc VI

For Adjustable Length Locking Blades

Locking mechanism allows blade length to be adjusted from 40mm-120mm. (1.7 to 4.7" In 1/8" increments)

Blades high quality CVM steel, hard chrome finish.

Ergonomic handles in ESD Safe, cushioned & non-slip grip.



**281 TORX® Drive-Loc VI Interchangeable Blade**  
 High alloy CVM steel, through hardened, hard chrome finish. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	Size + Size	lbs.	pkg.
28126	T6 T8	.09	1
28127	T7 T9	.09	1
28128	T10 T15	.10	1
28129	T20 T25	.10	1
28130	T30 T40	.10	1



**28197 Drive-Loc VI Interchangeable Blade Set, 6 Pcs. In Durable Pouch**  
 Set includes Drive-Loc VI handle & 5 interchangeable blades.

**Item No.** Security **TORX®**  
**28197** T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s  
 lbs. SoftFinish® Cushion Grip Blade  
 .83 Lock Handle



**281 Security TORX® Drive-Loc VI**  
 Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	Size + Size	lbs.	pkg.
28132	T6s T8s	.09	1
28133	T7s T9s	.09	1
28134	T10s T15s	.10	1
28135	T20s T25s	.10	1
28136	T30s T40s	.10	1



**28189 15Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch**  
 Set includes Drive-Loc VI handle & 14 interchangeable blades.

**Item No.** 28189 lbs. 1.28  
**Slotted:** 3.5+4.5, 5.5+6.5  
**Phillips:** 1+2  
 Security **TORX®:** T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s  
**Hex Inch:** 3/32+7/64, 1/8+9/64, 5/32+3/16  
**Hex Metric:** 2.0+2.5, 3.0+4.0, 5.0+6.0mm  
 Wiha SoftFinish® Cushion Grip Blade Lock Handle



**28485 5 Pack Drive-Loc VI Interchangeable Blade Set**  
 Over all blade length 150mm/5.9"

Item No.	TORX®	lbs.
28485	T6+T8, T7+T9, T10+T15, T20+T25, T30+T40	.35




**28477 5 Pack Drive-Loc VI Interchangeable Blade Set**







Item No.	TORX®	lbs.
28477	T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s	.35


**Wiha SlimLine Security TORX® SoftFinish® Screwdrivers**




  1000Volt

**325** Insulated Security TORX® SlimLine Drivers Insulation According to ASTM, New VDE Specification 0682/part 201 and EN/IEC 60900, NFPA70E & CSA,  up to 1000 Volt. Individually Tested to 10,000Volts.

Item						
No.	Size	mm	mm	lbs.	Pkg.	
32512	T10s	100	204	.08	1	
32513	T15s	100	211	.12	1	
32514	T20s	100	211	.12	1	
32515	T25s	125	243	.18	1	
32517	T27s	125	243	.21	1	
32518	T30s	125	243	.21	1	
32519	T40s	150	268	.26	1	



  1000Volt

**32596** 6 Pc. Insulated SlimLine Security TORX® Screwdrivers. Insulation According to ASTM F-1505, New VDE Specification 0682/part 201 and EN/IEC 60900, NFPA70E & CSA,  up to 1000 Volt. Individually Tested to 10,000Volts. High quality CV steel, through hardened. SlimLine blades have up to 33% narrower insulation diameter than standard insulated tools.

Item	Security TORX®:	T10s, T15s, T20s, T25s, T27s, T30s
<b>32596</b>		lbs. 1.18








**Wiha Insulated SlimLine Tools**

Insulation according to EN/IE, ASTM, VDE, DIN, NFPA70E & CSA specification



**28301** SlimLine Blade Holder, With Wiha-SoftFinish® Handle Insulation

Chrome-vanadium steel, through-hardened. Insulation molded directly onto blade. Friction hold blade holder. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
<b>28301</b>	1/4"	50	2.0	160	6.3	.15	1




**Wiha SlimTECHNOLOGY**

Achieves blade diameters up to 33% narrower utilizing integrated insulation



**283** Insulated TORX® SlimLine Blades

High quality CV steel, through hardened.


Item		Slim	Max	Inch/		
No.	Size	Dia.	Nm	lbs.	lbs.	Pkg.
<b>28339</b>	T8	4.0	1.3	11.5	.02	1
<b>28344</b>	T9	4.0	1.3	11.5	.02	1
<b>28340</b>	T10	4.0	3.8	33.6	.02	1
<b>28341</b>	T15	6.0	5.5	48.7	.02	1
<b>28342</b>	T20	6.0	5.5	48.7	.02	1
<b>28343</b>	T25	6.0	5.5	48.7	.02	1

**Wiha PocketStar Fold Outs**




**36396** TORX® PocketStar Fold Outs, 7 Pc. Set High alloy CVM steel, hardened, molded ergonomic handle. OAL 3.8"

Item No.	TORX®	lbs.	
<b>36396</b>	T7, T8, T9, T10, T15, T20, T25	.22	




**36395** Security TORX® PocketStar Fold Outs, 7 Pc. Set High alloy CVM steel, hardened, molded ergonomic handle. OAL 3.8"

Item No.	TR TORX®	lbs.	
<b>36395</b>	T7s, T8s, T9s, T10s, T15s, T20s, T25s	.22	



**36398** TORX® PocketStar Fold Outs, 8 Pc. Set High alloy CVM steel, hardened, molded ergonomic handle. OAL 4.74"

Item No.	TORX®	lbs.	
<b>36398</b>	T9, T10, T15, T20, T25, T27, T30, T40	.24	



**36397** Security TORX® PocketStar Fold Outs, 8 Pc. Set High alloy CVM steel, hardened, molded ergonomic handle. OAL 4.74"




Item No.	TR TORX®	lbs.	
<b>36397</b>	T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s	.24	

**Wiha Offset Screwdrivers**



**207** TORX® Offset Screwdriver With

Molded Handle For working in confined spaces. Blade CVM special steel, hardened, black finish.

Item			
No.	Size	lbs.	pkg.
<b>20756</b>	T6 + T8	.02	1
<b>20757</b>	T7 + T9	.02	1
<b>20758</b>	T10 + T15	.02	1
<b>20759</b>	T20 + T25	.07	1
<b>20760</b>	T27 + T30	.10	1



**20799** TORX® Offset Screwdriver Set,

5 Pcs. With Molded Handle Blade CVM special steel, hardened, black finish.

Item	Set Includes:	T6+T8, T7+T9, T10+T15, T20+T25, T27+T30	lbs.	pkg.
<b>20799</b>			.24	1



## TORX® Short Arm L-keys



### 363 TORX® L-key, Short Arm

High alloy CVM steel, hardened, black finish.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
36305	T5	37	1.5	16	.6	.01	10
36306	T6	39	1.5	16	.6	.01	10
36307	T7	42	1.7	16	.6	.01	10
36308	T8	45	1.8	16	.6	.01	10
36309	T9	48	1.9	16	.6	.01	10
36310	T10	51	2.0	17	.7	.01	10
36315	T15	54	2.1	19	.7	.01	10
36320	T20	58	2.3	19	.7	.01	10
36325	T25	63	2.5	21	.8	.02	10
36327	T27	67	2.6	22	.9	.03	10
36330	T30	73	2.9	24	.9	.05	10
36340	T40	79	3.1	26	1.0	.06	10
36345	T45	82	3.2	28	1.1	.09	10
36350	T50	95	3.7	32	1.3	.13	10
36355	T55	108	4.3	35	1.4	.27	10
36360	T60	120	4.7	38	1.5	.40	10

## TORX® Long Arm L-keys



### 366 TORX® L-key, Long Arm

High alloy CVM steel, hardened, black finish.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
36645	T5	71	2.8	12	.5	.06	10
36646	T6	78	3.1	13	.5	.07	10
36647	T7	87	3.4	16	.6	.10	10
36648	T8	99	3.9	18	.7	.13	10
36649	T9	106	4.2	18	.7	.17	10
36650	T10	118	4.6	21	.8	.23	10
36651	T15	131	5.2	23	.9	.33	10
36652	T20	144	5.7	25	1.0	.44	10
36653	T25	158	6.2	28	1.1	.65	10
36654	T27	169	6.7	30	1.2	.98	10
36655	T30	184	7.2	32	1.3	1.27	10
36659	T40	201	7.9	35	1.4	2.09	10
36660	T45	222	8.7	40	1.6	2.70	10
36661	T50	213	8.4	40	1.6	3.14	10

## Wiha Security TORX® L-keys



### Security Torx® L-Keys

High alloy CVM steel, hardened, black finish.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
36321	T7s	42	1.7	16	.6	.01	10
36323	T8s	45	1.8	16	.6	.01	10
36326	T9s	48	1.9	16	.6	.01	10
36328	T10s	51	2.0	17	.7	.01	10
36329	T15s	54	2.1	19	.7	.01	10
36332	T20s	58	2.3	19	.7	.02	10
36335	T25s	63	2.5	21	.8	.02	10
36337	T27s	67	2.6	22	.9	.03	10
36339	T30s	73	2.9	24	.9	.04	10
36342	T40s	79	3.1	26	1.0	.06	10
36346	T45s	82	3.2	28	1.1	.09	10
36352	T50s	95	3.7	35	1.3	.13	10
36357	T55s	108	4.3	38	1.4	.27	10



### 36392 TORX® Set, 7 Pc. In Plastic Holder

Equipped with T6, T7, T8, T9, T10, T15, T20

Item No.	lbs.	pkg.
36392	.10	1

### 36394 TORX® Set, 9 Pc. In Plastic Holder

T8, T9, T10, T15, T20, T25, T27, T30, T40

Item No.	lbs.	pkg.
36394	.30	1

### 36399 TORX® Set, 16 Pc.

Equipped with T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45, T50, T55, T60

Item No.	lbs.	pkg.
36399	1.14	1



### 36699 Long Arm TORX® Set, 13 Pc. in Molded Holder

Equipped with T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T50

Item No.	lbs.	pkg.
36699	1.13	1



### 36698 Long Arm TORX® Set, 10 Pc. In Molded Holder

Equipped with T6, T7, T8, T9, T10, T15, T20, T25, T27, T30

Item No.	lbs.	pkg.
36698	1.04	1



### 36694 26 Piece Combo Pack Long Arm TORX® And Hex Inch L-key Sets, In Pouch

Set includes: 36699-13pc set T5-T50 and 36991-13pc set .050 - 3/8"

Item No.	lbs.	pkg.
36694	2.13	1



### Security Torx® L-Key Sets



### 36393 Security TORX® Set, 9 Pcs. In Plastic Holder

Equipped with T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s

Item No.	lbs.	pkg.
36393	.30	1



### 36391 Security TORX® Set, 6 Pcs.

T10s, T15s, T20s, T25s, T27s, T30s

Item No.	lbs.	pkg.
36391	.16	1



### 36390 TORX® Set, 9 Pc. In Metal Stand

Equipped with T10, T15, T20, T25, T30, T40, T50, T55, T60

Item No.	lbs.	pkg.
36390	1.86	1





**Wiha "Rust Free" Finish TORX® L-keys**

Pacified Zinc Chromate Finish

96 hour salt bath tested for best corrosion protection



CVM tool steel through hardened and tempered for maximum tool life

**36693 TORX® Long Arm Set, 13 Pc.**

**In ErgoStar Molded Holder** Equipped with T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45

Item No.	↔ lbs.	📦 pkg.
36693	1.10	1

**Wiha TORX® T-handle**

Blade high alloy CVM steel, hardened, hard chrome finish.

Wiha T-handle high quality plastic, impact resistant



**364 TORX® with Wiha T-handles**

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs	pkg.
36409	T9	100	3.9	4.0	5/32	80	3.1	.07	10
36410	T10	100	3.9	4.0	5/32	80	3.1	.07	10
36415	T15	100	3.9	4.0	5/32	80	3.1	.07	10
36417	T15	200	7.9	5.5	7/32	80	3.1	.13	10
36420	T20	100	3.9	4.0	5/32	100	3.9	.10	10
36422	T20	200	7.9	5.5	7/32	100	3.9	.17	10
36425	T25	100	3.9	4.0	5/32	100	3.9	.11	10
36427	T25	200	7.9	5.5	7/32	100	3.9	.17	10
36430	T27	100	3.9	5.5	7/32	100	3.9	.14	10
36432	T27	200	7.9	5.5	7/32	100	3.9	.17	10
36435	T30	100	3.9	7.9	6.0	100	3.9	.14	10
36437	T30	200	7.9	6.0	1/4	100	3.9	.19	10
36440	T40	100	3.9	7.0	9/32	100	3.9	.16	10
36442	T40	200	7.9	7.0	9/32	100	3.9	.23	10
36445	T45	150	5.9	8.0	5/16	120	4.7	.29	10
36450	T50	150	5.9	9.0	3/8	120	4.7	.30	10
36452	T50	250	9.8	9.0	3/8	120	4.7	.45	10

**Wiha TORX® Soft Grip T-handles & Set**

**Two Tools In One!**



Through the handle side driver

Short and Long Arm In One Powerful Tool

Two component soft grip handle

Torx - Blades of CVM tool steel, through hardened durability, hard chrome finish


**Maximum Comfort & Maximum Power**

Soft grips are molded on & include through the handle side torque drive



**364 Soft Grip TORX® T-handle**

Item No.	Size	mm	lbs.	pkg.
36480	T10	100	.08	10
36481	T15	100	.08	10
36482	T20	100	.13	10
36483	T25	150	.16	10
36484	T27	150	.19	10
36486	T30	150	.20	10
36487	T40	150	.24	10



**36492 TORX® T-handle Set, 7 Pc.**

Includes T9, T10, T15, T20, T25, T27, T30

Item No.	↔ lbs.	📦 pkg.
36492	1.24	1



**36490 TORX® T-handle Set, 7 Pc.**

**In Metal Stand** Equipped with T10, T15, T20, T25, T30, T40, T50

Item No.	↔ lbs.	📦 pkg.
36490	2.65	1



**36497 7 Piece TORX® Set Soft Grip T-handles**

Item No.	TORX®	↔ lbs.
36497	T10, T15, T20, T25, T27, T30, T40	1.53



**36494 TORX® T-handle Set, 8 Pc. In Metal Stand**

Equipped with T9, T10, T15, T20, T25, T27, T30, T40

Item No.	↔ lbs.	📦 pkg.
36494	3.10	1

## Wiha TORX® Tools Wing Handle 10 Packs & 2 Packs

Ideal for use with indexable carbide tooling and also for working in confined spaces



**365 TORX® Screwdriver, With Wing Handle - 10 Pack** Blade high alloy CVM steel, hardened, black finish. Wing handle high quality plastic, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36511	T6	35	1.4	70	2.7	40	1.6	.02	10
36513	T7	35	1.4	70	2.7	40	1.6	.02	10
36514	T8	40	1.6	75	2.9	40	1.6	.02	10
36534	T9	40	1.6	75	2.9	40	1.6	.02	10
36536	T10	40	1.6	75	2.9	40	1.6	.02	10
36537	T15	45	1.8	80	3.1	40	1.6	.02	10
36538	T20	45	1.8	80	3.1	40	1.6	.02	10

**365 TORX® Screwdriver, With Wing Handle - 2 Pack**

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36516	T6	35	1.4	70	2.7	40	1.6	.02	2
36517	T7	35	1.4	70	2.7	40	1.6	.02	2
36518	T8	40	1.6	75	2.9	40	1.6	.02	2
36519	T9	40	1.6	75	2.9	40	1.6	.02	2
36521	T10	40	1.6	75	2.9	40	1.6	.02	2
36522	T15	45	1.8	80	3.1	40	1.6	.02	2
36523	T20	45	1.8	80	3.1	40	1.6	.02	2

## Wiha TORX® Tools Flag Handle 10 Packs & 2 Packs

Ideal for use with indexable carbide tooling and also for working in confined spaces



**370 TORX® Screwdriver, With Flag Handle - 10 Pack** Blade high alloy CVM steel, hardened, black finish. Flag handle high quality plastic, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
37005	T5	35	1.4	63	2.6	15.0	.75	.01	10
37006	T6	35	1.4	63	2.6	15.0	.75	.01	10
37007	T7	35	1.4	67	2.6	19.0	.75	.01	10
37008	T8	40	1.6	72	2.8	19.0	.75	.01	10
37009	T9	40	1.6	74	2.9	23.5	.93	.01	10
37010	T10	40	1.6	74	2.9	23.5	.93	.01	10
37011	T15	45	1.8	80	3.1	28.0	1.10	.02	10
37012	T20	45	1.8	80	3.1	28.0	1.10	.02	10

**370 TORX® Screwdriver, With Flag Handle - 2 Pack**

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
37014	T5	35	1.4	63	2.6	15.0	.75	.01	2
37015	T6	35	1.4	63	2.6	15.0	.75	.01	2
37017	T7	35	1.4	67	2.6	19.0	.75	.01	2
37018	T8	40	1.6	72	2.8	19.0	.75	.01	2
37021	T9	40	1.6	74	2.9	23.5	.93	.01	2
37023	T10	40	1.6	74	2.9	23.5	.93	.01	2
37024	T15	45	1.8	80	3.1	28.0	1.10	.02	2
37027	T20	45	1.8	80	3.1	28.0	1.10	.02	2



**36591 Wing Handle TORX® Set, 7 Pc.**

Set includes: T6, T7, T8, T9, T10, T15, T20

wt. .16



**36590 Wing Handle TORX® Set, 7 Pc. In Metal Stand**

Set includes: T6, T7, T8, T9, T10, T15, T20

wt. .32



**37091 Flag Handle TORX® Set, 7 Pc.**

Set includes: T6, T7, T8, T9, T10, T15, T20

wt. .14



**37090 Flag Handle TORX® Set, 7 Pc. In Metal Stand**

Set includes: T6, T7, T8, T9, T10, T15, T20

wt. .31

### Wiha Ball End TORX® Screwdrivers

- Ball End For 25° Angle Driving
- Precision Machined Exact Fit Tips
- Through Hardened For Maximum Durability
- WIHA High Performance CRM-72 Tool Steel
- Guaranteed Quality Made By Wiha



#### 362 Ball End TORX® Screwdriver, With Wiha-SoftFinish® Handle

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item	No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36216	T9	60	2.4	4.0	.157	164	6.5	.10	10	
36217	T10	60	2.4	4.0	.157	184	7.2	.11	10	
36221	T15	80	3.1	4.0	.157	191	7.5	.11	10	
36222	T20	80	3.1	4.0	.157	211	8.3	.11	10	
36226	T25	100	3.9	4.5	.177	218	8.6	.12	10	
36227	T27	115	4.5	5.5	.216	233	9.2	.19	10	
36236	T30	115	4.5	6.0	.236	233	9.2	.20	10	



#### 36237 Set 7 Pcs. TORX® Blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. SoftFinish® handle, multi-component, cushion grips.

Item	No.	Size	mm	Size	mm	lbs.
36237	T9	60	T25	100	1.24	
	T10	60	T27	115		
	T15	80	T30	115		
	T20	80				


### Wiha Ball End TORX® L-keys



#### 366 Ball End TORX® L-key, Long Arm

High alloy CVM steel, hardened, black finish.

Item	No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
36631	T9	111	4.4	21	.83	.17	10	
36632	T10	121	4.8	23	.91	.23	10	
36633	T15	136	5.4	27	1.1	.33	10	
36634	T20	148	5.8	29	1.1	.44	10	
36635	T25	163	6.4	33	1.3	.65	10	
36636	T27	176	6.9	36	1.4	.98	10	
36637	T30	191	7.5	38	1.5	1.27	10	
36638	T40	210	8.3	43	1.7	2.09	10	
36639	T45	232	9.1	50	2.0	2.34	10	



#### 36692 Ball End TORX® L-key Set, 8 Pc. in Plastic Holder Equipped with T9, T10, T15, T20, T25, T27, T30, T40

Item	No.	lbs.	pkg.
36692		6.16	1

### Wiha ErgoStar Ball End TORX® Long L-keys



#### 36689 ErgoStar TORX® Long Arm Set, 13 Pc. In Molded Holder Equipped with T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45

Item No.	lbs.	pkg.
36689	1.08	1

### Ball End TORX® Power Bits



#### 745 Ball End TORX® Power Bits 1/4" Hex Drive, Length 2.0"/50mm

Item	No.	Size	mm	pkg.	lbs.
74524	T9	50	10	.18	
74526	T10	50	10	.18	
74528	T15	50	10	.18	
74532	T20	50	10	.18	
74534	T25	50	10	.18	
74537	T27	50	10	.18	
74539	T30	50	10	.18	
74541	T40	50	10	.18	




#### 745 Ball End TORX® Power Bit Packs, 1"

Item	No.	Size	mm	lbs.
74505	T9	50	.05	
74520	T10	50	.05	
74522	T15	50	.05	
74543	T20	50	.05	
74545	T25	50	.06	
74547	T27	50	.06	
74549	T30	50	.08	
74550	T40	50	.08	



## The TORXPlus® Advantage

The TorxPlus® Drive System offers 100% improvement in driver bit fatigue & 25% average improvement in driver bit torsional strength. In addition its unique design provides optimum torque transfer & eliminates the need for excessive end load pressure while driving the fastener. The TorxPlus® configuration also virtually eliminates tool "camout" & slippage that can damage the head of the fastener and cause reduced tool life.



Not for use in standard Torx fasteners

- Broad Surface For Driving
- Features 0° Drive Angle Between The Fastener & Driver
- Greater Engagement Depth



## Wiha PocketStar Fold Out



Push button key release

### 36697 TORXPlus® PocketStar Fold

**Outs, 8 Pc. Set** High alloy CVM steel, hardened, molded ergonomic handle.

Item No. lbs. .31

36697 : IP6, IP7, IP8, IP9, IP10, IP15, IP20, IP25

## Wiha TORXPlus® Tools 2 Packs & 10 Packs

### TORXPlus®

Not for use in standard Torx fasteners



### 370 TORXPlus® Screwdriver, With Flag Handle - 2 & 10 Packs

Ideal for use with indexable carbide tooling and also for working in confined spaces. Blade high alloy CVM steel, hardened, black finish. Flag handle high quality plastic, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
37063	IP5	35	1.4	63	2.6	15.0	.75	.01	10
37064	IP6	35	1.4	63	2.6	15.0	.75	.01	10
37065	IP7	35	1.4	67	2.6	19.0	.75	.01	10
37066	IP8	40	1.6	72	2.8	19.0	.75	.01	10
37067	IP9	40	1.6	74	2.9	23.5	.93	.01	10
37068	IP10	40	1.6	74	2.9	23.5	.93	.01	10
37069	IP15	45	1.8	80	3.1	28.0	1.10	.02	10
37070	IP20	45	1.8	80	3.1	28.0	1.10	.02	10



### 37092 Flag Handle TORXPlus® Set, 7 Pc. in Metal Stand

Set includes: lbs. .31

IP6, IP7, IP8, IP9, IP10, IP15, IP20



### 36592 TORXPlus® 7 Pc. Wing Handle

Set In Metal Stand. Equipped with IP6, IP7, IP8, IP9, IP10, IP15, IP20

Item No.	lbs.	pkg.
36592	.38	1

### TORXPlus®

Not for use in standard Torx fasteners



### 365 TORXPlus® Screwdriver, With Wing Handle - 2 & 10 Packs

Blade high alloy CVM steel, hardened, black finish. Wing handle high quality plastic, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36539	IP5	35	1.4	70	2.7	40	1.6	.02	10
36541	IP6	35	1.4	70	2.7	40	1.6	.02	10
36543	IP7	35	1.4	70	2.7	40	1.6	.02	10
36545	IP8	40	1.6	75	3.0	40	1.6	.02	10
36547	IP9	40	1.6	75	3.0	40	1.6	.02	10
36549	IP10	40	1.6	75	3.0	40	1.6	.02	10
36551	IP15	45	1.8	80	3.1	40	1.6	.02	10
36553	IP20	45	1.8	80	3.1	40	1.6	.02	10

Item No.	Size	pkg.
36524	IP5	2
36526	IP6	2
36527	IP7	2
36528	IP8	2
36529	IP9	2
36531	IP10	2
36532	IP15	2
36533	IP20	2



## Wiha TORXPlus® Cushion Grip Drivers



Not for use in standard

Torx fasteners

### 362 TORXPlus® Screwdriver With Wiha SoftFinish Handle - 10 Pack

Round blade high alloy CVM tool steel, hardened, hard chromed. Wiha-Chromtop finish on tips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36211	IP6	60	2.4	3.5	.139	164	6.5	.06	10
36223	IP7	60	2.4	3.5	.139	164	6.5	.06	10
36228	IP8	60	2.4	4.0	.157	171	6.7	.10	10
36229	IP9	60	2.4	4.0	.157	171	6.7	.11	10
36233	IP10	80	3.1	4.0	.157	191	7.5	.11	10
36238	IP15	80	3.1	4.0	.157	191	7.5	.11	10
36239	IP20	100	3.9	4.5	.177	211	8.3	.11	10
36243	IP25	100	3.9	5.5	.216	211	8.3	.19	10
36248	IP27	115	4.5	6.0	.236	233	9.2	.20	10
36253	IP30	115	4.5	7.0	.275	233	9.2	.28	10
36255	IP40	130	5.1	7.0	.275	254	10.0	.28	10

### 362 TORXPlus® Screwdriver With Wiha SoftFinish Handle In Clamshell

Round blade high alloy CVM tool steel, hardened, hard chromed. Wiha-Chromtop finish on tips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36214	IP6	60	2.4	3.5	.139	164	6.5	.06	1
36231	IP7	60	2.4	3.5	.139	164	6.5	.06	1
36232	IP8	60	2.4	4.0	.157	171	6.7	.10	1
36241	IP9	60	2.4	4.0	.157	171	6.7	.11	1
36242	IP10	80	3.1	4.0	.157	191	7.5	.11	1
36246	IP15	80	3.1	4.0	.157	191	7.5	.11	1
36247	IP20	100	3.9	4.5	.177	211	8.3	.11	1
36252	IP25	100	3.9	5.5	.216	211	8.3	.19	1
36262	IP27	115	4.5	6.0	.236	233	9.2	.20	1
36263	IP30	115	4.5	7.0	.275	233	9.2	.28	1
36265	IP40	130	5.1	7.0	.275	254	10.0	.28	1

## Wiha T-handle TORXPlus®

Not for use in standard  
Torx fasteners



### 364 TORXPlus® Screwdriver, With Wiha T-handle

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed.

Wiha T-handle high quality plastic, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36461	IP9	100	3.9	4.0	.157	80	3.1	.07	10
36463	IP10	100	3.9	4.0	.157	80	3.1	.07	10
36466	IP15	100	3.9	4.0	.157	80	3.1	.07	10
36469	IP20	100	3.9	4.0	.157	80	3.1	.10	10
36472	IP25	150	5.9	8.0	.315	120	4.7	.13	10
36474	IP27	150	5.9	8.0	.315	120	4.7	.14	10
36476	IP30	150	5.9	8.0	.315	120	4.7	.16	10
36478	IP40	150	5.9	8.0	.315	120	4.7	.20	10



**36296 Set 6 Pcs. TORXPlus® Blade** high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish handle, multi-component.

Item No.	TORXPlus®	lbs.
36296	IP6, IP7, IP8, IP9 IP10, IP15	.72



**36299 Set 7 Pcs. TORXPlus® Blade** high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish handle, multi-component.

Item No.	TORXPlus®	lbs.
36299	IP8, IP10, IP15, IP20, IP25, IP30, IP40	1.23



**36297 Set 8 Pcs. TORXPlus® Blade** high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish handle, multi-component.

Item No.	TORXPlus®	lbs.
36297	IP6, IP7, IP8, IP9 IP10, IP15, IP20, IP25	1.35




**36496 Set 6 Pcs. TORXPlus® T-handles** Blade CVM steel, hardened, hard chromed. Chromtop blade tips. Wiha T-handle high quality plastic, impact resistant.

Item No.	Size	mm	Size	mm	lbs.
36496	IP10	100	IP25	150	1.01
	IP15	100	IP27	150	
	IP20	100	IP30	150	

## TORXPlus®


For Improved Torque and Longer Tool Life



Not for use in standard Torx fasteners

**361 TORXPlus® L-key, Short Arm**  
High alloy CVM steel, hardened, black finish.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
36106	IP6	39	1.5	16	.6	.01	10
36107	IP7	42	1.7	16	.6	.01	10
36108	IP8	45	1.8	16	.6	.01	10
36109	IP9	48	1.9	16	.6	.01	10
36110	IP10	51	2.0	17	.7	.01	10
36115	IP15	55	2.2	19	.7	.01	10
36120	IP20	58	2.3	19	.7	.01	10
36125	IP25	63	2.5	21	.8	.01	10
36127	IP27	68	2.7	22	.9	.02	10
36130	IP30	73	2.9	24	.9	.03	10
36140	IP40	81	3.2	26	1.0	.05	10



Not for use in standard Torx fasteners

**366 TORXPlus® L-key, Long Arm**  
High alloy CVM steel, hardened, black finish.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
36606	IP6	64	2.5	14	.6	.01	10
36607	IP7	68	2.7	14	.6	.01	10
36608	IP8	74	2.9	15	.6	.01	10
36609	IP9	78	3.1	16	.6	.01	10
36610	IP10	83	3.3	18	.7	.01	10
36615	IP15	88	3.5	18	.7	.02	10
36620	IP20	94	3.7	18	.7	.02	10
36625	IP25	98	3.9	19	.7	.03	10
36627	IP27	107	4.2	23	.9	.05	10
36630	IP30	114	4.5	24	.9	.06	10
36640	IP40	118	4.6	27	1.0	.09	10

**36197 TORXPlus® L-key, Short Arm, 7 Pc. Set In Holder**  
High alloy CVM steel, hardened, black finish.

Item No.	lbs.	Set includes the following L-keys:
36197	.10	IP6, IP7, IP8, IP9, IP10, IP15, IP20

**36690 TORXPlus® L-key, Long Arm, 7 Pc. Set In Holder**  
High alloy CVM steel, hardened, black finish.

Item No.	lbs.	Set includes the following L-keys:
36690	.22	IP6, IP7, IP8, IP9, IP10, IP15, IP20

**36199 TORXPlus® L-key, Short Arm, 9 Pc. Set In Holder**

Item No.	lbs.	Set includes the following L-keys:
36199	.30	IP8, IP9, IP10, IP15, IP20, IP25, IP27, IP30, IP40

**36691 TORXPlus® L-key, Long Arm, 9 Pc. Set In Holder**

Item No.	lbs.	Set includes the following L-keys:
36691	.35	IP8, IP9, IP10, IP15, IP20, IP25, IP27, IP30, IP40

## MagicSpring TORX® Tools



**371 MagicSpring Screw Holding TORX® L-key, Long Arm**  
High alloy CVM steel, hardened, black finish.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
37106	T6	14	.55	80	3.1	.001	10
37107	T7	16	.63	88	3.5	.002	10
37108	T8	18	.71	101	4.0	.003	10
37109	T9	19	.75	111	4.4	.005	10
37110	T10	21	.83	121	4.8	.007	10
37115	T15	22	.87	136	5.4	.009	10
37120	T20	25	.98	148	5.8	.01	10
37125	T25	28	1.1	163	6.4	.02	10
37127	T27	30	1.2	176	6.9	.03	10
37130	T30	34	1.3	191	7.5	.04	10
37140	T40	36	1.4	210	8.3	.07	10



**37190 MagicSpring Long Arm Screw Holding TORX® Set, 7 Pc. in Plastic Holder**  
Equipped with T6, T7, T8, T9, T10, T15, T20

Item No.	lbs.	pkg.
37190	.20	1



**37192 MagicSpring Long Arm Screw Holding TORX® Set, 10 Pc. in Plastic Holder**  
T6, T7, T8, T9, T10, T15, T20, T25, T27, T30

Item No.	lbs.	pkg.
37192	.35	1

Laser Welded MagicSpring Assembly



**Wiha MagicSpring TORX® Tools**

- Laser welded assembly
- Holds screws securely
- Won't damage screws
- Doesn't weaken tool
- Exact fit tips
- Hardened tool steel blades
- Holds standard Torx screws\*

**Screw Holding TORX®**



Stainless Rotary Spring



Wiha-Chromtop finish on tips

Wiha-SoftFinish® handle, multi-component, cushion grips



**362 MagicSpring Screw Holding TORX® Driver, With Wiha-SoftFinish® Handle**

Round blade high alloy CVMm steel, hardened, hard chromed.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36202	T6	60	2.4	3.5	.139	164	6.5	.07	10
36203	T7	60	2.4	3.5	.139	164	6.5	.07	10
36207	T8	60	2.4	3.5	.139	164	6.5	.07	10
36234	T9	60	2.4	4.0	.157	171	6.7	.11	10
36244	T10	80	3.1	4.0	.157	191	7.5	.11	10
36249	T15	80	3.1	4.0	.157	191	7.5	.11	10
36254	T20	100	3.9	4.0	.157	211	8.3	.16	10
36256	T25	100	3.9	4.5	.177	211	8.3	.17	10
36257	T27	115	4.5	5.5	.216	233	9.2	.20	10
36258	T30	115	4.5	6.0	.236	233	9.2	.21	10



Stainless Rotary Spring



**365 MagicSpring Screw Holding TORX® driver, With Wing Handle** Ideal for use with

indexable carbide tooling and also for working in confined spaces. Blade high alloy CVM steel, hardened, black finish. Wing handle high quality plastic, impact resistant. Molded on.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36556	T6	35	1.4	70	2.7	40	1.6	.01	10
36557	T7	35	1.4	70	2.7	40	1.6	.02	10
36558	T8	40	1.6	75	3.0	40	1.6	.02	10
36559	T9	40	1.6	75	3.0	40	1.6	.02	10
36560	T10	40	1.6	75	3.0	40	1.6	.02	10
36561	T15	45	1.8	80	3.1	40	1.6	.02	10
36562	T20	45	1.8	80	3.1	40	1.6	.02	10



Screw Holding Tools



**36598 MagicSpring Screw Holding TORX® Wing Handle Set, Pc. in Metal Stand**

Equipped with T6, T7, T8, T9, T10, T15, T20  
 .36 lbs.



**36290 Set 6 Pcs. MagicSpring Screw Holding TORX® SoftFinish Screwdrivers**

Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips. Molded on.

Item No.	Size	mm	Size	mm	lbs.
36290	T8	60	T20	100	.98
	T10	80	T25	100	
	T15	80	T30	115	

\*MagicSpring tools will hold Torx® screws made to CamCar Textron Torx® specifications



**267 MagicSpring Screw Holding TORX® Driver, With Wiha-Precision PicoFinish Handle**

Blade high alloy CVM steel, hardened, hard chromed. Molded on ergo Wiha-Pico Finish precision handle, molded on, soft grips.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
26721	T6	40	1.6	140	5.5	.03	10
26723	T7	40	1.6	140	5.5	.03	10
26725	T8	40	1.6	140	5.5	.03	10
26727	T9	50	2.0	150	5.9	.04	10
26729	T10	50	2.0	150	5.9	.04	10
26731	T15	60	2.4	160	6.3	.04	10



**26798 Set 6 Pcs. MagicSpring Screw Holding TORX® Screwdriver, With Wiha-Precision PicoFinish Handle**

Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-Pico Finish precision handle, molded on, soft grips.

Item No.	Size	mm	Size	mm	lbs.
26798	T6	40	T9	50	.45
	T7	40	T10	50	
	T8	40	T15	60	



## Wiha TorqueControl Screwdrivers

Molded cushion grip two component handles allow for maximum achievable torque to be reached with comfort


**Precise repeatability!**

All TorqueVario tools are tested and comply with:

- EN ISO 6798
- BS EN 26789
- ASME B107.14M

Each tool has unique serial number and certificate of calibration

See 4mm Micro Bits on Page 25



Direct Reading Scale



+/-6% accuracy tolerance  
Certificate of calibration

### 285 Adjustable TorqueVario With

**Direct Reading Scale** EN ISO 6798, BS EN 26789, ASME B107.14M. Ergonomic molded multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible and perceptible click when the torque setting has been attained, automatically resets for next torque cycle. Pkg. 1

Item No.	Range	Inch lbs.	Increments	mm
28501	15 - 80(in/oz)	2.5 In.oz.	127	
28502	5 - 10	.5 In.lbs.	127	
28504	7.5 - 20	.5 In.lbs.	131	
28506	10 - 50	2 In.lbs.	138	
28508	20 - 70	2 In.lbs.	142	

\* 28501 +/- 10% (This unit only)\*



+/-6% accuracy tolerance  
Certificate of calibration

### 285 Adjustable TorqueVario-S Handle

**In Newton Meter Scale** EN ISO 6798, BS EN 26789, ASME B107.14M. Ergo molded multi-component handle, light & compact. Handle sizes proportioned to optimize torque range. Audible & perceptible click when the torque setting has been attained, automatically resets for next torque cycle. Pkg. 1

Item No.	Newton Meter Scale	Increments	mm
28550	0.1 - 0.6Nm	.02 Nm	127
28551	0.4 - 1.0Nm	.05 Nm	127
28552	0.8 - 2.0Nm	.10 Nm	131
28553	0.8 - 5.0Nm	.20 Nm	138
28655	2.0 - 7.0Nm	.25 Nm	142

\* +/- 10% (This unit only)



### 285 MagicSpring TORX® Blades

For TorqueFix & TorqueVario blades on narrow 5/32 Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

Item No.	Size	mm	mm	lbs.	Nm	pkg.
28512	T6	175	4.0	.07	0.6	1
28527	T7	175	4.0	.07	0.9	1
28528	T8	175	4.0	.07	1.3	1
28529	T9	175	4.0	.07	2.5	1
28530	T10	175	4.0	.07	3.8	1
28531	T15	175	4.0	.07	5.5	1
28532	T20	175	4.0	.07	8.0	1
28533	T25	175	4.0	.07	8.0	1



### 286 MagicSpring TORXPlus®

**Interchangeable Blades For TorqueFix & TorqueVario** blades on narrow 5/32 Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

Item No.	Size	mm	mm	lbs.	Nm	pkg.
28611	IP6	175	4.0	.07	0.8	1
28612	IP7	175	4.0	.07	1.3	1
28613	IP8	175	4.0	.07	2.0	1
28614	IP9	175	4.0	.07	3.0	1
28616	IP10	175	4.0	.07	4.5	1
28617	IP15	175	4.0	.07	6.6	1
28618	IP20	175	4.0	.07	8.0	1
28619	IP25	175	4.0	.07	8.0	1

\*None of the blades featured on this page will function in a TorqueVario Insulated Handle



### 285 TORX® Interchangeable Blades For TorqueFix & TorqueVario

**TORX®** tip blades on narrow 5/32 Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

Item No.	Size	mm	mm	lbs.	Nm	pkg.
28561	T5	175	4.0	.07	0.4	1
28562	T6	175	4.0	.07	0.6	1
28563	T7	175	4.0	.07	0.9	1
28564	T8	175	4.0	.07	1.3	1
28565	T9	175	4.0	.07	2.5	1
28566	T10	175	4.0	.07	3.8	1
28567	T15	175	4.0	.07	5.5	1
28568	T20	175	4.0	.07	8.0	1
28569	T25	175	4.0	.07	8.0	1



### 285 TORXPlus® Blades For TorqueFix & TorqueVario

**TORXPlus®** tip blades on narrow 5/32 Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

Item No.	Size	mm	mm	lbs.	Nm	pkg.
28571	IP5	175	4.0	.07	0.5	1
28572	IP6	175	4.0	.07	0.8	1
28573	IP7	175	4.0	.07	1.3	1
28574	IP8	175	4.0	.07	2.0	1
28575	IP9	175	4.0	.07	3.0	1
28576	IP10	175	4.0	.07	4.5	1
28577	IP15	175	4.0	.07	6.6	1
28578	IP20	175	4.0	.07	8.0	1
28579	IP25	175	4.0	.07	8.0	1



**Wiha Easy Torque Handles**



**292 easyTorque Screwdriver Handle**

**With TORX® Blades** easyTorque value pre-set. Release accuracy +/- 10%. Internal mechanism clicks when torque value has been attained. Cushion grip comfortable handle for good power transfer.

Item No.	Pre-Set Size	Inch	lbs.	Nm	lbs.	pkg.
29232	T5	4.4	0.5	.24	1	
29233	T6	5.3	0.6	.24	1	
29234	T7	8.0	0.9	.24	1	
29236	T8	10.6	1.2	.25	1	
29237	T9	12.4	1.4	.25	1	
29239	T10	17.7	2.0	.26	1	
29242	T15	26.6	3.0	.26	1	
29243	T20	35.4	4.0	.26	1	
29244	T25	44.2	5.0	.28	1	

\* No Calibration Certificates



**292 easyTorque Screwdriver Handle**

**With TORXPlus® Blades** easyTorque value pre-set. Release accuracy +/- 10%. Internal mechanism clicks when torque value has been attained. Cushion grip comfortable handle for good power transfer.

Item No.	Pre-Set Size	Inch	lbs.	Nm	lbs.	pkg.
29246	IP5	4.4	0.5	.24	1	
29247	IP6	5.3	0.6	.24	1	
29248	IP7	8.0	0.9	.24	1	
29249	IP8	10.6	1.2	.25	1	
29252	IP9	12.4	1.4	.25	1	
29253	IP10	17.7	2.0	.26	1	
29254	IP15	26.6	3.0	.26	1	
29255	IP20	35.4	4.0	.26	1	
29256	IP25	44.2	5.0	.28	1	

\* No Calibration Certificates

**TorqueFix Key Wing Handles & Blades**

EN ISO 6798,  
BS EN 26789, ASME  
B107.14M

+/- 6% Accuracy



Includes Calibration Certificate

**283 TorqueFix Wing Handles**

Audible & perceptible click when torque setting has been attained.

Item No.	Nm	mm	Inch	pkg.	lbs.
28349	0.5	68	2.7	1	.28
28351	0.6	68	2.7	1	.28
28352	0.9	68	2.7	1	.28
28353	1.1	68	2.7	1	.28
28354	1.2	68	2.7	1	.28
28355	1.4	68	2.7	1	.28
28356	2.0	68	2.7	1	.28
28357	2.5	68	2.7	1	.28
28358	3.0	68	2.7	1	.28
28359	3.8	68	2.7	1	.28
28360	4.0	68	2.7	1	.28



Compact design specially used for hard to reach screws and confined spaces

CVM steel, through-hardened,  
titanium silver blades



**283 TORX® Blades For TorqueFix Wing Handles**

Item No.	Max Size	Nm	Inch	pkg.
28374	T6	0.6	3.0	1
28375	T7	0.9	3.0	1
28376	T8	1.3	3.0	1
28377	T9	2.5	3.0	1
28378	T10	3.8	3.0	1
28379	T15	5.5	3.0	1
28380	T20	8.0	3.0	1
28381	T25	8.0	3.0	1



**283 TORXPlus® Blades For TorqueFix Wing Handles**

Item No.	Max Size	Nm	Inch	pkg.
28382	IP6	0.8	3.0	1
28383	IP7	1.3	3.0	1
28384	IP8	2.0	3.0	1
28385	IP9	3.0	3.0	1
28386	IP10	4.5	3.0	1
28387	IP15	6.6	3.0	1
28388	IP20	8.0	3.0	1
28389	IP25	8.0	3.0	1

**Wiha Insulated TorqueControl Tools**

Includes Certificate



**1000V**

**287 Insulated TorqueVario-S, With Window Scale Insulation up to 1000Volt**

EN ISO, BS EN, ASME, VDE, ASTM & NFPA70E standards, +/- 6% Accuracy. Handle sizes proportioned to optimize torque range.

Audible and perceptible click when torque setting has been attained. Includes SlimLine blade holder.

Item No.	Range	Inch lbs.	Increments	mm	lbs.	pkg.
28724	5 - 17	.5 In.lbs.	131	.43	1	
28726	10 - 50	2 In.lbs.	138	.40	1	
28727	20 - 70	2 In.lbs.	142	.69	1	

Each TorqueVario handle has unique serial number and certificate of calibration

**287 Insulated TorqueVario-S Handle - In Newton Meter Scale**

Includes SlimLine blade holder

Item No.	Range	Nm	mm	lbs.	pkg.
28734	0.6 - 2.0	131	.45	1	
28736	1.0 - 5.0	138	.45	1	
28737	2.0 - 8.0	142	.72	1	



**283 Insulated TORX® SlimLine Blades**

High quality CV steel, through hardened. SlimLine blades have up to 33% narrower insulation diameter than standard insulated tools.

Item No.	Size	Slim Dia.	Max Nm	Inch/ lbs.	pkg.
28339	T8	4.0	1.3	11.5 .02	1
28344	T9	4.0	1.3	11.5 .02	1
28340	T10	4.0	3.8	33.6 .02	1
28341	T15	6.0	5.5	48.7 .02	1
28342	T20	6.0	5.5	48.7 .02	1
28343	T25	6.0	5.5	48.7 .02	1



## Wiha TorqueControl Tool Sets



### 28597 8 Pc. TorqueControl Set With

**TORX® Blades** Certified to EN ISO 6798, BS EN 26789, ASME B107.14M

28597 lbs. 1.01

**TORX®**: T7, T8, T9, T10, T15, T20

28506 - Handle Range 10 - 50 In/lbs.

With Certificate of Calibration



### 28598 8 Piece TorqueControl Set With

**TORXPlus® Blades** Certified to EN ISO 6798, BS EN 26789, ASME B107.14M

28598 lbs. 1.00

**TORXPlus®**: IP7, IP8, IP9, IP10, IP15, IP20

28506 - Handle Range 10 - 50 In/lbs.

With Certificate of Calibration



### 28599 4 Piece TorqueControl Set With

**TORX® & TORXPlus® Blades** Certified to EN ISO 6798, BS EN 26789, ASME B107.14M.

Set includes Ergonomic multi-component adjustable TorqueVario-S handle, 12 blades & Torque adjustment tool. Packed in a durable canvas pouch.

**TORXPlus®** lbs. 1.25

IP7, IP8, IP9, IP10, IP15, IP20

**TORX®**: T7, T8, T9, T10, T15, T20

28506 - Handle Range 10 - 50 In/lbs.

With Certificate of Calibration

## T-handle TorqueControl Tools

Each TorqueFix T-handle has unique serial number and certificate of calibration



Includes Calibration Certificate

289 TorqueFix T-handle EN ISO 6798, BS EN 26789, ASME B107.14M, +/- 6%

Item No.	Torque In-lbs.	Torque Nm	Shaft Size mm x mm	Weight lbs.	Pkg.
28931	53.1	6	56 x 120	.81	1
28933	70.8	8	56 x 120	.82	1
28935	88.5	10	56 x 120	.79	1
28937	106.2	12	56 x 120	.79	1
28938	110.6	12.5	56 x 120	.80	1
28939	123.9	14	56 x 120	.80	1

Accuracy Ergonomic multi-component handle, light & compact



Includes Calibration Certificate

28940 Adjustable TorqueVario STplus T-handle EN ISO 6798, BS EN 26789, ASME B107.14M, +/- 6%

Item No.	Torque Nm	Torque In-lbs.	Shaft Size mm x mm	Weight lbs.	Pkg.
28940	5-14	44.3-123.9	56 x 120	.81	1

\* (1 Nm 8.8507) (Scale is shown in Nm only)



289 TORX® Interchangeable Blades For TorqueFix T-Handle TORX® tip blades on 6mm Hex shafts. High alloy CVM steel, hardened, hard chromed.

Item No.	Size	mm	Inch	mm	Weight lbs.	Pkg.
28903	T15	130	5.1	6.0	.10	1
28904	T20	130	5.1	6.0	.10	1
28905	T25	130	5.1	6.0	.11	1
28906	T27	130	5.1	6.0	.11	1
28907	T30	130	5.1	6.0	.11	1
28908	T40	130	5.1	6.0	.11	1



289 TORXPlus® Interchangeable Blades For TorqueFix T-Handle TORXPlus® tip blades on 6mm Hex shafts. High alloy CVM steel, hardened, hard chromed.

Item No.	Size	mm	Inch	mm	Weight lbs.	Pkg.
28910	IP15	130	5.1	6.0	.10	1
28911	IP20	130	5.1	6.0	.10	1
28912	IP25	130	5.1	6.0	.11	1
28913	IP27	130	5.1	6.0	.11	1
28914	IP30	130	5.1	6.0	.11	1
28915	IP40	130	5.1	6.0	.11	1

## ESD Safe Adjustable TorqueControl Tools

Each TorqueVario handle has unique serial number and certificate of calibration



Includes Certificate

285 ESD Safe TorqueVario-S, With Window Scale EN ISO 6798, BS EN 26789, ASME B107.14M, +/- 6% Accuracy.

Ergonomic multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible & perceptible click when torque setting has been attained. With Certificate of accuracy. Pkg. 1

Item No.	Range	Increments	mm	lbs.	Pkg.
28522*	15-80(in/oz)	2.5 In.oz.	122-127	.33	
28524	5-10	.2 In.lbs.	122-127	.34	
28526	7.5-20	.5 In.lbs.	126-131	.42	

Item No.	Range	mm	Inch	lbs.	Pkg.
28500*	.04 - .46	124	4.875"	.35	1

\* +/- 10% (This unit only)



288 ESD Safe TORX® Interchangeable Blades For TorqueVario-S TORX® tip blades on narrow 5/32 Hex shafts. High alloy CVM steel, hardened, hard chromed.

Item No.	Size	mm	mm	Max. Torque Nm	Weight lbs.	Pkg.
28825	T5	175	4.0	0.4	.07	1
28826	T6	175	4.0	0.6	.07	1
28827	T7	175	4.0	0.9	.07	1
28828	T8	175	4.0	1.3	.07	1
28829	T9	175	4.0	2.5	.07	1
28830	T10	175	4.0	3.8	.07	1



288 ESD Pentalobe Interchangeable Blades For TorqueVario-S Newton Meter Handle tip blades on narrow 5/32 Hex shafts.

Item No.	Size	mm	mm	Weight lbs.	Pkg.
28818	PL1	175	4.0	.07	1

**Wiha TORX® Precision Series**

**Wiha TORX® Pico Soft Grip**



**267 TORX® Screwdriver, With Precision Handle** Blade high alloy chrome-vanadium-molybdenum steel.

Item	No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
	26701	T1	40	1.6	120	4.7	.01	10
	26702	T2	40	1.6	120	4.7	.02	10
	26703	T3	40	1.6	120	4.7	.02	10
	26704	T4	40	1.6	120	4.7	.02	10
	26705	T5	40	1.6	120	4.7	.02	10
	26706	T6	40	1.6	120	4.7	.02	10
	26707	T7	40	1.6	120	4.7	.02	10
	26708	T8	40	1.6	120	4.7	.03	10
	26709	T9	50	2.0	145	5.7	.03	10
	26710	T10	50	2.0	145	5.7	.03	10
	26715	T15	60	2.4	170	6.7	.05	10
	26720	T20	60	2.4	170	6.7	.05	10

\*Metric dimensions actual - Inch dimensions approximate



**26791 8 Pcs. TORX® Screwdriver Set**

Item No.	T1, T2, T3, T4,
26791	T5, T6, T7, T8



**26799 8 Pc. TORX® Screwdriver Set**

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item	TORX® :	lbs.
No.	T6, T7, T8 x 40mm	lbs.
26799	T9 x T10 x 50mm	.50



**267 TORX® Driver, With Precision Soft PicoFinish Handle** Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item	No.	Size	mm	Inch	mm	Inch	Pkg.
	26732	T1	40	1.6	134	5.3	10
	26733	T2	40	1.6	134	5.3	10
	26735	T3	40	1.6	134	5.3	10
	26736	T4	40	1.6	134	5.3	10
	26737	T5	40	1.6	134	5.3	10
	26739	T6	40	1.6	140	5.5	10
	26741	T7	40	1.6	140	5.5	10
	26743	T8	40	1.6	140	5.5	10
	26745	T9	50	2.0	150	5.9	10
	26747	T10	50	2.0	150	5.9	10
	26749	T15	60	2.4	160	6.3	10
	26751	T20	60	2.4	160	6.3	10

\*Metric dimensions actual - Inch dimensions approximate



**26790 6 Pc. TORX® Screwdriver Set**

Blade high alloy chrome-vanadium-molybdenum steel.

Item	TORX® :	lbs.
No.	T6, T7, T8 x 40mm	.30
	T9, T10 x 50mm	
	T15 x 60mm	



**26793 8 Pc. TORX® Precision Driver Set, With Soft PicoFinish Handle** Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit.

Item	TORX® :	lbs.
No.	T1, T2, T3, T4,	lbs.
26793	T5, T6, T7, T8	.50



**26792 7 Pc. TORX® Screwdriver Set**

Blade high alloy chrome-vanadium-molybdenum steel.

Item	TORX® :	lbs.
No.	T5, T6, T7, T8 x 40mm	.33
26792	T9, T10 x 50mm	
	T15 x 60mm	

**91118 Rugged Polyester Canvas Storage Pouch** Holds 8 Precision Tools up to 170mm in length. Folding pouch. Has security flaps and velcro closer.

Item	No.	Size	lbs.	pkg.
91118		14-1/2" W x 7-3/4" L	.13	1



**26796 8 Pc. TORX® Precision Driver Set, Soft PicoFinish Handle** Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit.

Item	TORX® :	lbs.
No.	T5, T6, T7, T8 x 40mm	.57
26796	T9, T10 x 50mm, T15, T20 x 60mm	



## ESD Safe Dissipative Precision Screwdrivers

Surface resistance of handles is  $10^6 - 10^9$  Ohms



**278 TORX® Screwdriver, With Precision ESD Safe Dissipative Handle** Blade high alloy CVM steel. Hard chrome finished. Handle impact resistant, dissipative material. ESD standard IEC 61340-5-1.

Item	No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
27801	T1	40	1.6	120	4.7	.03	10	
27802	T2	40	1.6	120	4.7	.03	10	
27803	T3	40	1.6	120	4.7	.03	10	
27804	T4	40	1.6	120	4.7	.03	10	
27805	T5	40	1.6	120	4.7	.03	10	
27811	T6	40	1.6	120	4.7	.03	10	
27817	T7	40	1.6	120	4.7	.03	10	
27823	T8	40	1.6	120	4.7	.03	10	
27829	T9	50	2.0	145	5.7	.04	10	
27835	T10	50	2.0	145	5.7	.04	10	
27841	T15	60	2.4	170	6.7	.07	10	
27847	T20	60	2.4	170	6.7	.07	10	

\*Metric dimensions actual - Inch dimensions approximate



ESD standard IEC 61340-5-1

**27890 Set 7 Pcs. TORX® Precision ESD Safe Dissipative Handle** Blade high alloy CVM steel, hardened, hard chromed. Handle manufactured from impact resistant, dissipative material.

Item	TORX®:	lbs.
No.	T4, T5, T6, T7,	
27890	T8, T9, T10	.31

ESD standard IEC 61340-5-1



**27899 Set 8 Pcs. TORX® Precision ESD Safe Dissipative Handle Set In Pouch** Blade high alloy CVM steel, hardened, hard chromed. Handle impact resistant, dissipative material. In storage pouch.

Item	TORX®:	lbs.
No.	T1, T2, T3, T4,	
27899	T5, T6, T7	.47
	Chip Lifter	



**278 TORXPlus® Screwdriver, With Precision ESD Safe Dissipative Handle** Blade high alloy CVM steel, hardened, hard chromed. ESD standard IEC 61340-5-1.

Item	No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
27850	IP4	40	1.6	120	4.7	.03	10	
27851	IP5	40	1.6	120	4.7	.03	10	
27852	IP6	40	1.6	120	4.7	.03	10	
27853	IP7	40	1.6	120	4.7	.03	10	
27854	IP8	40	1.6	120	4.7	.03	10	
27855	IP9	50	2.0	145	5.7	.04	10	
27856	IP10	50	2.0	145	5.7	.04	10	
27857	IP15	60	2.4	170	6.7	.07	10	

\*Metric dimensions actual - Inch dimensions approximate



ESD standard IEC 61340-5-1

**27894 Set 7 Pcs. TORXPlus® Precision ESD Safe Dissipative Handle**

Item	TORXPlus®:	lbs.
No.	IP5, IP6, IP7, IP8	
27894	IP9, IP10, IP15	.27

## ESD Safe SYS 4 Drive-Loc Handle & Blades



**26961 ESD Safe Dissipative Precision Drive-Loc Handle** Surface resistant  $10^6-10^9$  Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Ball retainer hold. 105mm/4.13" OAL

Item	No.	mm	Inch	mm	Inch	lbs.
26961	4.0	.1574	23	.91	.08	



**269 SYSTEM 4 TORX® Drive-Loc Reversible Locking Blades** On 4mm Hex

Item	No.	Size	Size	lbs.
26977	T1 + T2		.02	
26978	T3 + T4		.02	
26979	T5 + T6		.02	
26980	T6 + T8		.02	
26981	T7 + T9		.02	
26982	T10 + T15		.02	

## ESD Safe Precision Handles & Blades



**28000 ESD Safe Dissipative Precision Handle** with rotating control cap. Surface resistant  $10^6-10^9$  Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Tapered handle, high quality plastic, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item	No.	mm	Inch	mm	Inch	lbs.
28000	4.0	.1574	14.0	.55	.04	



**28001 ESD Safe Dissipative Precision Adjustable Handle** with rotating control cap.

- Use in ESD sensitive applications. Surface resistant  $10^6-10^9$  Ohms.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item	No.	mm	Inch	mm	Inch	lbs.
28001	4.0	.1574	14.0	.55	.04	



**269 SYS 4 TORX® Reversible Blade** High alloy chrome-vanadium-molybdenum steel, hardened, vapor chrome protected, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL

Item	No.	Size	Size	lbs.
26951	T6 + T8		.03	
26952	T7 + T9		.03	
26953	T10 + T15		.03	
26954	T15 + T20		.03	




**269 SYS 4 TORX® Interchangeable Blade** 120mm/4.7" OAL



Item	No.	Size	lbs.
26955	T3	.03	
26956	T4	.03	
26957	T5	.03	

**ESD Precision Blade Sets**




**26995 TORX® Precision Interchangeable Blade Set, 5 Pcs.** Wiha ESD Safe  precision collet lock handle & 4 interchangeable blades.




**26995 Set includes the following blades:**

-  **TORX® :**  
T6, T7, T8, T9, T10, T15, T20
-  lbs. .24



**26987 TORX® Precision Interchangeable Blade Set, 8 Pcs.** Wiha ESD Safe  precision collet lock handle and 7 interchangeable blades.




**26987 Set includes the following blades:**

-  **TORX® Sizes on standard blades:**  
T3, T4, T5
-  **TORX® Sizes on reversible blades:**  
T6, T7, T8, T9, T10, T15, T20
-  lbs. .33



**28087 8 Pc. TORX® Precision Interchangeable Blade Set**  
Wiha-ESD Safe  precision collet lock handle and 7 Wiha interchangeable blades.

**Includes the following blades:**

-  **TORX® Standard blades:** T3, T4, T5
-  **TORX® Reversible blades:**  
T6, T7, T8, T9, T10, T15, T20
-  lbs. .29

**SYSTEM 4 Handles & Micro Bits**

Bits CVM steel, hardened


**Tips**  
Exact fit, precision machined

**Tapered Handle**  
allows rapid rotation, requires less clearance. Static Dissipative 10<sup>6</sup> - 10<sup>9</sup> ohms

**Rotating Cap**  
for precise turning & control

Use bits directly in handle or with 4" bit extension



**75801 SYS 4 ESD Safe  Dissipative Precision Bit Handle 110mm/4.3" OAL**

**Advantages:**

- For working in ESD sensitive applications  
Surface resistant 10<sup>6</sup>-10<sup>9</sup> Ohms
- Ball retainer holds bits securely in place
- Accepts all SYSTEM 4 Series bits

Item No.	mm	Inch	mm	Inch	lbs.
75801	4.0	.1574	14.0	.55	.06

High alloy CVM steel, hardened, on 4 mm stock



**757 SYSTEM 4 TORX® Micro Bits**

Item No.	Size	mm	Inch	lbs.
75701	T1	28	1.1	.01
75702	T2	28	1.1	.01
75703	T3	28	1.1	.01
75704	T4	28	1.1	.01
75705	T5	28	1.1	.01
75706	T6	28	1.1	.01
75707	T7	28	1.1	.01
75708	T8	28	1.1	.01
75709	T9	28	1.1	.01
75710	T10	28	1.1	.01
75715	T15	28	1.1	.01
75720	T20	28	1.1	.01



**757 SYS 4 Security TORX® Micro Bits**

Item No.	Size	mm	Inch	lbs.
75727	T7s	28	1.1	.01
75728	T8s	28	1.1	.01
75729	T9s	28	1.1	.01
75735	T10s	28	1.1	.01
75739	T15s	28	1.1	.01
75742	T20s	28	1.1	.01

10 Bit Pack



Item No.	Size	mm	Inch	lbs.
75660	T1	28	1.1	.06
75661	T2	28	1.1	.06
75662	T3	28	1.1	.06
75663	T4	28	1.1	.06
75664	T5	28	1.1	.06
75665	T6	28	1.1	.06
75666	T7	28	1.1	.06
75667	T8	28	1.1	.07
75668	T9	28	1.1	.07
75669	T10	28	1.1	.07
75670	T15	28	1.1	.08
75671	T20	28	1.1	.08

10 Bit Pack







Item No.	Size	mm	Inch	lbs.
75678	T7s	28	1.1	.06
75679	T8s	28	1.1	.06
75680	T9s	28	1.1	.06
75681	T10s	28	1.1	.07
75682	T15s	28	1.1	.07
75683	T20s	28	1.1	.08





**75093 SYS 4 Slotted, Phillips, TORX® Compact ESD Precision Interchangeable Bit Set, 16 Pcs.** Wiha precision handle, bit extension & 14 interchangeable bits.

**Item No. Combination Bit Set**

- 75093 Set with ESD Safe Precision Handle
-  **Slotted:** 1.5, 2.0, 2.5, 3.0mm
-  **Phillips:** 00, 0, 1
- lbs.  **TORX®:** T6, T7, T8, T9, T10, T15, T20
- .17  **100mm Bit Extension**



**75985 Micro Bit Handle Storage TORX® Bit Set, 7 Pcs.** Wiha precision storage handle & 6 interchangeable bits.

**Item No. Set with Precision Storage Handle**  
75985  **TORX®:** T3, T4, T5, T6, T7, T8  
 lbs. .12

## CushionGrip Stubby Bit Holders



**38045 TORX® SoftFinish® CushionGrip Stubby Bit Holder** with Wiha cushion grip handle and CVM tool steel shaft.  
**Includes The Following 1/4" Bits:**  
 lbs. **TORX®**: T8, T10, T15, T20, T25, T30



**38047 Security TORX® SoftFinish® CushionGrip Stubby Bit Holder** with Wiha cushion grip handle and CVM tool steel shaft.  
**Includes The Following 1/4" Bits:** lbs. **TORX®**: T8s, T10s, T15s, T20s, T25s, T30s

For working in confined spaces



**28103 Magnetic 1/4" Bit Holder With Wiha SoftFinish® Stubby Handle** Stainless steel with strong magnet. Wiha-SoftFinish® handle multi-component, cushion grips.

Item					
No.	Inch	mm	Inch	lbs.	pkg.
28103	1/4"	57	2.2	.11	1

## Wiha Insert Bit Blister Pack



**72595 10 Pack TORX® Insert Bit Pack** CVM S2 modified tool steel.  
 lbs. **TORX®**: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 x 1"

## Multi-Bit Screwdriver Sets



**38003 TORX® Multi-Bit Screwdriver** with Wiha Powerhandle. lbs. .40  
**Includes the following 1/4" bits:**  
**TORX®**: T5, T6, T7, T8, T9, T10

**38004 TORX® Multi-Bit Screwdriver** with Wiha Powerhandle. lbs. .40  
**Includes the following 1/4" bits:**  
**TORX®**: T8, T9, T10, T15, T20, T25

**38008 TORX® Multi-Bit Screwdriver** with Wiha Powerhandle. lbs. .40  
**Includes the following 1/4" bits:**  
**TORX®**: T10, T15, T20, T25, T30, T40



**38009 Security TORX® Screwdriver** with Wiha Powerhandle lbs. .36  
**Includes The Following 1/4" Bits:**  
**Security TORX®**: T7s, T8s, T9s, T10s, T15s, T20s

**38010 Security TORX® Screwdriver** with Wiha Powerhandle lbs. .41  
**Includes The Following 1/4" Bits:**  
**Security TORX®**: T10s, T15s, T20s, T25s, T30s, T40s

## Wiha Insert Bit & Socket Set



**72590 11 Piece TORX® Insert Bit Pack & Socket Set** CVM S2 modified tool steel.  
 1/4" to 3/8" Drive Socket  
**TORX®** 1/4" Bits: T10, T15, T20, T25, T27, T30  
 5/16" to 3/8" Drive Socket  
**TORX®** 5/16" Bits: T40, T45, T50

## Wiha BitFlip Bit Set



**38028 TORX® BitFlip Standard** with Wiha cushion grip handle & CVM tool steel shaft.  
**Set includes the following 1/4" bits:**  
 lbs. **TORX®**: T8, T10, T15, T20, T25, T27, T30, T40

## Wiha Pop-Up Bit Screwdriver Sets

Bit holder stainless steel, magnetic



**38044 TORX® Pop-Up Bit Screwdriver** Set with Wiha Cushion Grip handle, multi-component. Compact storage holds 12 bits.  
**Set includes the following 1/4" bits:**  
 lbs. **TORX®**: T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40

Bit holder stainless steel, magnetic



**38046 Security TORX® Pop-Up Bit Screwdriver Set** Wiha Cushion Grip handle, multi-component. Compact storage for 12 bits in the handle. lbs. .42  
**Includes The Following 1/4" Bits:**  
**TORX®**: T5, T6  
**Security TORX®**: T7s, T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s

## Wiha Cushion Grip Pop-Up Bit Holder Set

Bit holder stainless steel, magnetic 75mm Bits



**38042 Security TORX® Pop-Up Bit Screwdriver Set** Wiha Cushion Grip handle, multi-component. Compact storage for 6 bits in the handle. lbs. .44  
**Includes The Following 75mm 1/4" Bits:**  
**Security TORX®**: T10s, T15s, T20s, T25s, T27s, T30s



**Wiha Insert Bit Selectors**



**79242** Bit-Selector With **TORX®** Bits  
Includes Universal Magnetic 1/4" Bit Holder  
& The Following 10 Insert Bits:

lbs.	<b>TORX®</b> : T5, T6, T7, T8, T9,
.32	T10, T15, T20, T25, T30

**79245** Bit-Selector With **TORX®** Bits  
Includes Auto Lock Magnetic 1/4" Bit Holder  
& The Following 10 Insert Bits:

lbs.	<b>TORX®</b> : T7, T8, T9, T10,
.34	T15, T20, T25, T27, T30, T40



**79247** Bit-Selector With Security **TORX®** Bits, Includes Magnetic 1/4" Bit Holder  
& The Following 10 Bits: lbs. .32

**Security TORX®**:  
T7s, T8s, T9s, T10s, T15s,  
T20s, T25s, T27s, T30s, T40s

**70190** Bit-Selector With Security **TORX®** Bits, Includes The Following 7 Insert Bits:

<b>Security TORX®</b> :	lbs.
T7s, T8s, T9s,	
T10s, T15s, T20s, T25s	.21



**71690** Bit-Selector With **TORXPlus®** Bits  
Set Includes Magnetic 1/4" Bit Holder  
& The Following 10 Bits:

<b>TORXPlus®</b> :	lbs.
IP7, IP8, IP9,	
IP10, IP15, IP20, IP25	.31
IP27, IP30, IP40	

**71692** Bit-Selector With **TORXPlus®** Bits  
Set Includes Magnetic 1/4" Bit Holder  
& The Following 10 Bits:

<b>TORXPlus®</b> :	lbs.
IP3, IP4,	
IP5, IP6, IP7, IP8, IP9,	
IP10, IP15, IP20	.31

**Wiha Power Bit Belt Packs**



**74985** Power Bit Belt Pack W/**TORX®** Bits  
Includes the following 10 bits: lbs. .28

**TORX®**: T6, T7, T8, T9,  
T10, T15, T20, T25, T27, T30



**74981** Power Bit Belt Pack With **TORX®** Align Bits  
Set includes the following 10 bits:

**TORX®** Align: T6, T7, T8, T9,  
T10, T15, T20, T25, T27, T30

lbs. .28



**74987** Power Bit Belt Pack With Security **TORX®** Bits, Includes the following 10 bits:

**Security TORX®**:

lbs.	T7s, T8s, T9s,
.29	T10s, T15s, T20s,
	T25s, T27s, T30s, T40s



**74982** Power Bit Belt Pack W/**TORXPlus®** Bits  
Includes The Following 10 Bits:

<b>TORXPlus®</b> :	lbs.
IP6, IP7,	
IP8, IP9, IP10, IP15,	
IP20, IP25, IP27, IP30	.28

**Wiha XSelector Bit Sets**



Easy bit access with hinged cover

Includes Clicfix quick release holder

**79445** XSelector Bit Set With **TORX®** Bits  
Set Includes Quick Release Holder  
& the following 10 bits:

lbs.	<b>TORX®</b> : T7, T8, T9, T10, T15,
.29	T20, T25, T27, T30, T40



XSelector Pocket Sized  
3 1/8" x 2 1/8" x 1/2"

**79447** XSelector Bit Set With Security **TORX®** Bits, Includes Quick Release Holder  
& The Following 10 Bits: lbs. .27

**Security TORX®**: T7s, T8s,  
T9s, T10s, T15s, T20s, T25s,  
T27s, T30s, T40s

**Wiha Insert PokitPaks**



**71195** PokitPak - **TORX®** Insert Bits In Molded Case - Includes 6 - 1/4" Insert Bits & Magnetic Bit Holder lbs. .16

**TORX®**:  
T8, T10, T15, T20, T25, T30



**79283** PokitPak - **TORX®** Align Insert Bits In Molded Case -

Set Includes 6 - 1/4" Insert Bits

lbs.	<b>TORX®</b> Align: T10, T15,
.12	T20, T25, T30, T40



**71596** PokitPak - **TORX®** Dura Insert Bits In Molded Case -


Set Includes 6 - 1/4" Insert Bits

lbs.	.36 T10, T15, T20, T25, T30, T40
------	----------------------------------



**Wiha Terminator TORX® Impact Bits - Insert & Power**

**Up To 30X Performance Over Standard Screwdriver Bits**



Dual material impact absorbing torsion zone

Impact rated bits for long life in impact applications

Provide up to 30 times impact performance over standard bits

Standard 1/4" drive - No special adaptor required


Wiha enhanced bi-material torsion zone

Precision machined exact fit tips

Wiha exclusive CVM tool steel

Guaranteed to out perform impact imposters

**1/4" Drive Insert & Power Bits**



**765 TORX® Terminator Impact Bits, 1/4" Insert - 10 Bit Pack**

Item No.	Size	mm	pkg.
76510	T10	29	10
76511	T15	29	10
76512	T20	29	10
76513	T25	29	10
76514	T27	29	10
76516	T30	29	10
76517	T40	29	10



**76877 10 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm**

**76877 Set includes the following bits:**

- Torx®: T10, T15, T20 (2), T25 (2), T27, T30 (2), T40



**765 TORX® Terminator Impact Bits, 1/4" Power - 10 Bit Pack**

Item No.	Size	mm	pkg.
76553	T10	49	10
76554	T15	49	10
76555	T20	49	10
76556	T25	49	10
76557	T27	49	10
76558	T30	49	10
76559	T40	49	10



**768 TORX® Terminator Impact Bits, 1/4" Insert - 2 Bit Pack**

Item No.	Size	mm	pkg.
76810	T10	29	2
76811	T15	29	2
76812	T20	29	2
76813	T25	29	2
76814	T27	29	2
76816	T30	29	2
76817	T40	29	2



**76895 8 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm**

**76895 Set includes the following bits:**

- Torx®: T10, T15, T20, T25, T27, T30, T40
- Includes magnetic bit holder



**768 TORX® Terminator Impact Bits, 1/4" Power - 2 Bit Pack**

Item No.	Size	mm	pkg.
76853	T10	49	2
76854	T15	49	2
76855	T20	49	2
76856	T25	49	2
76857	T27	49	2
76858	T30	49	2
76859	T40	49	2



Identification on bits allows quick bit selection



**76896 7 Pc. Bit Buddy Set With Terminator Impact Power Bits - 49mm**


**76896 Set includes the following bits:**

- Torx®: T10, T15, T20, T25, T27, T30, T40



## Dura Torsion Insert Bits

With the Dura bit Wiha has again proved it's power of innovation. The extra hard, elastic Quattro Torsion bit is equipped with an extremely wear resistant tungsten carbide coating that grips the screw head.



Positive location in the screw head with decrease of:

- necessary pressure forces
- working time
- costs
- wear & tear of bits & screw heads
- anti-cam-out effect



### 715 TORX® Dura Bits, 1/4"

Item No.	Size	mm	lbs.
71576	T15	25	.02
71578	T20	25	.02
71582	T30	25	.02
71584	T40	25	.03

## Diamond Torsion Insert Bits

Diamond bits supplement Wiha's range of high-quality special bits. When used with machines, the increased tool life of the Wiha Diamond bit reduces cost.



- High wear resistance
- Micro particle coating with sapphire and diamond contents
- Optimized torsion zone

### Reduction of:

- pressure forces to be applied
- wear and tear of bit and screw head
- working time & costs
- Cam-out effect

The ideal bit even for the most difficult of applications



### 715 TORX® Diamond Bits, 1/4"

Item No.	Size	mm	lbs.
71516	T10	25	.02
71517	T15	25	.02
71518	T20	25	.02
71519	T25	25	.02
71521	T30	25	.02
71522	T40	25	.03

## TiN Coated Insert Bits

The abbreviation TiN stands for Titanium-Nitride, which has a hardness up to 85 HRC. This coating guarantees a high wear and tear resistance.



- Tough, hard torsion quality with very hard TiN coating
- Optimized torsion zone
- High wear resistance



### 715 TORX® TiN Coated Insert Bits, 1/4"

Item No.	Size	mm	lbs.
71585	T5	25	.02
71586	T6	25	.02
71587	T7	25	.02
71588	T8	25	.02
71562	T9	25	.02
71563	T10	25	.02
71564	T15	25	.02
71565	T20	25	.02
71566	T25	25	.02
71569	T27	25	.02
71567	T30	25	.02
71568	T40	25	.02

TiN - Titanium Nitride

## TORX® Insert & Power Bits

# TORX® Bits

The ideal multi-purpose bits for all around quality & performance  
*Made in Germany - Production Quality*

Highly resistant to wear & tear for a long tool life



Impact resistant modified CVM, tool steel, hardened

## Torx® Profiles



### 715 TORX® Bits, 1/4"

Item No.	Size	mm	pkg.	lbs.
71523	T3	25	10	.12
71524	T4	25	10	.12
71505	T5	25	10	.12
71506	T6	25	10	.12
71507	T7	25	10	.12
71508	T8	25	10	.12
71509	T9	25	10	.12
71510	T10	25	10	.12
71515	T15	25	10	.12
71520	T20	25	10	.12
71525	T25	25	10	.12
71527	T27	25	10	.13
71530	T30	25	10	.14
71540	T40	25	10	.15

Suitable for all applications for both manual & machine Hardness HRC 59-61

## 30 Piece Contractor Grade Bits

### 725 TORX® Bits, 1/4" Bulk Packs

Item No.	Size	mm	pkg.	lbs.
72572	T7	25	30	.36
72573	T8	25	30	.36
72574	T9	25	30	.36
72575	T10	25	30	.36
72576	T15	25	30	.36
72577	T20	25	30	.36
72578	T25	25	30	.36
72579	T27	25	30	.36
72580	T30	25	30	.36
72581	T40	25	30	.36

### 777 TORX® Double End 1/4" Insert Bit Packs

CVM S2 modified tool steel. 2 bit pack

Item No.	Size	mm	NEW
77701	T6+T7	30	
77702	T8+T9	30	
77703	T10+T15	30	
77704	T20+T25	30	
77705	T27+T30	30	

**Wiha TORX® Bit Packs**



2 bit pack



**715 TORX® Insert Bit Packs, 1"**

CVM S2 modified tool steel.

Item No.	Size	mm	lbs.
71548	T3	25	.03
71549	T4	25	.03
71550	T5	25	.03
71551	T6	25	.03
71552	T7	25	.03
71553	T8	25	.03
71554	T9	25	.03
71555	T10	25	.03
71556	T15	25	.03
71557	T20	25	.03
71558	T25	25	.03
71559	T27	25	.04
71560	T30	25	.04
71561	T40	25	.04



**71571 TORX® Insert Bit Packs, 1" CVM**

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

**71571 Set includes the following bits:**

**TORX® Sizes:**

T15, T20, T25, T27, wt. .08 T30, T40 x 1" (25mm)

**71570 TORX® Insert Bit Packs, 1" CVM**

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc bit pack.

**71570 Set includes the following bits:**

**TORX® Sizes:**

T5, T6, T7, T8, T9, wt. .07 T10 x 1" (25mm)



2 bit pack



CVM S2 modified tool steel

**745 TORX® Power Bit Packs, 2"**

Item No.	Size	mm	lbs.
74525	T1	50	.05
74527	T2	50	.05
74530	T3	50	.05
74540	T4	50	.05
74559	T5	50	.05
74501	T6	50	.05
74502	T7	50	.05
74503	T8	50	.05
74504	T9	50	.05
74506	T10	50	.05
74508	T15	50	.05
74510	T20	50	.05
74514	T25	50	.06
74515	T27	50	.06
74516	T30	50	.06
74518	T40	50	.06

**TORX® Power Bits**



**745 TORX® Power Bits**

1/4" Hex Drive, Length 2.0"/50mm

Item No.	Size	mm	pkg.	lbs.
74511	T6	50	10	.18
74512	T7	50	10	.18
74513	T8	50	10	.18
74517	T9	50	10	.18
74519	T10	50	10	.18
74521	T15	50	10	.18
74523	T20	50	10	.18
74529	T25	50	10	.18
74531	T27	50	10	.18
74533	T30	50	10	.18
74535	T40	50	10	.18



**745 TORX® Power Bits**

1/4" Hex Drive, Length 3.5"/90mm

Item No.	Size	mm	pkg.	lbs.
74563	T6	90	10	.03
74565	T7	90	10	.03
74567	T8	90	10	.03
74569	T9	90	10	.03
74571	T10	90	10	.03
74573	T15	90	10	.03
74575	T20	90	10	.04
74577	T25	90	10	.04
74579	T27	90	10	.04
74581	T30	90	10	.04
74583	T40	90	10	.04



**745 TORX® Power Bits**

1/4" Hex Drive, Length 2.75"/70mm

Item No.	Size	mm	pkg.	lbs.
74536	T6	70	1	.02
74538	T7	70	1	.02
74542	T8	70	1	.02
74544	T9	70	1	.02
74546	T10	70	1	.02
74548	T15	70	1	.02
74551	T20	70	1	.03
74553	T25	70	1	.03
74556	T27	70	1	.04
74558	T30	70	1	.04
74561	T40	70	1	.04



**745 TORX® Power Bits**

1/4" Hex Drive, Length 6.0"/150mm

Item No.	Size	mm	pkg.	lbs.
74580	T6	150	10	.04
74582	T7	150	10	.04
74584	T8	150	10	.04
74585	T9	150	10	.04
74586	T10	150	10	.04
74587	T15	150	10	.04
74588	T20	150	10	.04
74589	T25	150	10	.04
74590	T27	150	10	.04
74591	T30	150	10	.04




**744 TORX® Double End Bits**

1/4" Hex Drive, Length 2.56"/65mm

Item No.	Size	Size	mm	pkg.	lbs.
74411	T6	T6	65	10	.32
74413	T7	T7	65	10	.32
74415	T8	T8	65	10	.32
74417	T9	T9	65	10	.32
74419	T10	T10	65	10	.32
74421	T15	T15	65	10	.32
74423	T20	T20	65	10	.32
74429	T25	T25	65	10	.33
74431	T27	T27	65	10	.34
74433	T30	T30	65	10	.35
74435	T40	T40	65	10	.38



2 bit pack







**744 TORX® Double End Bits**

1/4" Hex Drive, Length 2.56"/65mm





Item No.	Size	Size	mm	lbs.
74460	T6	T6	65	.05
74461	T7	T7	65	.05
74462	T8	T8	65	.05
74463	T9	T9	65	.05
74464	T10	T10	65	.05
74465	T15	T15	65	.05
74466	T20	T20	65	.05
74467	T25	T25	65	.05
74468	T27	T27	65	.05
74469	T30	T30	65	.05
74470	T40	T40	65	.05

## Wiha TORX® 5/16" Insert Bits



725 TORX® Bits, 5/16"				
Item				
No.	Size	mm	pkg.	lbs.
72525	T25	35	10	.27
72527	T27	35	10	.27
72530	T30	35	10	.27
72540	T40	35	10	.28
72545	T45	35	10	.31
72550	T50	35	10	.32
72555	T55	35	10	.52







725 TORX® Insert Bit Packs, 5/16"				
Item				
No.	Size	mm	lbs.	
72531	T30	35	.28	
72541	T40	35	.28	
72546	T45	35	.31	
72551	T50	35	.32	
72556	T55	35	.52	

## Stainless Steel TORX® Bits





### Stainless Steel

High-quality, non-rusting stainless steel, completely vacuum-hardened.



715 Stainless Steel TORX® Bits, 1/4"				
Item				
No.	Size	mm	pkg.	
71500	T8	25	10	
71501	T9	25	10	
71502	T10	25	10	
71503	T15	25	10	
71504	T20	25	10	
71511	T25	25	10	
71512	T30	25	10	
71513	T40	25	10	



704 Stainless Steel TORX® Power Bits 1/4" Hex Drive, Length 2.0"/50mm				
Item				
No.	Size	mm	pkg.	
70411	T15	50	10	
70413	T20	50	10	
70414	T25	50	10	
70416	T30	50	10	
70417	T40	50	10	

## Wiha TORX® Align Insert Bits and Power Bits

### Torx® Align Tapered For Snug Fit In Screw





Highly resistant to wear and tear for a long tool life

Impact resistant modified chrome-vanadium-molybdenum, tool steel, hardened

**Made in Germany -  
Production Quality**





Suitable for all applications for both manual and machine  
Hardness HRC 59-61







715 TORX® Align Bits, 1/4"				
Item				
No.	Size	mm	pkg.	lbs.
71536	T6	25	10	.12
71537	T7	25	10	.12
71538	T8	25	10	.12
71541	T10	25	10	.12
71542	T15	25	10	.12
71543	T20	25	10	.12
71544	T25	25	10	.13
71545	T27	25	10	.13
71546	T30	25	10	.14
71547	T40	25	10	.15

\*Also Known As Torx Wedge Fit







733 TORX® Align Insert Bit Packs, 1"				
CVM S2 modified tool steel				
Item				
No.	Size	mm	lbs.	
73310	T6	25	.03	
73311	T7	25	.03	
73312	T8	25	.03	
73313	T9	25	.03	
73314	T10	25	.03	
73315	T15	25	.03	
73316	T20	25	.03	
73317	T25	25	.03	
73318	T27	25	.03	
73319	T30	25	.03	
73320	T40	25	.04	



747 TORX® Align Bits, 1/4" Hex Drive, Length 2.0"/50mm				
Item				
No.	Size	mm	pkg.	lbs.
74711	T6	50	10	.18
74714	T7	50	10	.18
74717	T8	50	10	.18
74721	T9	50	10	.18
74724	T10	50	10	.18
74728	T15	50	10	.20
74732	T20	50	10	.22
74736	T25	50	10	.22
74739	T27	50	10	.22
74742	T30	50	10	.22

\*Also Known As Torx Wedge Fit



747 TORX® Align Power Bit Packs, 2"				
Item				
No.	Size	mm	lbs.	
74760	T6	50	.05	
74761	T7	50	.05	
74762	T8	50	.05	
74763	T9	50	.05	
74764	T10	50	.05	
74765	T15	50	.05	
74766	T20	50	.06	
74767	T25	50	.06	
74768	T27	50	.06	
74769	T30	50	.06	



**Wiha Security TORX® Insert Bits and Power Bits**

**Security Torx®**

Made in Germany - Production Quality

Impact resistant modified CVM tool steel, hardened

Suitable for all applications for both manual & machine Hardness HRC 59-61

Highly resistant to wear and tear for a long tool life



**701 Security TORX® Bits, 1/4"**

Item No.	Size	mm	pkg.	lbs.
70127	T7s	25	10	.12
70128	T8s	25	10	.12
70129	T9s	25	10	.12
70135	T10s	25	10	.12
70139	T15s	25	10	.12
70142	T20s	25	10	.12
70148	T25s	25	10	.12
70160	T27s	25	10	.13
70163	T30s	25	10	.13
70168	T40s	25	10	.14



2 bit pack

**701 Security TORX® Insert Bit Packs, 1" CVM S2 modified tool steel.**

Item No.	Size	mm	lbs.
70150	T7s	25	.03
70151	T8s	25	.03
70152	T9s	25	.03
70153	T10s	25	.03
70154	T15s	25	.03
70155	T20s	25	.03
70156	T25s	25	.03
70157	T27s	25	.03
70158	T30s	25	.03
70159	T40s	25	.03



**705 Security TORX® Power Bits, 1/4" Hex Drive, Length 2.0"/50mm**

Item No.	Size	mm	pkg.	lbs.
70507	T7s	50	10	.18
70508	T8s	50	10	.18
70509	T9s	50	10	.18
70510	T10s	50	10	.19
70515	T15s	50	10	.19
70520	T20s	50	10	.21
70525	T25s	50	10	.23
70527	T27s	50	10	.23
70530	T30s	50	10	.23
70540	T40s	50	10	.23
70545	T45s	50	10	.33
70550	T50s	50	10	.37
70555	T55s	50	10	.37



Made in Taiwan

**745 Protturn Security TORX® Power Bits 1/4" Hex Drive, Length 3.0"/75mm**

Item No.	Size	mm	pkg.	lbs.
74566	T10s	75	5	.01
74568	T15s	75	5	.01
74570	T20s	75	5	.01
74572	T25s	75	5	.02
74574	T27s	75	5	.02
74576	T30s	75	5	.03



**705 Security TORX® Power Bits, 1/4" Hex Drive, Length 3.5"/90mm**

Item No.	Size	mm	pkg.	lbs.
70533	T10s	90	5	.20
70534	T15s	90	5	.20
70535	T20s	90	5	.20
70536	T25s	90	5	.21
70537	T27s	90	5	.21
70538	T30s	90	5	.23



2 bit pack



**705 Security TORX® Power Bit Packs, 2"**

Item No.	Size	mm	lbs.
70556	T7s	50	.07
70557	T8s	50	.07
70558	T9s	50	.07
70559	T10s	50	.07
70560	T15s	50	.07
70561	T20s	50	.07
70562	T25s	50	.07
70563	T27s	50	.07
70564	T30s	50	.07
70565	T40s	50	.07
70566	T45s	50	.07
70567	T50s	50	.07
70568	T55s	50	.07



5/16"

**725 Security TORX® Bits, 5/16"**

Item No.	Size	mm	pkg.	lbs.
72542	T40s	35	10	.28
72547	T45s	35	10	.32
72552	T50s	35	10	.34
72557	T55s	35	10	.52



2 bit pack



**725 Security TORX® Bits, 5/16" 2 Bit Pack**

Item No.	Size	mm	lbs.
72562	T40s	35	.28
72563	T45s	35	.29
72564	T50s	35	.30
72567	T55s	35	.32

## Wiha TORXPlus® Insert Bits and Power Bits

### TORXPlus®

Made in Germany -  
Production Quality

Highly resistant to wear and tear for a long tool life




Impact resistant modified CVM, tool steel, hardened

Suitable for all applications for both manual & machine Hardness HRC 59-61






#### 716 TORXPlus® Insert Bit Packs, 1"

CVM S2 modified tool steel

Item			
No.	Size	mm	lbs.
71631	IP3	25	.03
71632	IP4	25	.03
71633	IP5	25	.03
71634	IP6	25	.03
71635	IP7	25	.03
71636	IP8	25	.03
71637	IP9	25	.03
71638	IP10	25	.03
71639	IP15	25	.03
71641	IP20	25	.03
71642	IP25	25	.03
71643	IP27	25	.03
71644	IP30	25	.03
71645	IP40	25	.04






#### 716 TORXPlus® Insert Bits, 1/4" Hex, 1"

Item			
No.	Size	mm	pkg. lbs.
71603	IP3	25	10 .12
71604	IP4	25	10 .12
71605	IP5	25	10 .12
71606	IP6	25	10 .12
71607	IP7	25	10 .12
71608	IP8	25	10 .12
71609	IP9	25	10 .12
71610	IP10	25	10 .12
71615	IP15	25	10 .12
71620	IP20	25	10 .12
71625	IP25	25	10 .12
71627	IP27	25	10 .13
71630	IP30	25	10 .13
71640	IP40	25	10 .15






#### 746 TORXPlus® Power Bits, 1/4" Hex, 2"

Item			
No.	Size	mm	pkg. lbs.
74601	IP5	50	10 .18
74602	IP6	50	10 .18
74603	IP7	50	10 .18
74604	IP8	50	10 .18
74608	IP9	50	10 .18
74612	IP10	50	10 .20
74616	IP15	50	10 .20
74620	IP20	50	10 .20
74624	IP25	50	10 .20
74628	IP27	50	10 .25
74632	IP30	50	10 .25
74636	IP40	50	10 .25



#### 746 TORXPlus® Power Bit Packs, 2"

Item			
No.	Size	mm	lbs.
74611	IP1	50	.05
74613	IP2	50	.05
74614	IP3	50	.05
74617	IP4	50	.05
74659	IP5	50	.05
74660	IP6	50	.05
74661	IP7	50	.05
74662	IP8	50	.05
74663	IP9	50	.05
74664	IP10	50	.05
74665	IP15	50	.05
74666	IP20	50	.05
74667	IP25	50	.05
74668	IP27	50	.05
74669	IP30	50	.05
74670	IP40	50	.05

## Wiha Ball End TORX® Bits






See additional Ball End TORX Tools on Page 15

## Wiha Security Pentalobe 5 Point Insert Bit



#### 716 Security Pentalobe 5 Point Insert Bits, 1/4" Hex, 1" OAL

Item			
No.	Size	mm	pkg. lbs.
71648	PLS8	25	1 .11
71650	PLS10	25	1 .11
71652	PLS15	25	1 .11
71654	PLS20	25	1 .12
71656	PLS25	25	1 .13
71657	PLS27	25	1 .13
71658	PLS30	25	1 .14
71660	PLS40	35	1 .14




XSelector  
Pocket Sized  
3 1/8" x 2 1/8" x 1/2"

#### 79450 XSelector Bit Set With Security Pentalobe 5 Point Bits

 Set Includes Quick Release Holder

lbs. and the following 7 bits:

.18  Security Pentalobe 5 Point Sizes:  
PLS8, PLS10, PLS15, PLS20,  
PLS25, PLS27, PLS30

## Wiha TORX® MagicSpring Screw Holding Power Bits




### Screw Holding TORX Bits



Stainless rotary spring

 2 bit pack

#### 745 TORX® MagicSpring Screw Holding Power Bits, 1/4" Hex Drive, 2.0"/50mm OAL

Item			
No.	Size	mm	pkg. lbs.
74552	T10	50	2 .05
74554	T15	50	2 .05
74555	T20	50	2 .05
74557	T25	50	2 .05
74562	T30	50	2 .05
74564	T40	50	2 .05

**Wiha Sockets**



Set Screw Replaceable Bit

**761 TORX® Sockets 1/4" Square Drive**

Item			
No.	Size	mm	lbs.
76106	T6	38	.04
76107	T7	38	.04
76109	T8	38	.04
76111	T9	38	.04
76113	T10	38	.04
76117	T15	38	.04
76119	T20	38	.04
76121	T25	38	.04
76123	T27	38	.04
76129	T30	38	.05
76131	T40	38	.05



**763 TORX® Sockets 3/8" Square Drive, Set Screw Replaceable Bit. 1/4" bits**

Item			
No.	Size	mm	lbs.
76312	T9	42	.09
76314	T10	42	.09
76316	T15	42	.09
76318	T20	42	.09
76322	T25	42	.09
76324	T27	42	.09
76326	T30	42	.09
76328	T40	42	.09



**763 TORX® Sockets 3/8" Square Drive, Set Screw Replaceable Bit. 5/16" Bit. 2" OAL**

Item			
No.	Size	mm	lbs.
76346	T40	51	.11
76348	T45	51	.11
76352	T50	51	.11
76354	T55	51	.13



**716 TORXPlus® Sockets 1/4" Square Drive, Set Screw Replaceable Bit. 1/4" bits**

Item			
No.	Size	mm	lbs.
71661	IP6	38	.04
71662	IP7	38	.04
71663	IP8	38	.04
71664	IP9	38	.04
71665	IP10	38	.04
71666	IP15	38	.04
71667	IP20	38	.04
71668	IP25	38	.04
71669	IP27	38	.04
71670	IP30	38	.04
71671	IP40	38	.04



**716 TORXPlus® Sockets 3/8" Square Drive, Set Screw Replaceable Bit. 1/4" bits**

Item			
No.	Size	mm	lbs.
71673	IP9	42	.09
71674	IP10	42	.09
71675	IP15	42	.09
71676	IP20	42	.09
71677	IP25	42	.09
71678	IP27	42	.09
71680	IP30	42	.09
71681	IP40	42	.09



Set Screw Replaceable Bit

**763 Security TORX® Sockets 1/4" Square drive, 1/4" bits**

Item		
No.	Size	mm
76329	T7s	38
76330	T8s	38
76331	T9s	38
76332	T10s	38
76333	T15s	38
76334	T20s	38
76335	T25s	38
76335	T27s	38
76337	T30s	38
76338	T40s	38



Set Screw Replaceable Bit

**701 Security TORX® Sockets 3/8" Square drive, 1/4" bits. 2" OAL**

Item			
No.	Size	mm	lbs.
70107	T7s	42	.09
70108	T8s	42	.09
70109	T9s	42	.09
70110	T10s	42	.09
70113	T15s	42	.09
70115	T20s	42	.09
70117	T25s	42	.09
70119	T27s	42	.09
70121	T30s	42	.09
70123	T40s	42	.09



Set Screw Replaceable Bit

**763 Security TORX® Sockets 3/8" Square drive, 5/16" bits**

Item		
No.	Size	mm
76339	T40s	51
76340	T45s	51
76341	T50s	51
76342	T55s	51

**1/2" Square Drive Sockets**



Set Screw Replaceable Bit

**764 TORX® Sockets 1/2" Square Drive**

Item			
No.	Size	mm	lbs. pkg.
76403	T30	59	.10 1
76404	T40	59	.10 1
76405	T45	59	.10 1
76406	T50	59	.10 1
76407	T55	59	.11 1
76408	T60	59	.18 1



Set Screw Replaceable Bit

**764 Security TORX® Sockets 1/2" Square Drive**

Item			
No.	Size	mm	lbs. pkg.
76411	T40s	59	.11 1
76412	T45s	59	.11 1
76413	T50s	59	.11 1
76414	T55s	59	.12 1

## Wiha Long Blade Sockets



771 TORX® Sockets			
1/4" Drive 6" Long Bit Socket			
Item No.	Size	Inch	lbs.
77151	T8	6	.12
77153	T9	6	.12
77152	T10	6	.12
77154	T15	6	.12
77156	T20	6	.12
77158	T25	6	.12
77160	T27	6	.12
77162	T30	6	.12
77164	T40	6	.12

77193 7 Pc. TORX® Socket Blade Set			
TORX®: T10, T15, T20, T25, T27, T30, T40			
wt. .69			



771 TORX® Sockets			
3/8" Drive 6" Long Bit Socket			
Item No.	Size	Inch	lbs.
77101	T8	6	.12
77103	T9	6	.12
77105	T10	6	.12
77107	T15	6	.12
77109	T20	6	.12
77111	T25	6	.12
77113	T27	6	.12
77115	T30	6	.12
77117	T40	6	.12

77195 9 Pc. TORX® Socket Blade Set			
TORX®: T8, T9, T10, T15, T20, T25, T27, T30, T40			
wt. 1.08			

## Wiha External Sockets



773 TORX® External Sockets			
1/4" Square drive socket.			
Item No.	Size	mm	lbs.
77304	E4	25	.03
77305	E5	25	.03
77306	E6	25	.03
77307	E7	25	.04
77308	E8	25	.04
77310	E10	25	.04

773 TORX® External Sockets			
3/8" Square drive socket.			
Item No.	Size	mm	lbs.
77331	E8	28	.07
77333	E10	28	.07
77335	E12	28	.07
77337	E14	28	.08



773 TORX® External Sockets			
1/2" Square drive socket.			
Item No.	Size	mm	lbs.
77341	E12	37	.12
77343	E14	37	.12
77345	E16	37	.14
77347	E18	37	.14
77349	E20	37	.15
77353	E24	40	.24




77390 22 pc. TORX® Set 1/4" Drive Socket			
Ratchet 5.5", extension 2" & 4", swivel & hand driver in steel box. Hard chromed and polished.			
Item No.	lbs.	Set includes the following:	
77390	2.14	E4, E5, E6, E7, E8, E10, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40	

## Wiha E-TORX® Socket Set On Molded Rail




77391 8 Piece E-TORX® Socket Set			
Item No.	lbs.	Set includes the following:	
77391	.62	1/4" drive: E6, E7, E8, E10 3/8" drive: E12, E14 1/2" drive: E16, E18	

## Wiha Socket Sets On Molded Rails



76191 10 pc. TORX® Socket Set			
1/4" Square Drive Replaceable Bit Sockets. Bits CVM tool steel. OAL 1.5"			
Item No.	lbs.	Set Includes:	
76191	.49	T7, T8, T9, T10, T15, T20, T25, T27, T30, T40	



76194 6 pc. TORX® Socket Set			
1/4" Square Drive Replaceable Bit Sockets. Bits CVM tool steel.			
Item No.	lbs.	Set Includes:	
76194	.20	T10, T15, T20, T25, T27, T30	



76395 8 pc. TORX® Socket Set			
3/8" Square Drive Replaceable Bit Sockets. Bits CVM tool steel. OAL 1.5"			
Item No.	lbs.	Set Includes:	
76395	.75	T9, T10, T15, T20, T25, T27, T30, T40	



76396 8 pc. TORX® Socket Set			
3/8" Square Drive Replaceable Bit Sockets. 1/4" & 5/16" Bits CVM tool steel. OAL 1.65"			
Item No.	lbs.	Set Includes:	
76396	.87	1/4": T20, T25, T27, T30, T40 5/16": T45, T50, T55	



76490 6 pc. TORX® Socket Set			
1/2" Square Drive Replaceable Bit Sockets. Bits CVM tool steel.			
Item No.	lbs.	Set Includes:	
76490	1.06	T30, T40, T45, T50, T55, T60	



**Wiha Socket Sets  
On Molded Rails**


Security Torx®



**70195 10 pc. Security TORX® Socket Set**

1/4" Square drive replaceable bit sockets.  
1/4" Bits CVM tool steel.


Item No.	↔	Set Includes:
70195	lbs.	T7s, T8s, T9s, .48 T10s, T15s, T20s, T25s, T27s, T30s, T40s



**76397 9 pc. Security TORX® Socket Set**

1/4" & 3/8" Square Drive Replaceable Bit  
Sockets. 1/4" & 5/16" Bits CVM tool steel.

Item No.	↔	Set Includes:
76397	lbs.	1/4": T10s, T15s, T20s, .85 T25s, T27s, T30s 3/8": T40s (1/4" bit) 3/8": T45s, T50s (5/16" bit)



**76399 12 pc. Security TORX® Socket Set**

1/4" & 3/8" Square Drive Replaceable Bit  
Sockets. 1/4" & 5/16" Bits CVM tool steel.

Item No.	↔	Set Includes:
76399	lbs.	1/4": T7s, T8s, T10s, T15s, .80 T20s, T25s, T27s, T30s, T40s 5/16": T45s, T50s, T55s



**71698 8 pc. TORXPlus® Socket Set On Rail, In Vinyl Pouch**

1/4" & 3/8" Square Drive  
Replaceable Bit Sockets. Bits CVM tool steel.

Item No.	↔	Set Includes:
71698	lbs.	1/4": IP9, IP10, IP15, IP20 .60 3/8": IP25, IP27, IP30, IP40

Item No. Page

10810	10
10893	6
20756	11
20757	11
20758	11
20759	11
20760	11
20799	11
26701	23
26702	23
26703	23
26704	23
26705	23
26706	23
26707	23
26708	23
26709	23
26710	23
26715	23
26720	23
26721	19
26723	19
26725	19
26727	19
26729	19
26731	19
26732	23
26733	23
26735	23
26736	23
26737	23
26739	23
26741	23
26743	23
26745	23
26747	23
26749	23
26751	23
26790	23
26791	23
26792	23
26793	23
26796	23
26798	19
26799	23
26951	24
26952	24
26953	24
26954	24
26955	24
26956	24
26957	24
26961	24
26977	24
26978	24
26979	24
26980	24
26981	24
26982	24
26987	25
26995	25
27801	24
27802	24
27803	24
27804	24
27805	24
27811	24
27817	24
27823	24
27829	24
27835	24
27841	24
27847	24
27850	24
27851	24
27852	24
27853	24
27854	24

Item No. Page

27855	24
27856	24
27857	24
27890	24
27894	24
27899	24
28000	24
28001	24
28007	25
28103	26
28126	10
28127	10
28128	10
28129	10
28130	10
28132	10
28133	10
28134	10
28135	10
28136	10
28189	10
28197	10
28301	11
28339	11,21
28340	11,21
28341	11,21
28342	11,21
28343	11,21
28344	11,21
28349	21
28351	21
28352	21
28353	21
28354	21
28355	21
28356	21
28357	21
28358	21
28359	21
28360	21
28374	21
28375	21
28376	21
28377	21
28378	21
28379	21
28380	21
28381	21
28382	21
28383	21
28384	21
28385	21
28386	21
28387	21
28388	21
28389	21
28477	10
28485	10
28486	10
28487	10
28488	10
28489	28
28500	22
28501	20
28502	20
28504	20
28506	20
28508	20
28512	20
28522	22
28524	22
28526	22
28527	20
28528	20
28529	20
28530	20
28531	20
28532	20

Item No. Page

28533	20
28550	20
28551	20
28552	20
28553	20
28554	20
28561	20
28562	20
28563	20
28564	20
28565	20
28566	20
28567	20
28568	20
28569	20
28571	20
28572	20
28573	20
28574	20
28575	20
28576	20
28577	20
28578	20
28579	20
28597	22
28598	22
28599	22
28611	20
28612	20
28613	20
28614	20
28616	20
28617	20
28618	20
28619	20
28724	21
28726	21
28727	21
28734	21
28736	21
28737	21
28818	22
28825	22
28826	22
28827	22
28828	22
28829	22
28830	22
28903	22
28904	22
28905	22
28906	22
28907	22
28908	22
28910	22
28911	22
28912	22
28913	22
28914	22
28915	22
28931	22
28933	22
28935	22
28937	22
28938	22
28939	22
28940	22
29232	21
29233	21
29234	21
29236	21
29237	21
29239	21
29242	21
29243	21
29244	21
29246	21
29247	21

Item No. Page

29248	21
29249	21
29252	21
29253	21
29254	21
29255	21
29256	21
32505	7
32511	7
32512	11
32513	11
32514	11
32515	11
32516	7
32517	11
32518	11
32519	11
32521	7
32526	7
32531	7
32536	7
32541	7
32546	7
32551	7
32556	7
32561	7
32566	7
32590	7
32592	7
32596	11
36106	18
36107	18
36108	18
36109	18
36110	18
36115	18
36120	18
36125	18
36127	18
36130	18
36140	18
36197	18
36199	18
36200	6
36201	5
36202	19
36203	19
36204	6
36205	8
36206	6
36207	19
36208	6
36209	6
36210	8
36211	17
36212	8
36214	17
36215	8
36216	15
36217	15
36218	6
36219	6
36220	8
36221	15
36222	15
36223	17
36224	6
36225	8
36226	15
36227	15
36228	17
36229	17
36230	8
36231	17
36232	17
36233	17
36234	19
36235	8

38 Tools that work for you

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
36236	15	36335	12	36536	14	37018	16	45545	9	70540	33
36237	15	36337	12	36537	14	37019	14	45546	8	70545	33
36238	17	36339	12	36538	14	37021	16	45550	9	70550	33
36239	17	36340	12	36539	16	37022	14	45551	8	70555	33
36240	8	36342	12	36541	16	37023	16	45556	8	70556	33
36241	17	36345	12	36543	16	37024	16	45561	8	70557	33
36242	17	36346	12	36545	16	37026	14	45589	8	70558	33
36243	17	36350	12	36547	16	37027	16	45591	8	70559	33
36244	19	36352	12	36549	16	37029	14	45592	8	70560	33
36245	8	36355	12	36551	16	37032	14	45593	9	70561	33
36246	17	36357	12	36553	16	37036	14	45595	9	70562	33
36247	17	36360	12	36556	19	37055	14	45597	9	70563	33
36248	17	36390	12	36557	19	37056	14	45598	9	70564	33
36249	19	36391	12	36558	19	37057	14	46790	9	70565	33
36250	8	36392	12	36559	19	37058	14	48400	9,28	70566	33
36252	17	36393	12	36560	19	37059	14	48401	9,28	70567	33
36253	17	36394	12	36561	19	37060	14	52711	7	70568	33
36254	19	36395	11	36562	19	37061	14	52713	7	71195	27
36255	17	36396	11	36590	14	37062	14	52716	7	71470	28
36256	19	36397	11	36591	14	37063	16	52719	7	71480	28
36257	19	36398	11	36592	16	37064	16	52722	7	71490	28
36258	19	36399	12	36598	19	37065	16	52726	7	71491	28
36259	6	36409	13	36606	18	37066	16	52729	7	71494	28
36260	6	36410	13	36607	18	37067	16	52732	7	71500	32
36262	17	36415	13	36608	18	37068	16	52790	7	71501	32
36263	17	36417	13	36609	18	37069	16	52791	7	71502	32
36264	5	36420	13	36610	18	37070	16	70107	35	71503	32
36265	17	36422	13	36615	18	37090	14	70108	35	71504	32
36266	5	36425	13	36620	18	37091	14	70109	35	71505	30
36267	5	36427	13	36625	18	37092	16	70110	35	71506	30
36268	5	36430	13	36627	18	37106	18	70113	35	71507	30
36269	6	36432	13	36630	18	37107	18	70115	35	71508	30
36270	5	36435	13	36631	15	37108	18	70117	35	71509	30
36271	6	36437	13	36632	15	37109	18	70119	35	71510	30
36272	5	36440	13	36633	15	37110	18	70121	35	71511	32
36273	6	36442	13	36634	15	37115	18	70123	35	71512	32
36274	5	36445	13	36635	15	37120	18	70127	33	71513	32
36275	6	36450	13	36636	15	37125	18	70128	33	71515	30
36276	5	36452	13	36637	15	37127	18	70129	33	71516	30
36277	6	36461	17	36638	15	37130	18	70135	33	71517	30
36278	5	36463	17	36639	15	37140	18	70139	33	71518	30
36279	6	36466	17	36640	18	37190	18	70142	33	71519	30
36280	5	36469	17	36645	12	37192	18	70148	33	71520	30
36281	6	36472	17	36646	12	38003	26	70150	33	71521	30
36282	5	36474	17	36647	12	38004	26	70151	33	71522	30
36283	6	36476	17	36648	12	38008	26	70152	33	71523	30
36284	5	36478	17	36649	12	38009	26	70153	33	71524	30
36285	6	36480	13	36650	12	38010	26	70154	33	71525	30
36286	5	36481	13	36651	12	38015	28	70155	33	71527	30
36287	6	36482	13	36652	12	38028	26	70156	33	71530	30
36288	5	36483	13	36653	12	38042	26	70157	33	71536	32
36289	6	36484	13	36654	12	38044	26	70158	33	71537	32
36290	19	36486	13	36655	12	38045	26	70159	33	71538	32
36291	5	36487	13	36659	12	38046	26	70160	33	71540	30
36292	8	36490	13	36660	12	38047	26	70163	33	71541	32
36293	8	36492	13	36661	12	38450	28	70168	33	71542	32
36294	5	36494	13	36689	13	38460	28	70190	27	71543	32
36296	17	36496	17	36690	18	45504	9	70195	37	71544	32
36298	6	36497	13	36691	18	45505	8	70411	32	71545	32
36297	17	36511	14	36692	15	45506	8	70413	32	71546	32
36299	17	36513	14	36693	13	45507	9	70414	32	71547	32
36305	12	36514	14	36694	12	45508	9	70416	32	71548	31
36306	12	36516	14	36697	16	45509	9	70417	32	71549	31
36307	12	36517	14	36698	12	45510	9	70507	33	71550	31
36308	12	36518	14	36699	12	45511	8	70508	33	71551	31
36309	12	36519	14	37005	14	45515	9	70509	33	71552	31
36310	12	36521	14	37006	14	45516	8	70510	33	71553	31
36315	12	36522	14	37007	14	45520	9	70515	33	71554	31
36320	12	36523	14	37008	14	45521	8	70520	33	71555	31
36321	12	36524	16	37009	14	45522	8	70525	33	71556	31
36323	12	36526	16	37010	14	45525	9	70527	33	71557	31
36325	12	36527	16	37011	14	45526	8	70530	33	71558	31
36326	12	36528	16	37012	14	45527	9	70533	33	71559	31
36327	12	36529	16	37013	14	45530	9	70534	33	71560	31
36328	12	36531	16	37014	16	45531	8	70535	33	71561	31
36329	12	36532	16	37015	16	45536	8	70536	33	71562	30
36330	12	36533	16	37016	14	45540	9	70537	33	71563	30
36332	12	36534	14	37017	16	45541	8	70538	33	71564	30

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
71565	30	72540	32	74520	15	74614	34	75735	25	76811	29
71566	30	72541	32	74521	31	74616	34	75739	25	76812	29
71567	30	72542	33	74522	15	74617	34	75742	25	76813	29
71568	30	72545	32	74523	31	74620	34	75801	25	76814	29
71569	30	72546	32	74524	15	74624	34	75985	25	76816	29
71570	31	72547	33	74525	31	74628	34	76106	35	76817	29
71571	31	72550	32	74526	15	74632	34	76107	35	76853	29
71576	30	72551	32	74527	31	74636	34	76109	35	76854	29
71578	30	72552	33	74528	15	74659	34	76111	35	76855	29
71582	30	72555	32	74529	31	74660	34	76113	35	76856	29
71584	30	72556	32	74530	31	74661	34	76117	35	76857	29
71585	30	72557	33	74531	31	74662	34	76119	35	76858	29
71586	30	72562	33	74532	15	74663	34	76121	35	76859	29
71587	30	72563	33	74533	31	74664	34	76123	35	76877	29
71588	30	72564	33	74534	15	74665	34	76129	35	76895	29
71596	27	72567	33	74535	31	74666	34	76131	35	76896	29
71603	34	72572	30	74536	31	74667	34	76191	36	77101	36
71604	34	72573	30	74537	15	74668	34	76194	36	77103	36
71605	34	72574	30	74538	31	74669	34	76312	35	77105	36
71606	34	72575	30	74539	15	74670	34	76314	35	77107	36
71607	34	72576	30	74540	31	74711	32	76316	35	77109	36
71608	34	72577	30	74541	15	74714	32	76318	35	77111	36
71609	34	72578	30	74542	31	74717	32	76322	35	77113	36
71610	34	72579	30	74543	15	74721	32	76324	35	77115	36
71615	34	72580	30	74544	31	74724	32	76326	35	77117	36
71620	34	72581	30	74545	15	74728	32	76328	35	77151	36
71625	34	72590	26	74546	31	74732	32	76329	35	77152	36
71627	34	72595	26	74547	15	74736	32	76330	35	77153	36
71630	34	73310	32	74548	31	74739	32	76331	35	77154	36
71631	34	73311	32	74549	15	74742	32	76332	35	77156	36
71632	34	73312	32	74550	15	74760	32	76333	35	77158	36
71633	34	73313	32	74551	31	74761	32	76334	35	77160	36
71634	34	73314	32	74552	34	74762	32	76335	35	77162	36
71635	34	73315	32	74553	31	74763	32	76336	35	77164	36
71636	34	73316	32	74554	34	74764	32	76337	35	77193	36
71637	34	73317	32	74555	34	74765	32	76338	35	77195	36
71638	34	73318	32	74556	31	74766	32	76339	35	77304	36
71639	34	73319	32	74557	34	74767	32	76340	35	77305	36
71640	34	73320	32	74558	31	74768	32	76341	35	77306	36
71641	34	74411	31	74559	31	74769	32	76342	35	77307	36
71642	34	74413	31	74561	31	74981	27	76346	35	77308	36
71643	34	74415	31	74562	34	74982	27	76348	35	77310	36
71644	34	74417	31	74563	31	74985	27	76352	35	77331	36
71645	34	74419	31	74564	34	74987	27	76354	35	77333	36
71648	34	74421	31	74565	31	75093	25	76395	36	77335	36
71650	34	74423	31	74566	33	75660	25	76396	36	77337	36
71652	34	74429	31	74567	31	75661	25	76397	37	77341	36
71654	34	74431	31	74568	33	75662	25	76399	37	77343	36
71656	34	74433	31	74569	31	75663	25	76403	35	77345	36
71657	34	74435	31	74570	33	75664	25	76404	35	77347	36
71658	34	74460	31	74571	31	75665	25	76405	35	77349	36
71660	34	74461	31	74572	33	75666	25	76406	35	77353	36
71661	35	74462	31	74573	31	75667	25	76407	35	77390	36
71662	35	74463	31	74574	33	75668	25	76408	35	77391	36
71663	35	74464	31	74575	31	75669	25	76411	35	77701	30
71664	35	74465	31	74576	33	75670	25	76412	35	77702	30
71665	35	74466	31	74577	31	75671	25	76413	35	77703	30
71666	35	74467	31	74579	31	75678	25	76414	35	77704	30
71667	35	74468	31	74580	31	75679	25	76490	36	77705	30
71668	35	74469	31	74581	31	75680	25	76510	29	79242	27
71669	35	74470	31	74582	31	75681	25	76511	29	79245	27
71670	35	74501	31	74583	31	75682	25	76512	29	79247	27
71671	35	74502	31	74584	31	75683	25	76513	29	79283	27
71673	35	74503	31	74585	31	75701	25	76514	29	79445	27
71674	35	74504	31	74586	31	75702	25	76516	29	79447	27
71675	35	74505	15	74587	31	75703	25	76517	29	79450	34
71676	35	74506	31	74588	31	75704	25	76553	29	91118	23
71677	35	74508	31	74589	31	75705	25	76554	29		
71678	35	74510	31	74590	31	75706	25	76555	29		
71680	35	74511	31	74591	31	75707	25	76556	29		
71681	35	74512	31	74601	34	75708	25	76558	29		
71690	27	74513	31	74602	34	75709	25	76557	29		
71692	27	74514	31	74603	34	75710	25	76559	29		
71698	37	74515	31	74604	34	75715	25	76810	29		
72525	32	74516	31	74608	34	75720	25				
72527	32	74517	31	74611	34	75727	25				
72530	32	74518	31	74612	34	75728	25				
72531	32	74519	31	74613	34	75729	25				

**CALIFORNIA PROPOSITION 65 WARNING**  
 These products contain chemicals known to the state of California to cause cancer and birth defects or other reproductive harm. (California law requires this warning to be given to customers in the state of California.)



MANUFACTURING  
EXCELLENCE  
AWARD  
BESTES KMU  
2014

WIHA – WINNER OF THE  
MX AWARD 2014.  
GERMANY'S BEST SME.



Like Us On  
facebook

**wiha** 

Tools that work for you



(800) 494-6104  
fax: (800) 494-7456  
cservice@wihatools.com  
www.wihatools.com

Catalog Item No. 99914 .wo  
version - 6/1/17

Subject to change  
without notice

©2017 Willi Hahn Corporation

®Torx is a registered trademark of  
Acument Intellectual Properties LLC.



**Wiha Quality Tools**

1348 Dundas Circle  
Monticello, MN 55362  
tel: 763.295.6591  
fax: 763.295.6598

**Wiha Tools Canada Ltd.**

www.wihatools.ca  
Brampton, ONT L6T 4X4  
tel: 866.494.0096 or 763.295.6591  
fax: 763.295.6598

To:



99977.wo - Pliers/Crimpers Catalog



99004.wo - Shop Tools Catalog




99001.wo - TorqueControl Catalog



99951.wo - Bits Catalog



99919.wo - Insulated Catalog



99002.wo - Screwdrivers Catalog



99934.wo - Hex Tools Catalog



99006.wo - Tech Tools Catalog



99945.wo - ESD Catalog



91330.wo - Tooling Catalog