



2017



**wiha** 

Tools that work for you

## Professional Quality Bits




# Complete Bits Program


































## Terminator Impact Insert & Power Bit Sets

DESCRIPTION	Page
 Terminator Impact Bits	4-7



## Standard Bits

DESCRIPTION	Page
 Torx® Insert/Power Bits	8-9
 Phillips Insert/Power Bits	16-17
 Hex Metric & Inch Insert/Power Bits	19-20
 Square Insert/Power Bits	24
 Slotted Insert/Power Bits	24-25
 Pozidriv® Insert/Power Bits	26
 Nut Setters	46

## Specialty Bits

DESCRIPTION	Page
  Xeno Phillips Terminal Block	18
  Torx® Align Bits	11
  Ball End Torx®	15
  Security Torx®	12
  TorxPlus®	14
  Security Hex	20
  XZN Insert	28
  Triple Square Insert Bits	27
  Tri-Wing	27
  Torq Set	27
  Spanner	28











## Cutting Tools

DESCRIPTION	Page
 Counter Sink	28
 Drill Bit	28



## High Performance Bits

DESCRIPTION	Page
 Slotted Dura Insert Bits	29
 Tungsten Carbide Coated	
 Phillips Dura Bits	29
 Insert/Power Bits - Tungsten Carbide Coated	
 Pozidriv® Dura Bits	29
 Insert/Power Bits - Tungsten Carbide Coated	
 Torx® Dura Insert Bits	29
 Tungsten Carbide Coated	
 Slotted Diamond Bits	29
 Phillips Diamond Bits	29
 Insert/Power Bits	
 Pozidriv® Diamond Bits	29
 Torx® Diamond Bits	29
 Phillips TiN Coated	30
 Insert/Power Bits - Titanium	
 Torx® TiN Coated - Titanium	30


## Insert & Power Bit Sets

DESCRIPTION	Page
 Security Bits Collector	32
 Ultra Drivers 26inOne	33
 BitFlip Sets	34
 Insert Bit Selectors	35
 XSelector/XLSelectors	35
 6-in-1 Multi-Bit Sets	36
 Stubby Bit Holder Sets	34
 Pop-Up Bit Holder Sets	31
 Power Bit Belt Packs	37
 PokitPak Sets	30



**Stainless Steel Insert & Power Bits**

	DESCRIPTION	Page
	Insert Bits Slotted/Phillips/ Torx®/Hex/Pozidriv®	9, 18, 21, 25, 26
	Power Bits Phillips/Torx®/Pozidriv®	9, 18, 26


**TorqueControl Insert & Micro Bit Sets**

	DESCRIPTION	Page
	TorqueControl Bit Sets	37

**ESD Safe Micro Bit Handles/Bits & Sets**

	DESCRIPTION	Page
	Micro Bits	38-40
	ESD Safe Micro Bit Sets	40-43

**ESD 1/4" Quick Release Bit Holder Blade Set**

	DESCRIPTION	Page
	1/4" Quick Release	43

**Bit Holders**

	DESCRIPTION	Page
	ESD Safe Bit Holders	43
	SoftFinish Pistol Ratchet	44
	Adapters For Pistol Ratchet	44
	SoftFinish® Cushion Grip	44
	MicroFinish Non-Slip Grip	44
	3K Ergo Bit Holder	44
	T-handle	44
	SoftGrip Stubby Bit Holder	44
	Flexible Shaft Bit Holder	44
	Drive-Loc VI Bit Holder	44
	Protturn Precision	44
	Multi-Bit Holders	45

**Bit Holders**

	DESCRIPTION	Page
	Micro Bit Power Tool Adapter	40
	ClicFix Quick Release Insert Bits	43
	CentroFix Quick Release All 1/4" Drive Tools	28, 43
	Protturn Quick Release 1/4" Drive	45
	Stainless Steel Bit Holder	45
	Magnetic Bit Holders & Retaining Ring Bit Holder	45
	Auto Lock Insert Bit Holder	45
	"SlimFix" Impact Bit Holder Quick Release	45

**Bit Sockets**

	DESCRIPTION	Page
	Torx® 1/4" Drive	47
	Torx® 3/8" Drive	47
	Torx® 3/8" - 5/16" Bits	47
	Security Torx® 3/8"	47
	Slotted Bit Sockets 1/2" Drive	47
	Phillips Bit Socket 1/2" Drive	47
	Hex Bit Sockets 1/4" Drive	48
	Hex Bit Sockets 3/8" Drive	48
	Ball End Hex Sockets	48
	Socket Adapters	49
	Impact Bit Holding Sockets	49
	6" Bit Sockets 1/4" & 3/8" Drive	49
	Socket Sets	50-51

## “Terminator”

### Impact Bits



Ready For Sudden Impact!



#### 765 Phillips Terminator Impact Bits, 1/4" Insert - 10 Bit Pack

Item	+	—	—
No.	Size	mm	pkg.
76501	1	29	10
76502	2	29	10
76503	3	29	10

#### 768 Phillips Terminator Impact Bits, 1/4" Insert - 2 Bit Pack

Item	+	—	—
No.	Size	mm	pkg.
76801	1	29	2
76802	2	29	2
76803	3	29	2



#### 765 Pozidriv Terminator Impact Bits, 1/4" Insert - 10 Bit Pack

Item	+	—	—
No.	Size	mm	pkg.
76506	1	29	10
76507	2	29	10
76508	3	29	10

#### 768 Pozidriv Terminator Impact Bits, 1/4" Insert - 2 Bit Pack

Item	+	—	—
No.	Size	mm	pkg.
76806	1	29	2
76807	2	29	2
76808	3	29	2




#### 765 TORX Terminator Impact Bits, 1/4" Insert - 10 Bit Pack

Item	T	—	—
No.	Size	mm	pkg.
76510	T10	29	10
76511	T15	29	10
76512	T20	29	10
76513	T25	29	10
76514	T27	29	10
76516	T30	29	10
76517	T40	29	10

#### 768 TORX Terminator Impact Bits, 1/4" Insert - 2 Bit Pack

Item	T	—	—
No.	Size	mm	pkg.
76810	T10	29	2
76811	T15	29	2
76812	T20	29	2
76813	T25	29	2
76814	T27	29	2
76816	T30	29	2
76817	T40	29	2

Impact rated bits for long life in impact applications  
 Standard 1/4" drive - No special adaptor required  
 Wiha enhanced bi-material torsion zone  
 Precision machined exact fit tips  
 Wiha exclusive CVM tool steel  
 Guaranteed to out perform impact imposters



#### 1/4" Drive Insert & Power Bits



#### 765 Square Terminator Impact Bits, 1/4" Insert - 10 Bit Pack

Item	□	—	—
No.	Size	mm	pkg.
76538	1	29	10
76539	2	29	10
76540	3	29	10

#### 768 Square Terminator Impact Bits, 1/4" Insert - 2 Bit Pack

Item	□	—	—
No.	Size	mm	pkg.
76838	1	29	2
76839	2	29	2
76840	3	29	2



#### 76898 42 Pc. Combo Bit Set With Terminator Impact Bits & Ultra Driver Bit Set

Item No. 76898      lbs. .92

#### Terminator Impact Bits:





- Phillips: #1, 2 (2), 3
- Square: #1, 2 (2), 3
- Torx®: T10, T15, T20 (2), T25 (2), T30 (2), T40
- Hex Metric: 3.0, 4.0, 5.0, 6.0mm
- Hex Inch: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

#### Double End Ultra Driver Bits:





- Slotted: 3.0+4.5, 5.5+6.5mm
- Phillips: #1+2, #0+3
- Pozidriv®: #1+2
- Square: #1+2, #0+3
- Torx®: T10+T15, T20+T25
- Hex Inch: 1/8+9/64, 5/32+3/16"
- Hex Metric: 3.0+4.0, 5.0+6.0mm



**765 Hex Inch Terminator Impact Bits, 1/4" Insert - 10 Bit Pack**





Item				
No.	Inch	mm	pkg.	
76530	1/8	29	10	
76531	9/64	29	10	
76532	5/32	29	10	
76533	3/16	29	10	
76534	7/32	29	10	
76535	1/4	29	10	

**768 Hex Inch Terminator Impact Bits, 1/4" Insert - 2 Bit Pack**





Item				
No.	Inch	mm	pkg.	
76830	1/8	29	2	
76831	9/64	29	2	
76832	5/32	29	2	
76833	3/16	29	2	
76834	7/32	29	2	
76835	1/4	29	2	



**765 Hex Metric Terminator Impact Bits, 1/4" Insert - 10 Bit Pack**

Item				
No.	mm	mm	pkg.	
76523	3.0	29	10	
76524	4.0	29	10	
76525	5.0	29	10	
76526	6.0	29	10	


**768 Hex Metric Terminator Impact Bits, 1/4" Insert - 2 Bit Pack**

Item				
No.	mm	mm	pkg.	
76823	3.0	29	2	
76824	4.0	29	2	
76825	5.0	29	2	
76826	6.0	29	2	



**76897 28 Pc. Terminator Impact Insert Bit Set With SlimFix 1/4" Locking Bit Holder**

**Item No. Set includes the following bits:**

76897	Phillips: #1, 2 (2), 3
	Sq: #1, 2, 3 & Pozidriv®: #1, 2, 3
lbs. .47	Hex Metric: 3.0, 4.0, 5.0, 6.0mm
	Hex Inch: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"
	Torx®: T10, T15, T20, T25(2), T30, T40

**Wiha Insert Terminator Impact Bit Sets**



**76876 10 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm**

**76876 Set includes the following bits:**

- Hex In: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"
- Hex Metric: 3.0, 4.0, 5.0, 6.0mm



**76877 10 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm**

**76877 Set includes the following bits:**

- Torx®: T10, T15, T20 (2), T25 (2), T27, T30 (2), T40



**76881 10 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm**

**76881 Set includes the following bits:**


- Phillips: #1, 2, 3
- Square: #1, 2, 3
- Torx®: T20, T25, T30, T40

In Metal Box



**76899 34 Pc. Terminator Impact Insert Bit Set With 3K Bit Holder Handle & SlimFix 1/4" Locking Bit Holder**

**Item No. Set includes the following bits:**

76899	2 Phillips: #1, 2, 3
	Square: #1, 2 (2), 3
lbs.	Pozidriv®: #1, 2, 3
1.12	Torx®: T10, T15, T20 (2), T25 (2), T30 (2), T40
	Hex Metric: 3.0, 4.0, 5.0, 6.0mm
	Hex Inch: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"



Includes magnetic bit holder



**76890 8 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm**

**76890 Set includes the following bits:**

- 3 Phillips: #2
- Square: #2
- Torx®: T15, T20, T25

Includes magnetic bit holder



**76891 8 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm**

**76891 Set includes the following bits:**

- Phillips: #2, 3
- Square: #2, 3
- Torx®: T20, T25, T30

Includes magnetic bit holder



**76893 8 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm**

**76893 Set includes the following bits:**

- Hex Inch: 5/32, 3/16, 7/32, 1/4"
- Hex Metric: 4, 5, 6mm

Includes magnetic bit holder



**76895 8 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm**

**76895 Set includes the following bits:**

- Torx®: T10, T15, T20, T25, T27, T30, T40

Includes magnetic bit holder

## Wiha Power Terminator Impact Bits



**Max-Lifetime**



**Max-Torsion**



No special bit holder required

**Max-Impact Ready**



**765 Phillips Terminator Impact Bits, 1/4" Power - 10 Bit Pack**

Item	+	—	—
No.	Size	mm	pkg.
76543	1	49	10
76544	2	49	10
76545	3	49	10



**765 Square Terminator Impact Bits, 1/4" Power - 10 Bit Pack**

Item	□	—	—
No.	Size	mm	pkg.
76578	1	49	10
76579	2	49	10
76580	3	49	10



**765 TORX® Terminator Impact Bits, 1/4" Power - 10 Bit Pack**

Item	✳	—	—
No.	Size	mm	pkg.
76553	T10	49	10
76554	T15	49	10
76555	T20	49	10
76556	T25	49	10
76557	T27	49	10
76558	T30	49	10
76559	T40	49	10

**768 Phillips Terminator Impact Bits, 1/4" Power - 2 Bit Pack**

Item	+	—	—
No.	Size	mm	pkg.
76843	1	49	2
76844	2	49	2
76845	3	49	2

**768 Square Terminator Impact Bits, 1/4" Power - 2 Bit Pack**

Item	□	—	—
No.	Size	mm	pkg.
76878	1	49	2
76879	2	49	2
76880	3	49	2

**768 TORX® Terminator Impact Bits, 1/4" Power - 2 Bit Pack**

Item	✳	—	—
No.	Size	mm	pkg.
76853	T10	49	2
76854	T15	49	2
76855	T20	49	2
76856	T25	49	2
76857	T27	49	2
76858	T30	49	2
76859	T40	49	2



**765 Pozidriv® Terminator Impact Bits, 1/4" Power - 10 Bit Pack**

Item	+	—	—
No.	Size	mm	pkg.
76548	1	49	10
76549	2	49	10
76550	3	49	10

**768 Pozidriv® Terminator Impact Bits, 1/4" Power - 2 Bit Pack**

Item	+	—	—
No.	Size	mm	pkg.
76848	1	49	2
76849	2	49	2
76850	3	49	2







Identification on bits allows quick bit selection





**Wiha PowerTerminator Impact Bits & Power Terminator Impact Bit Sets**



**765 Hex Inch Terminator Impact Bits, 1/4" Power - 10 Bit Pack**





Item				
No.	Inch	mm	pkg.	
76570	1/8	49	10	
76571	9/64	49	10	
76572	5/32	49	10	
76573	3/16	49	10	
76574	7/32	49	10	
76575	1/4	49	10	

**768 Hex Inch Terminator Impact Bits, 1/4" Power - 2 Bit Pack**





Item				
No.	Inch	mm	pkg.	
76870	1/8	49	2	
76871	9/64	49	2	
76872	5/32	49	2	
76873	3/16	49	2	
76874	7/32	49	2	
76875	1/4	49	2	



**765 Hex Metric Terminator Impact Bits, 1/4" Power - 10 Bit Pack**

Item				
No.	mm	mm	pkg.	
76563	3.0	49	10	
76564	4.0	49	10	
76565	5.0	49	10	
76566	6.0	49	10	




**768 Hex Metric Terminator Impact Bits, 1/4" Power - 2 Bit Pack**

Item				
No.	mm	mm	pkg.	
76863	3.0	49	2	
76864	4.0	49	2	
76865	5.0	49	2	
76866	6.0	49	2	



**76892 7 Pc. Bit Buddy Set With Terminator Impact Power Bits - 49mm**


76892 Set includes the following bits:

-  Phillips: #2, 3
-  Square: #2, 3
-  Torx®: T20, T25, T30



**76896 7 Pc. Bit Buddy Set With Terminator Impact Power Bits - 49mm**

76896 Set includes the following bits:

-  Torx®: T10, T15, T20, T25, T27, T30, T40




**76894 7 Pc. Bit Buddy Set With Terminator Impact Power Bits - 49mm**

76894 Set includes the following bits:

-  Hex Inch: 5/32, 3/16, 7/32, 1/4"
-  Hex Metric: 4, 5, 6mm

**Up To 30X  
Performance  
Over Standard  
Screwdriver Bits**



Dual material impact absorbing torsion zone

Special energy absorbing dual material design

Tough impact absorbing torsional zone

Up to 30 times performance over standard bits

Precision heat treated & premium CVM tool steel

No special bit holder required

Standard 1/4" drive

## TORX® Bits

Impact resistant modified CVM, tool steel, hardened

The ideal multi-purpose bits for all around quality and performance

Made by Wiha - Production Quality

Suitable for all applications for both manual and machine  
Hardness HRC 59-61

Highly resistant to wear and tear for a long tool life



### Wiha TORX® Bit Packs



#### 71571 TORX® Insert Bit Packs, 1" CVM S2

modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

71571 Set includes the following bits:

Torx®:

T15, T20, T25, T27,  
wt. .08 T30, T40 x 1" (25mm)



#### 71570 TORX® Insert Bit Packs, 1" CVM S2

modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc bit pack.

71570 Set includes the following bits:

Torx®:

T5, T6, T7, T8, T9,  
wt. .07 T10 x 1" (25mm)

### Wiha TORX® Insert Bit



#### 715 TORX® Bits, 1/4"

Item No.	Size	mm	pkg.	lbs.
71523	T3	25	10	.12
71524	T4	25	10	.12
71505	T5	25	10	.12
71506	T6	25	10	.12
71507	T7	25	10	.12
71508	T8	25	10	.12
71509	T9	25	10	.12
71510	T10	25	10	.12
71515	T15	25	10	.12
71520	T20	25	10	.12
71525	T25	25	10	.12
71527	T27	25	10	.13
71530	T30	25	10	.14
71540	T40	25	10	.15

#### 30 Piece Contractor Grade Bits

#### 725 TORX® Insert Bit Packs, 30 Pcs., 1/4"

Item No.	Size	mm	lbs.
72572	T7	25	.36
72573	T8	25	.36
72574	T9	25	.36
72575	T10	25	.36
72576	T15	25	.36
72577	T20	25	.36
72578	T25	25	.36
72579	T27	25	.36
72580	T30	25	.36
72581	T40	25	.36

### Wiha TORX® Bit Packs

2 bit pack



#### 715 TORX® Insert Bit Packs, 1" CVM S2 modified tool steel.

Item No.	Size	mm	lbs.
71548	T3	25	.03
71549	T4	25	.03
71550	T5	25	.03
71551	T6	25	.03
71552	T7	25	.03
71553	T8	25	.03
71554	T9	25	.03
71555	T10	25	.03
71556	T15	25	.03
71557	T20	25	.03
71558	T25	25	.03
71559	T27	25	.04
71560	T30	25	.04
71561	T40	25	.04

2 bit pack



#### 777 TORX® Double End Insert Bit Packs, 1/4" CVM S2 modified tool steel

Item No.	Size	mm
77701	T6+T7	30
77702	T8+T9	30
77703	T10+T15	30
77704	T20+T25	30
77705	T27+T30	30

### Wiha TORX® 5/16" Bits



#### 725 TORX® Bits, 5/16"

Item No.	Size	mm	pkg.	lbs.
72525	T25	35	10	.27
72527	T27	35	10	.27
72530	T30	35	10	.27
72540	T40	35	10	.28
72545	T45	35	10	.31
72550	T50	35	10	.32
72555	T55	35	10	.52

5/16" Insert Bits



#### 725 TORX® Insert Bit Packs, 5/16" CVM S2 modified tool steel






Item No.	Size	mm	lbs.
72531	T30	35	.28
72541	T40	35	.28
72546	T45	35	.31
72551	T50	35	.32
72556	T55	35	.52



**Wiha TORX® Power Bits**








**745 TORX® Power Bits**  
1/4" Hex Drive, Length 2.0"/50mm

Item					
No.	Size	mm	pkg.	lbs.	
74511	T6	50	10	.18	
74512	T7	50	10	.18	
74513	T8	50	10	.18	
74517	T9	50	10	.19	
74519	T10	50	10	.20	
74521	T15	50	10	.20	
74523	T20	50	10	.20	
74529	T25	50	10	.20	
74531	T27	50	10	.20	
74533	T30	50	10	.20	
74535	T40	50	10	.25	








**745 TORX® Power Bits**  
1/4" Hex Drive, Length 2.75"/70mm

Item					
No.	Size	mm	pkg.	lbs.	
74536	T6	70	10	.02	
74538	T7	70	10	.02	
74542	T8	70	10	.02	
74544	T9	70	10	.02	
74546	T10	70	10	.02	
74548	T15	70	10	.02	
74551	T20	70	10	.03	
74553	T25	70	10	.03	
74556	T27	70	10	.04	
74558	T30	70	10	.04	
74561	T40	70	10	.04	







**745 TORX® Power Bits**  
1/4" Hex Drive, Length 3.5"/90mm

Item					
No.	Size	mm	pkg.	lbs.	
74563	T6	90	1	.03	
74565	T7	90	1	.03	
74567	T8	90	1	.03	
74569	T9	90	1	.03	
74571	T10	90	1	.03	
74573	T15	90	1	.03	
74575	T20	90	1	.04	
74577	T25	90	1	.04	
74579	T27	90	1	.04	
74581	T30	90	1	.04	
74583	T40	90	1	.04	








**745 TORX® Power Bit Packs, 2"**

CVM S2 modified tool steel.

Item				
No.	Size	mm	lbs.	
74525	T1	50	.05	
74527	T2	50	.05	
74530	T3	50	.05	
74540	T4	50	.05	
74559	T5	50	.05	
74501	T6	50	.05	
74502	T7	50	.05	
74503	T8	50	.05	
74504	T9	50	.05	
74506	T10	50	.05	
74508	T15	50	.05	
74510	T20	50	.05	
74514	T25	50	.06	
74515	T27	50	.06	
74516	T30	50	.06	
74518	T40	50	.08	








**739 TORX® Power Bits**  
1/4" Hex Drive, Length 2.75"/70mm 2 bit pack

Item					
No.	Size	mm	pkg.	lbs.	
73936	T6	70	1	.02	
73937	T7	70	1	.02	
73938	T8	70	1	.02	
73939	T9	70	1	.02	
73940	T10	70	1	.02	
73941	T15	70	1	.02	
73942	T20	70	1	.03	
73943	T25	70	1	.03	
73944	T27	70	1	.04	
73945	T30	70	1	.04	
73946	T40	70	1	.04	









**745 TORX® Power Bits**  
1/4" Hex Drive, Length 6.0"/150mm


Item					
No.	Size	mm	pkg.	lbs.	
74580	T6	150	1	.04	
74582	T7	150	1	.04	
74584	T8	150	1	.04	
74585	T9	150	1	.04	
74586	T10	150	1	.04	
74587	T15	150	1	.04	
74588	T20	150	1	.04	
74589	T25	150	1	.04	
74590	T27	150	1	.04	
74591	T30	150	1	.04	

**Wiha TORX® Double End Bits**









**744 TORX® Double End Bits**  
1/4" Hex Drive, Length 2.56"/65mm

Item						
No.	Size	Size	mm	pkg.	lbs.	
74411	T6	T6	65	10	.32	
74413	T7	T7	65	10	.32	
74415	T8	T8	65	10	.32	
74417	T9	T9	65	10	.32	
74419	T10	T10	65	10	.32	
74421	T15	T15	65	10	.32	
74423	T20	T20	65	10	.32	
74429	T25	T25	65	10	.33	
74431	T27	T27	65	10	.34	
74433	T30	T30	65	10	.35	
74435	T40	T40	65	10	.38	



**744 TORX® Double End Bit Pack**  
1/4" Hex Drive, Length 2.56"/65mm

Item						
No.	Size	Size	mm	lbs.		
74460	T6	T6	65	.05		
74461	T7	T7	65	.05		
74462	T8	T8	65	.05		
74463	T9	T9	65	.05		
74464	T10	T10	65	.05		
74465	T15	T15	65	.05		
74466	T20	T20	65	.05		
74467	T25	T25	65	.06		
74468	T27	T27	65	.06		
74469	T30	T30	65	.07		
74470	T40	T40	65	.07		



## Wiha Stainless Steel Insert Bits & Power Bits



### 715 Stainless Steel TORX® Bits, 1/4"

Item No.	Size	mm	pkg.
71500	T8	25	1
71501	T9	25	1
71502	T10	25	1
71503	T15	25	1
71504	T20	25	1
71511	T25	25	1
71512	T30	25	1
71513	T40	25	1



### 704 Stainless Steel TORX® Power Bits 1/4" Hex Drive, Length 2.0"/50mm

Item No.	Size	mm	pkg.
70411	T15	50	1
70413	T20	50	1
70414	T25	50	1
70416	T30	50	1
70417	T40	50	1

## Wiha TORX® Insert Bit Sets

BitFlip Standard



**38028 TORX® BitFlip Standard** with Wiha SoftFinish® handle & CVM tool steel shaft.

Set includes the following 1/4" bits:  
lbs. TORX®: T8, T10, T15, T20, T25, T27, T30, T40



**38003 TORX® Multi-Bit Screwdriver** with Wiha Powerhandle.

Includes the following 1/4" bits:  
lbs. TORX®: T5, T6, T7, T8, T9, T10



### 38044 TORX® Pop-Up Bit Screwdriver Set

Wiha Cushion Grip handle, multi-component. Compact storage for 12 bits in the handle.

Set includes the following 1/4" bits:  
lbs. TORX®: T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40

**38004 TORX® Multi-Bit Screwdriver** with Wiha Powerhandle.

Includes the following 1/4" bits:  
lbs. TORX®: T8, T9, T10, T15, T20, T25

**38008 TORX® Multi-Bit Screwdriver** with Wiha Powerhandle.

Includes the following 1/4" bits:  
lbs. TORX®: T10, T15, T20, T25, T30, T40



### 79242 Bit-Selector With TORX® Bits Includes Universal Magnetic 1/4" Bit Holder & The Following 10 Insert Bits:

lbs. TORX®: T5, T6, T7, T8, T9, T10, T15, T20, T25, T30

### 79245 Bit-Selector With TORX® Bits Includes Auto Lock Magnetic 1/4" Bit Holder & The Following 10 Insert Bits:

lbs. TORX®: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40



**38045 TORX® SoftFinish® Cushion Grip Stubby Bit Holder** with Wiha cushion grip handle and CVM tool steel shaft.

Set includes the following 1/4" bits:  
lbs. TORX®: T8, T10, T15, T20, T25, T30

## Wiha TORX® Insert Bit & Power Bit Sets




### 79445 XSelector Bit Set With TORX® Bits Set Includes Quick Release Holder & the following 10 bits:

lbs. TORX®: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40



### 71195 PokitPak - TORX® Insert Bits In Molded Case - Includes 6 - 1/4" Insert Bits & Magnetic Bit Holder

lbs. TORX®: T8, T10, T15, T20, T25, T30



### 74985 Power Bit Belt Pack With TORX® Bits Includes the following 10 bits:

lbs. TORX®: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30

## Wiha Insert Bit Blister Pack



### 72595 10 Pack TORX® Insert Bit Pack CVM S2 modified tool steel.

lbs. TORX®: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40

## Wiha Insert Bit & Socket Set



### 72590 11 Piece TORX® Insert Bit Pack & Socket Set CVM S2 modified tool steel.

1/4" to 3/8" Drive Socket  
lbs. TORX®: T10, T15, T20, T25, T27, T30  
5/16" to 3/8" Drive Socket  
lbs. TORX®: T40, T45, T50

**Wiha TORX® Align Insert Bits and Power Bits**

**Torx® Align Tapered For Snug Fit In Screw**

Highly resistant to wear and tear for a long tool life



Impact resistant modified chrome-vanadium-molybdenum, tool steel, hardened

**Made by Wiha - Production Quality**

Suitable for all applications for both manual and machine  
Hardness HRC 59-61



**715 TORX® Align Bits, 1/4"**

Item No.	Size	mm	pkg.	lbs.
71536	T6	25	10	.12
71537	T7	25	10	.12
71538	T8	25	10	.12
71541	T10	25	10	.12
71542	T15	25	10	.12
71543	T20	25	10	.12
71544	T25	25	10	.13
71545	T27	25	10	.13
71546	T30	25	10	.14
71547	T40	25	10	.15

(Also Known As Torx Wedge Fit)



**747 TORX® Align Bits 1/4" Hex Drive, Length 2.0"/50mm**

Item No.	Size	mm	pkg.	lbs.
74711	T6	50	10	.18
74714	T7	50	10	.18
74717	T8	50	10	.18
74721	T9	50	10	.18
74724	T10	50	10	.18
74728	T15	50	10	.20
74732	T20	50	10	.22
74736	T25	50	10	.22
74739	T27	50	10	.22
74742	T30	50	10	.22

(Also Known As Torx Wedge Fit)

2 bit pack



**733 TORX® Align Insert Bit Packs, 1"**

CVM S2 modified tool steel

Item No.	Size	mm	lbs.
73310	T6	25	.03
73311	T7	25	.03
73312	T8	25	.03
73313	T9	25	.03
73314	T10	25	.03
73315	T15	25	.03
73316	T20	25	.03
73317	T25	25	.03
73318	T27	25	.03
73319	T30	25	.03
73320	T40	25	.04

2 bit pack



**747 TORX® Align Power Bit Packs, 2"**

Item No.	Size	mm	lbs.
74760	T6	50	.05
74761	T7	50	.05
74762	T8	50	.05
74763	T9	50	.05
74764	T10	50	.05
74765	T15	50	.05
74766	T20	50	.06
74767	T25	50	.06
74768	T27	50	.06
74769	T30	50	.06

**Wiha TORX® Align Coated Insert Bits PokitPak**



**79283 PokitPak - TORX® Align Insert Bits In Molded Case -**

Set Includes 6 - 1/4" Insert Bits

**TORX® Align:**

T10, T15, T20, T25, T30, T40

lbs. .12



**74981 Power Bit Belt Pack With TORX® Align Bits**

Set includes the following 10 bits:

**TORX® Align:** T6, T7, T8, T9, T10, T15, T20, T25, T27, T30

lbs. .28



## Wiha Security TORX® Insert Bits and Power Bits

### Tamper Resistant Torx®

Made by Wiha - Production Quality



Impact resistant modified CVM tool steel, hardened

Highly resistant to wear and tear for a long tool life

Suitable for all applications for both manual and machine  
Hardness HRC 59-61

Security TORX®



### 705 Security TORX® Power Bits 1/4" Hex Drive, Length 2.0"/50mm

Item				
No.	Size	mm	pkg.	lbs.
70507	T7s	50	10	.18
70508	T8s	50	10	.18
70509	T9s	50	10	.18
70510	T10s	50	10	.19
70515	T15s	50	10	.19
70520	T20s	50	10	.21
70525	T25s	50	10	.23
70527	T27s	50	10	.23
70530	T30s	50	10	.23
70540	T40s	50	10	.23
70545	T45s	50	10	.33
70550	T50s	50	10	.37
70555	T55s	50	10	.37



### 701 Security TORX® Bits, 1/4"

Item				
No.	Size	mm	pkg.	lbs.
70127	T7s	25	10	.12
70128	T8s	25	10	.12
70129	T9s	25	10	.12
70135	T10s	25	10	.12
70139	T15s	25	10	.12
70142	T20s	25	10	.12
70148	T25s	25	10	.12
70160	T27s	25	10	.13
70163	T30s	25	10	.13
70168	T40s	25	10	.14



### 725 Security TORX® Bits, 5/16"

Item				
No.	Size	mm	pkg.	lbs.
72542	T40s	35	10	.28
72547	T45s	35	10	.32
72552	T50s	35	10	.34
72557	T55s	35	10	.52

2 bit pack



### 705 Security TORX® Power Bit Packs, 2"

Item				
No.	Size	mm	lbs.	
70556	T7s	50	.07	
70557	T8s	50	.07	
70558	T9s	50	.07	
70559	T10s	50	.07	
70560	T15s	50	.07	
70561	T20s	50	.07	
70562	T25s	50	.07	
70563	T27s	50	.07	
70564	T30s	50	.07	
70565	T40s	50	.07	
70566	T45s	50	.08	
70567	T50s	50	.08	
70568	T55s	50	.09	

2 bit pack



### 701 Security TORX® Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item				
No.	Size	mm	lbs.	
70150	T7s	25	.03	
70151	T8s	25	.03	
70152	T9s	25	.03	
70153	T10s	25	.03	
70154	T15s	25	.03	
70155	T20s	25	.03	
70156	T25s	25	.03	
70157	T27s	25	.03	
70158	T30s	25	.03	
70159	T40s	25	.03	

5 bit packs




Made in Taiwan

### 745 Protturn Security TORX® Power Bits 1/4" Hex Drive, Length 3.0"/75mm

Item				
No.	Size	mm	pkg.	lbs.
74566	T10s	75	5	.01
74568	T15s	75	5	.01
74570	T20s	75	5	.01
74572	T25s	75	5	.02
74574	T27s	75	5	.02
74576	T30s	75	5	.03

5 bit packs




### 705 Security TORX® Power Bits 1/4" Hex Drive, Length 3.5"/90mm

Item				
No.	Size	mm	pkg.	lbs.
70533	T10s	90	5	.02
70534	T15s	90	5	.02
70535	T20s	90	5	.02
70536	T25s	90	5	.02
70537	T27s	90	5	.03
70538	T30s	90	5	.03
70539	T40s	90	5	.04

Wiha Security TORX® Insert Bit & Power Bit Sets




**79247 Bit-Selector With Security TORX® Bits, Includes Magnetic 1/4" Bit Holder & The Following 10 Bits:**  lbs. .32

**Security TORX®:**  
T7s, T8s, T9s, T10s, T15s,  
T20s, T25s, T27s, T30s, T40s



**70190 Bit-Selector With Security TORX® Bits, Includes The Following 7 Insert Bits:**

<b>Security TORX®:</b>		lbs.
T7s, T8s, T9s,		
T10s, T15s, T20s, T25s		.21



**38009 Security TORX® Screwdriver with Wiha Powerhandle**  lbs. .36

**Includes The Following 1/4" Bits:**  
**Security TORX®:**  
T7s, T8s, T9s, T10s, T15s, T20s




**38010 Security TORX® Screwdriver with Wiha Powerhandle**  lbs. .41

**Includes The Following 1/4" Bits:**  
**Security TORX®:** T10s, T15s,  
T20s, T25s, T30s, T40s



**38047 Security TORX® SoftFinish® CushionGrip Stubby Bit Holder with Wiha cushion grip handle and CVM tool steel shaft.**

**Includes The Following 1/4" Bits:**  lbs. .20  
**Security TORX®:** T8s, T10s,  
T15s, T20s, T25s, T30s

Bit holder stainless steel, magnetic




**38046 Security TORX® Pop-Up Bit Screwdriver Set** Wiha Cushion Grip handle, multi-component. Compact storage for 12 bits in the handle.  lbs. .42

**Includes The Following 1/4" Bits:**  
**TORX®:** T5, T6  
**Security TORX®:** T7s, T8s, T9s, T10s,  
T15s, T20s, T25s, T27s, T30s, T40s

Bit holder stainless steel, magnetic


75mm Bits



**38042 Security TORX® Pop-Up Bit Screwdriver Set** Wiha Cushion Grip handle, multi-component. Compact storage for 6 bits in the handle.  lbs. .44


**Includes The Following 75mm 1/4" Bits:**  
**Security TORX®:**  
T10s, T15s, T20s, T25s, T27s, T30s



**79447 XSelector Bit Set With Security TORX® Bits, Includes Quick Release Holder & The Following 10 Bits:**  lbs. .27

**Security TORX®:** T7s, T8s,  
T9s, T10s, T15s, T20s, T25s,  
T27s, T30s, T40s






**74987 Power Bit Belt Pack With Security TORX® Bits, Includes the following 10 bits:**  
**Security TORX®:**  
 T7s, T8s, T9s,  
lbs. T10s, T15s, T20s,  
.29 T25s, T27s, T30s, T40s

Wiha Security TORX® Power Blades & Holder




**760 Security TORX® Power Blades** S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item No.				lbs.	pkg.
76008	T8s	.02	1		
76009	T9s	.02	1		
76010	T10s	.02	1		
76015	T15s	.02	1		
76020	T20s	.02	1		
76025	T25s	.03	1		
76027	T27s	.03	1		
76030	T30s	.04	1		
76040	T40s	.04	1		








**76092 9 Piece Security TORX® Blade Set**

Item No.		Set includes:	lbs.
76092	.30	T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s	



**76000 CentroFix Cushion Grip Blade Holder** Wiha-SoftFinish® impact resistant, with roll off protection. Ergonomic cushion grip handle. Quick release bit holder with magnet.

Item No.						lbs.
76000	6.0	149	5.9	34.6	1.36	.26

## Wiha TORXPlus® Insert Bits and Power Bits

### TORXPlus®

Made by Wiha -  
Production Quality

Highly resistant  
to wear and  
tear for a  
long tool life

Impact resistant modified  
chrome-vanadium-molybdenum,  
tool steel, hardened

Suitable for all applications  
for both manual and  
machine Hardness  
HRC 59-61



#### 716 TORXPlus® Insert Bits, 1/4" Hex, 1" OAL

Item No.	Size	mm	pkg.	lbs.
71603	IP3	25	10	.12
71604	IP4	25	10	.12
71605	IP5	25	10	.12
71606	IP6	25	10	.12
71607	IP7	25	10	.12
71608	IP8	25	10	.12
71609	IP9	25	10	.12
71610	IP10	25	10	.12
71615	IP15	25	10	.12
71620	IP20	25	10	.12
71625	IP25	25	10	.12
71627	IP27	25	10	.13
71630	IP30	25	10	.13
71640	IP40	25	10	.15

2 bit  
pack



#### 716 TORXPlus® Insert Bit Packs, 1"

CVM S2 modified tool steel

Item No.	Size	mm	lbs.
71631	IP3	25	.03
71632	IP4	25	.03
71633	IP5	25	.03
71634	IP6	25	.03
71635	IP7	25	.03
71636	IP8	25	.03
71637	IP9	25	.03
71638	IP10	25	.03
71639	IP15	25	.03
71641	IP20	25	.03
71642	IP25	25	.03
71643	IP27	25	.03
71644	IP30	25	.03
71645	IP40	25	.04



#### 746 TORXPlus® Power Bits, 1/4" Hex, 2" OAL

Item No.	Size	mm	pkg.	lbs.
74601	IP5	50	10	.18
74602	IP6	50	10	.18
74603	IP7	50	10	.18
74604	IP8	50	10	.18
74608	IP9	50	10	.18
74612	IP10	50	10	.20
74616	IP15	50	10	.20
74620	IP20	50	10	.20
74624	IP25	50	10	.20
74628	IP27	50	10	.25
74632	IP30	50	10	.25
74636	IP40	50	10	.25



#### 74982 Power Bit Belt Pack With TORXPlus®

Bits Includes The Following 10 Bits:

lbs.	TORXPlus®: IP6, IP7,
	IP8, IP9, IP10, IP15,
.28	IP20, IP25, IP27, IP30



2 bit  
pack



#### 746 TORXPlus® Power Bit Packs, 2"

Item No.	Size	mm	lbs.
74611	IP1	50	.05
74613	IP2	50	.05
74614	IP3	50	.05
74617	IP4	50	.05
74659	IP5	50	.05
74660	IP6	50	.05
74661	IP7	50	.05
74662	IP8	50	.05
74663	IP9	50	.05
74664	IP10	50	.05
74665	IP15	50	.05
74666	IP20	50	.06
74667	IP25	50	.06
74668	IP27	50	.06
74669	IP30	50	.06
74670	IP40	50	.06

## Wiha TORXPlus® Insert Bit Selectors



#### 71690 Bit-Selector With TORXPlus® Bits Set Includes Magnetic 1/4" Bit Holder

& The Following 10 Bits:

lbs.	TORXPlus®: IP7, IP8, IP9,
.31	IP10, IP15, IP20, IP25,
	IP27, IP30, IP40

#### 71692 Bit-Selector With TORXPlus® Bits Set Includes Magnetic 1/4" Bit Holder





& The Following 10 Bits:

lbs.	TORXPlus®: IP3, IP4,
.31	IP5, IP6, IP7, IP8, IP9,
	IP10, IP15, IP20

**Wiha Security Pentalobe 5 Point Insert Bit**







**716 Security Pentalobe 5 Point Insert Bits, 1/4" Hex, 1" OAL**

Item				
No.	Size	mm	pkg.	lbs.
71648	PLS8	25	1	.11
71650	PLS10	25	1	.11
71652	PLS15	25	1	.11
71654	PLS20	25	1	.12
71656	PLS25	25	1	.13
71657	PLS27	25	1	.13
71658	PLS30	25	1	.14
71660	PLS40	35	1	.14

**Wiha Ball End TORX® Bits**



**745 Ball End TORX® Bits. 1/4" Hex Drive, Length 2.0"/50mm**

Item				
No.	Size	mm	pkg.	lbs.
74524	T9	50	10	.18
74526	T10	50	10	.18
74528	T15	50	10	.18
74532	T20	50	10	.18
74534	T25	50	10	.18
74537	T27	50	10	.18
74539	T30	50	10	.18
74541	T40	50	10	.18

**Wiha TORX® MagicSpring Screw Holding Power Bits**





2 bit pack



Screw Holding TORX Bits

Stainless rotary spring


**745 TORX® MagicSpring Screw Holding Power Bits, 1/4" Hex Drive, Length 2.0"/50mm**

Item				
No.	Size	mm	pkg.	lbs.
74552	T10	50	2	.05
74554	T15	50	2	.05
74555	T20	50	2	.05
74557	T25	50	2	.05
74562	T30	50	2	.05
74564	T40	50	2	.05

**Wiha Insert Security Pentalobe 5 Point XSelector**






**79450 XSelector Bit Set With Security Pentalobe 5 Point Bits Includes Quick Release Holder & The Following 7 Bits:**

	Security Pentalobe: PLS8, PLS10, PLS15, PLS20, PLS25, PLS27, PLS30
---	--

2 bit pack



**745 Ball End TORX® Power Bit Packs, 1"**

Item			
No.	Size	mm	lbs.
74505	T9	50	.05
74520	T10	50	.05
74522	T15	50	.05
74543	T20	50	.05
74545	T25	50	.06
74547	T27	50	.06
74549	T30	50	.08
74550	T40	50	.08

**Torx® Profiles**



Torx®



Ball End Torx®



Security Torx®



TorxPlus®



Security Pentalobe 5 Point

## Wiha Phillips Insert Bits



### 711 Phillips Insert Bits, 1/4"

Item	+	—	↔	↔
No.	Size	mm	pkg.	lbs.
71100	0	25	10	.10
71101	1	25	10	.11
71102	2	25	10	.11
71103	3	25	10	.11

### 711 Phillips Insert Bit Bulk Packs, 1/4"

No.	Size	mm	pkg.	lbs.
71125	2	25	25 pc	.30
71150	2	25	50 pc	.62
71199	2	25	100 pc	1.20

### 725 Phillips Insert Contractor Grade, 1/4"

No.	Size	mm	pkg.	lbs.
72519	0	25	30 pc	.85
72521	1	25	30 pc	.85
72522	2	25	30 pc	.85
72523	3	25	30 pc	.85

# Phillips Bits

The ideal multi-purpose bits for all around quality & performance

Made by Wiha - Production Quality

Suitable for all applications for both manual and machine  
Hardness HRC 59-61



Impact resistant modified CVM, tool steel, hardened

Highly resistant to wear and tear for a long tool life



High grade CVM steel, hardened torsion zone to prevent uneven torque distribution DIN 3126 ISO 1173 with anti-camout ribs

## Wiha Phillips Insert Bit Packs

2 bit pack



### 711 Phillips Insert Bit Packs, 1"

CVM S2 modified tool steel

Item	+	—	↔
No.	Size	mm	lbs.
71149	0	25	.03
71151	1	25	.03
71152	2	25	.03
71153	3	25	.04



### 71155 Phillips Insert Bit Packs, 1" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

71155 Set includes the following bits:

↔	+	Phillips:
wt. .08	6 pieces	2 x 1" (25mm)

2 bit pack



### 777 Phillips Double End Insert Bit Packs, 1/4" CVM S2 modified tool steel

Item	+	—
No.	Size	mm
77707	#1 + #2	30
77708	#0 + #3	30



### 71154 Phillips Insert Bit Packs, 1" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 3 pc. bit pack.

71154 Set includes the following bits:

↔	+	Phillips:
wt. .04	1, 2, 3 x 1"	(25mm)




### 71056 Slotted/Phillips Insert Bit Packs, 1"

CVM S2 modified tool steel. Extra hard with natural finish, exact fit machined tips. 6 pc. bit pk.

71056 Set includes the following bits:

● Slotted:  
4.5, 5.5, 6.5 x 1" (25mm)

⊕ Phillips:  
1, 2, 3 x 1" (25mm) .08



10 bit pack



### 71132 Phillips Drywall Stop Bit

High grade Chrome-vanadium steel, through hardened. Ideal bit for drywall constructors. Blue ring prevents the screw from being recessed too deeply into the plasterboard.

Item	+	—	↔	↔
No.	Size	mm	lbs.	Pkg.
71132	2	25	.20	10



**Wiha Phillips 5/16" Insert Bits**

2 bit pack



**721 Phillips Insert Bit Packs, 1"**

CVM S2 modified tool steel. 5/16" Hex Drive.

Item	+	—	—	↵
No.	Size	mm	lbs.	
72102	2	32	.05	
72103	3	32	.06	
72104	4	32	.07	

**Wiha Phillips ACR Insert Bits**



**711 Phillips ACR Insert Bits, 1/4"**

Item	+	—	—	↵
No.	Size	mm	pkg.	lbs.
71126	1	25	10	.11
71127	2	25	10	.11
71128	3	25	10	.11

**Wiha Phillips Long Insert Bits**



**711 Phillips Long Insert Bits. 1/4" Hex Drive, Length 2.0"/50mm**

Item	+	—	—	↵
No.	Size	mm	pkg.	lbs.
71105	1	50	10	.25
71106	2	50	10	.25
71107	3	50	10	.27

2 bit pack



**711 Phillips Long Insert Bit Packs, 2"**

CVM S2 modified tool steel

Item	+	—	↵
No.	Size	mm	lbs.
71165	1	50	.06
71166	2	50	.06
71167	3	50	.06

**Wiha Phillips Power Bits**



**741 Phillips Power Bits 1/4" Hex Drive, Length 2.0"/50mm**

Item	+	—	—	↵
No.	Size	mm	pkg.	lbs.
74100	00	50	10	.22
74102	0	50	10	.23
74103	1	50	10	.24
74112	2	50	10	.25
74124	3	50	10	.26



**741 Phillips Power Bit Packs, 2"**

CVM S2 modified tool steel.

Item	+	—	↵
No.	Size	mm	lbs.
74157	00	50	.06
74158	0	50	.06
74164	1	50	.06
74165	2	50	.06
74166	3	50	.06



**74150 Phillips Power Bit Packs, 2" CVM**

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 3 pc. bit pack.

74150 Set includes the following bits:

↵ + Phillips Sizes:  
wt. .09 1, 2, 3 x 2" (50mm)



**741 Phillips Power Bits. 1/4" Hex Drive, Length 2.75"/70mm**

Item	+	—	—	↵
No.	Size	mm	pkg.	lbs.
74167	00	70	10	.29
74168	0	70	10	.29
74106	1	70	10	.29
74115	2	70	10	.37
74127	3	70	10	.41



**739 Phillips Power Bits. 1/4" Hex Drive, Length 2.75"/70mm 2 bit pack**

Item	+	—	—	↵
No.	Size	mm	pkg.	lbs.
73912	00	70	1	.29
73913	0	70	1	.29
73914	1	70	1	.29
73915	2	70	1	.37
73916	3	70	1	.41



**741 Phillips Power Bits 1/4" Hex Drive, Length 3.5"/90mm**

Item	+	—	—	↵
No.	Size	mm	pkg.	lbs.
74104	00	90	1	.32
74107	0	90	1	.32
74109	1	90	1	.34
74118	2	90	1	.47
74130	3	90	1	.53



**741 Phillips Power Bits 1/4" Hex Drive, Length 4.33"/110mm**

Item	+	—	—	↵
No.	Size	mm	pkg.	lbs.
74111	1	110	1	.40
74121	2	110	1	.56
74131	3	110	1	.65



**741 Phillips Power Bits 1/4" Hex Drive, Length 127mm/5"**

Item	+	—	—	↵
No.	Size	mm	pkg.	lbs.
74113	1	127	1	.04
74123	2	127	1	.06
74133	3	127	1	.07



**741 Phillips Power Bits 1/4" Hex Drive, Length 150mm/5.9"**

Item	+	—	—	↵
No.	Size	mm	pkg.	lbs.
74116	1	150	1	.05
74126	2	150	1	.07
74136	3	150	1	.09

**Wiha PokitPak Bit Set**



**71198 PokitPak - Slotted & Phillips Insert Bits In Molded Case -**

↵ Set Includes 6 - 1/4" Insert Bits & lbs. Magnetic Bit Holder

.16 Slotted: 4.5, 6.0mm

+ Phillips: 0, 1, 2, 3

## Wiha Phillips Power Bit Packs



**714 Phillips Double End Bits**  
1/4" Hex Drive, Length 2.36"/60mm

Item	+	+	—	—	↵
No.	Size	Size	mm	pkg.	lbs.
71404	1	x 1	60	10	.31
71414	2	x 2	60	10	.31
71424	3	x 3	60	10	.32



2 bit pack



**714 Phillips Double End Power Bit Packs**, 60mm OAL

Item	+	+	—	↵
No.	Size	Size	mm	lbs.
71464	1	+ 1	60	.07
71465	2	+ 2	60	.07
71466	3	+ 3	60	.07



**743 Slotted & Phillips Double End Bits**, 1/4" Hex Drive, Length 2.36"/60mm

Item	↵	+	—	—	↵
No.	mm	Size	mm	pkg.	lbs.
74303	4.5	x 1	60	10	.22
74306	5.5	x 2	60	10	.30
74309	7.0	x 3	60	10	.32



2 bit pack



**743 Slotted/Phillips Double End Power Bit Packs**, 60mm OAL

Item	↵	+	—	↵
No.	mm	Size	mm	lbs.
74304	4.5	+ 1	60	.07
74308	5.5	+ 2	60	.07
74310	7.0	+ 3	60	.07

## Wiha Stainless Steel Phillips Insert Bits & Power Bits



**711 Stainless Steel Phillips Insert Bits**, 1/4"

Item	+	—	—
No.	Size	mm	pkg.
71133	1	25	1
71134	2	25	1
71135	3	25	1



**704 Stainless Steel Phillips Power Bits**, 1/4"

Item	+	—	—
No.	Size	mm	pkg.
70401	1	50	1
70402	2	50	1
70405	3	50	1

## Terminal Block Xeno Bits



**714 Xeno Combination Terminal Block Power Bits**, 1/4" Hex Drive, OAL 2.0"/50mm

Item	+	—	—	↵
No.	Size	mm	pkg.	lbs.
71452	1	50	10	.24
71453	2	50	10	.25



**714 Xeno Combination Terminal Block Power Bit Packs**, 2" CVM S2 modified tool steel

Item	+	—	↵
No.	Size	mm	lbs.
71455	1	50	.06
71456	2	50	.06

2 bit pack



## Wiha Phillips Power Blades & Power Blade Holder



**760 Phillips Power Blades**


S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item	+	↵	—
No.	Size	lbs.	pkg.
76041	0	.01	1
76042	1	.02	1
76043	2	.03	1
76044	3	.04	1



**76094 4 Piece Phillips Blade Set**

Item	↵	Set includes:
No.	lbs.	Phillips: #0, 1, 2,
76094	.17	3 x 90mm



**76000 CentroFix Cushion Grip Blade Holder**

Wiha-SoftFinish® impact resistant, with roll off protection. Ergonomic cushion grip handle. Quick release bit holder with magnet.

Item	○	—	—	+	+	↵
No.	mm	mm	Inch	mm	Inch	lbs.
76000	6.0	149	5.9	34.6	1.36	.26



# Hex Bits

*The ideal multi-purpose bits for all around quality & performance*


**Made by Wiha - Production Quality**

Impact resistant modified CVM, tool steel, hardened

Suitable for all applications for both manual and machine  
Hardness HRC 59-61



Highly resistant to wear and tear for a long tool life



## Hex Inch & Metric Insert Bits



2 bit pack

### 713 Hex Inch Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item	Inch	mm	lbs.
71359	.050	25	.03
71360	1/16	25	.03
71361	5/64	25	.03
71362	3/32	25	.03
71363	7/64	25	.03
71364	1/8	25	.03
71365	9/64	25	.03
71366	5/32	25	.04
71367	3/16	25	.04
71368	7/32	25	.04
71369	1/4	25	.04
71373	5/16	25	.05
71387	3/8	25	.06

### 733 Hex Metric Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item	mm	mm	lbs.
73301	1.5	25	.03
73302	2.0	25	.03
73303	2.5	25	.03
73304	3.0	25	.03
73305	4.0	25	.03
73306	5.0	25	.03
73307	6.0	25	.04
73308	8.0	25	.05
73309	10.0	25	.06



2 bit pack

### 777 Hex Inch Double End Insert Bit Packs, 1/4" CVM S2 modified tool steel

Item	Inch	mm
77723	3/32 + 7/64"	30
77724	1/8 + 9/64"	30
77725	5/32 + 3/16"	30
77726	7/32 + 1/4"	30

### 777 Hex Metric Double End Insert Bit Packs, 1/4" CVM S2 modified tool steel

Item	Metric	mm
77719	2.0 + 2.5mm	30
77720	3.0 + 4.0mm	30
77721	5.0 + 6.0mm	30

## Wiha Hex Inch & Metric Insert Bits



### 713 Hex Inch Insert Bits, 1/4"

Item	Inch	mm	pkg.	lbs.
71329	.050	25	10	.12
71326	1/16	25	10	.12
71328	5/64	25	10	.12
71330	3/32	25	10	.12
71333	7/64	25	10	.12
71336	1/8	25	10	.12
71339	9/64	25	10	.12
71342	5/32	25	10	.12
71345	3/16	25	10	.13
71348	7/32	25	10	.13
71351	1/4	25	10	.13
71353	5/16	25	10	.20
71356	3/8	25	10	.25

### 725 Hex Inch Insert Contractor Grade, 1/4"

Item	Size	mm	pkg.	lbs.
72502	1/16	25	30 pc	.85
72503	5/64	25	30 pc	.85
72504	3/32	25	30 pc	.85
72506	7/64	25	30 pc	.85
72507	1/8	25	30 pc	.85
72508	9/64	25	30 pc	.85
72509	5/32	25	30 pc	.85
72511	3/16	25	30 pc	.85
72512	7/32	25	30 pc	.85
72513	1/4	25	30 pc	.85



### 713 Hex Metric Insert Bits, 1/4"


Item	mm	mm	pkg.	lbs.
71303	1.5	25	10	.12
71306	2.0	25	10	.12
71308	2.5	25	10	.12
71309	3.0	25	10	.12
71312	4.0	25	10	.12
71315	5.0	25	10	.14
71318	6.0	25	10	.14
71321	8.0	25	10	.20
71324	10.0	25	10	.27

### 725 Hex Metric Insert Contractor Grade, 1/4"

Item	Size	mm	pkg.	lbs.
72582	2.0	25	30 pc	.85
72583	2.5	25	30 pc	.85
72584	3.0	25	30 pc	.85
72585	4.0	25	30 pc	.85
72586	5.0	25	30 pc	.85
72587	6.0	25	30 pc	.85



### 71397 Hex Metric Insert Bit Packs, 1" CVM S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

71397 Set includes the following bits:  
 Hex Metric:  
 wt. .21 2.0, 2.5, 3.0, 4.0, 5.0, 6.0

### Hex Metric Long Insert Bit On 5/16"



### 72388 Hex Metric Bit On 5/16" Stock


Item	mm	mm	pkg.	lbs.
72388	12.0	75	10	.14



### 71396 Hex Inch Insert Bit Packs, 1"

6 pc. bit pack.

71396 Set includes the following bits:

Item	Hex Inch:
	1/16, 3/32, 1/8, 5/32
wt. .13	3/16, 1/4" x 1" (25mm)

## Wiha Hex Inch & Metric Power Bits



### 743 Hex Inch Power Bits. 1/4" Hex Drive, Length 2.0"/50mm

Item				
No.	Inch	mm	pkg.	lbs.
74311	3/32	50	10	.30
74312	7/64	50	10	.30
74313	1/8	50	10	.30
74314	9/64	50	10	.30
74315	5/32	50	10	.30
74316	3/16	50	10	.30
74317	7/32	50	10	.30
74318	1/4	50	10	.30



### 743 Hex Metric Power Bits. 1/4" Hex Drive, Length 2.0"/50mm

Item				
No.	mm	mm	pkg.	lbs.
74325	2.5	50	10	.25
74330	3.0	50	10	.25
74340	4.0	50	10	.25
74350	5.0	50	10	.25
74360	6.0	50	10	.25
74380	8.0	50	10	.38




### 743 Hex Inch Power Bits 1/4" Hex Drive, Length 2.75"/70mm

Item				
No.	Inch	mm	pkg.	lbs.
74341	5/64	70	10	.36
74342	3/32	70	10	.36
74343	7/64	70	10	.36
74344	1/8	70	10	.36
74345	9/64	70	10	.36
74346	5/32	70	10	.36
74347	3/16	70	10	.36
74348	7/32	70	10	.36
74349	1/4	70	10	.36


### 743 Hex Metric Power Bits 1/4" Hex Drive, Length 2.75"/70mm

Item				
No.	mm	mm	pkg.	lbs.
74351	2.0	70	10	.36
74352	2.5	70	10	.36
74353	3.0	70	10	.36
74354	4.0	70	10	.36
74355	5.0	70	10	.36
74356	6.0	70	10	.36
74357	8.0	70	10	.36



### 743 Hex Inch Power Bit Packs, 2"

Item				
No.	Inch	mm	lbs.	
74381	3/32	50	.07	
74382	7/64	50	.07	
74383	1/8	50	.07	
74384	9/64	50	.07	
74385	5/32	50	.07	
74386	3/16	50	.07	
74387	7/32	50	.07	
74388	1/4	50	.07	



### 743 Hex Metric Power Bit Packs, 2"

Item				
No.	mm	mm	lbs.	
74361	2.5	50	.07	
74362	3.0	50	.07	
74363	4.0	50	.07	
74364	5.0	50	.07	
74365	6.0	50	.07	
74366	8.0	50	.09	



### 739 Hex Inch Power Bits 1/4" Hex Drive, Length 2.75"/70mm

Item				
No.	Inch	mm	pkg.	lbs.
73918	5/64	70	1	.36
73919	3/32	70	1	.36
73920	7/64	70	1	.36
73921	1/8	70	1	.36
73922	9/64	70	1	.36
73923	5/32	70	1	.36
73924	3/16	70	1	.36
73925	7/32	70	1	.36
73926	1/4	70	1	.36

### 739 Hex Metric Power Bits 1/4" Hex Drive, Length 2.75"/70mm

Item				
No.	mm	mm	pkg.	lbs.
73928	2.0	70	1	.36
73929	2.5	70	1	.36
73930	3.0	70	1	.36
73931	4.0	70	1	.36
73932	5.0	70	1	.36
73933	6.0	70	1	.36
73934	8.0	70	1	.36



### 743 Hex Metric Power Bits 1/4" Hex Drive, Length 3.5"/90mm

Item				
No.	mm	mm	pkg.	lbs.
74332	2.0	90	1	.40
74333	2.5	90	1	.40
74334	3.0	90	1	.40
74335	4.0	90	1	.40
74336	5.0	90	1	.40
74337	6.0	90	1	.40

## Wiha Ball End Hex Inch Insert Bits



### 717 Ball End Hex Inch Insert Bits, 1/4"

Item				
No.	Inch	mm	pkg.	lbs.
71701	3/32	25	10	.12
71702	7/64	25	10	.12
71703	1/8	25	10	.12
71704	9/64	25	10	.12
71705	5/32	25	10	.12
71706	3/16	25	10	.13
71707	7/32	25	10	.14
71708	1/4	25	10	.15



### 717 Ball End Hex Inch Insert Bit Packs, 1"

Item				
No.	Inch	mm	lbs.	
71711	3/32	25	.03	
71712	7/64	25	.03	
71713	1/8	25	.03	
71714	9/64	25	.03	
71715	5/32	25	.04	
71716	3/16	25	.04	
71717	7/32	25	.04	
71718	1/4	25	.04	








### 717 Ball End Hex Metric Insert Bits 1/4" Hex Drive, Length 1.5"/38mm

Item			
No.	mm	mm	pkg.
71719	1.5	38	2
71720	2.0	38	2
71721	2.5	38	2
71722	3.0	38	2
71723	4.0	38	2
71724	5.0	38	2
71725	6.0	38	2

**Wiha Security Hex Insert Bits**







**719 Security Hex Inch Insert Bits, 1/4"**

Item					
No.	Inch	mm	pkg.	lbs.	
71930	5/64	25	10	.12	
71932	3/32	25	10	.12	
71934	7/64	25	10	.12	
71936	1/8	25	10	.12	
71938	9/64	25	10	.12	
71940	5/32	25	10	.12	
71955	3/16	25	10	.13	
71956	7/32	25	10	.14	
71960	1/4	25	10	.15	



**719 Security Hex Metric Insert Bits, 1/4"**





Item				
No.	mm	mm	pkg.	lbs.
71939	2.0	25	10	.12
71941	2.5	25	10	.12
71942	3.0	25	10	.12
71943	4.0	25	10	.12
71944	5.0	25	10	.15
71945	6.0	25	10	.15
71946	8.0	25	10	.20

2 bit pack



**719 Security Hex Inch Insert Bit Packs, 1"**




CVM S2 modified tool steel.

Item				
No.	Inch	mm	lbs.	
71970	5/64	25	.03	
71971	3/32	25	.03	
71972	7/64	25	.03	
71973	1/8	25	.03	
71974	9/64	25	.03	
71975	5/32	25	.03	
71976	3/16	25	.04	
71977	7/32	25	.04	
71978	1/4	25	.04	


2 bit pack

**719 Security Hex Metric Insert Bit Packs, 1"**





CVM S2 modified tool steel.

Item			
No.	mm	mm	lbs.
71979	2.0	25	.03
71980	2.5	25	.03
71981	3.0	25	.03
71982	4.0	25	.03
71983	5.0	25	.04
71984	6.0	25	.04
71985	8.0	25	.05

**MagicRing Insert & Power Bits**







**713 MagicRing Metric Insert Bits, 1/4"**

Item				
No.	mm	mm	pkg.	lbs.
71304	3.0	25	1	.01
71307	4.0	25	1	.01
71310	5.0	25	1	.01
71311	6.0	25	1	.01








**743 MagicRing Metric Power Bits, 1/4"**

Item				
No.	mm	mm	pkg.	lbs.
74301	3.0	50	1	.02
74305	4.0	50	1	.02
74307	5.0	50	1	.03
74319	6.0	50	1	.03








**713 MagicRing Inch Insert Bits, 1/4"**

Item					
No.	Inch	mm	pkg.	lbs.	
71343	1/8	25	1	.01	
71346	9/64	25	1	.01	
71349	5/32	25	1	.01	
71352	3/16	25	1	.01	
71354	7/32	25	1	.01	
71358	1/4	25	1	.01	






**743 MagicRing Inch Power Bits, 1/4"**

Item					
No.	Inch	mm	pkg.	lbs.	
74369	1/8	50	1	.02	
74371	9/64	50	1	.02	
74373	5/32	50	1	.02	
74375	3/16	50	1	.03	
74377	7/32	50	1	.03	
74379	1/4	50	1	.03	

**Wiha Stainless Steel Hex Metric Insert Bits**



**701 Stainless Steel Hex MM Insert Bits, 1/4"**





Item			
No.	mm	mm	pkg.
70171	2.0	25	1
70172	2.5	25	1
70175	5.0	25	1
70176	6.0	25	1

**1/4" Ball End MagicRing Bits**

Screw Holding Hex Bits








**717 MagicRing Metric Power Ball End Bits**

Item				
No.	mm	mm	pkg.	lbs.
71730	3.0	50	1	.02
71740	4.0	50	1	.02
71750	5.0	50	1	.03
71760	6.0	50	1	.03

Screw Holding Hex Bits



**717 MagicRing Inch Power Ball End Bits**

Item					
No.	Inch	mm	pkg.	lbs.	
71726	1/8	50	1	.02	
71728	9/64	50	1	.02	
71732	5/32	50	1	.02	
71734	3/16	50	1	.03	
71736	7/32	50	1	.03	
71738	1/4	50	1	.03	

**Screw Holding Hex Bits**





## Wiha Hex Inch & Metric Bit Sets



**79246** Bit-Selector With Hex Inch Bits Set Includes Magnetic 1/4" Bit Holder & The Following 10 Bits: lbs. .32

**Hex Inch:** 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

**79256** Bit-Selector With Hex Metric Bits Set Includes Magnetic 1/4" Bit Holder & The Following 8 Bits: lbs. .30

**Hex Metric:** 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm



**79446** XSelector Bit Set With Hex Inch Bits Set Includes Quick Release Holder & The Following 10 Bits: lbs. .27

**Hex Inch:** 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

Bit holder stainless steel, magnetic



**38049** Hex Inch & Metric Pop-Up Bit Screwdriver Set Cushion Grip handle, multi-component. Compact storage holds 12 bits.

**Includes The Following 1/4" Bits:**

**Hex Inch:** 5/64, 3/32, 1/8, 5/32, 3/16, 1/4"

**Hex Metric:** 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm



**38058** Hex Inch SoftFinish® CushionGrip Stubby Bit Holder with Wiha cushion grip handle and CVM tool steel shaft. lbs. .22

**Includes the following 1/4" bits:**

**Hex Inch:** 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"



**38057** Hex Metric SoftFinish® CushionGrip Stubby Bit Holder with Wiha cushion grip handle and CVM tool steel shaft. lbs. .21

**Includes The Following 1/4" Bits:**

**Hex Metric:** 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm



**74986** Power Bit Belt Pack With Inch & Metric Hex Bits Set Includes The Following 10 Bits: lbs. .34

**Inch:** 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

**Metric:** 3.0, 4.0, 5.0, 6.0mm

## Wiha Security Hex Inch & Metric Bit Sets



**79266** Bit-Selector With Security Hex Inch Bits Set Includes Magnetic 1/4" ClicFix Bit Holder & The Following 9 Bits:

**Security Hex Inch:** lbs. 5/64, 3/32, 7/64, 1/8, 9/64, .32 5/32, 3/16, 7/32, 1/4"




**38014** Security Hex Inch Multi-Bit Screwdriver, 6 Pc. Set With Wiha Powerhandle & CVM steel, hardened shaft. lbs. .40

**Set includes the following 1/4" bits:**

**Security Hex:**

3/32, 1/8, 5/32, 3/16, 7/32"



**71998** PokitPak - Security Hex Inch Insert Bits In Molded Case - Set Includes 6 - 1/4" Insert Bits lbs. .12

**Inch Security Hex:**

3/32, 7/64, 1/8, 9/64, 5/32, 3/16"



**71995** PokitPak - Security Hex Metric Insert Bits In Molded Case - Set Includes 6 - 1/4" Insert Bits lbs. .21

**Metric Security Hex:**

2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm

## Wiha Insert Bit Blister Pack



**72596** 10 Pack Hex Inch Insert Bit Pack

CVM S2 modified tool steel.

**Hex Inch:** lbs.

1/16, 5/64, 3/32, 7/64, 1/8, .16

9/64, 5/32, 3/16, 7/32, 1/4"

**Wiha Ball End Hex Inch & Metric Bit Sets**



**79276** Bit-Selector With Ball End Hex Inch Bits Includes Magnetic 1/4" Bit Holder

& The Following 8 Bits:  lbs. .30

 **Ball End Hex Inch:** 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"



**38056** Ball End Hex SoftFinish® CushionGrip Stubby Bit Holder

with Wiha cushion grip handle and CVM tool steel shaft.

 **Set Includes The Following 1/4" Bits:**


lbs.  **Ball End Hex Inch:** 1/8, 9/64, 5/32, .21 3/16, 7/32, 1/4"

**Wiha MagicRing Hex Inch & Metric Bit Sets**

*Screw Holding*




**71399** Bit-Selector With Metric & Inch MagicRing Insert 1/4" Bits Set Includes Magnetic 1/4" Bit Holder & The Following 10 Bits: No Ball End  lbs. .46


 **Hex Metric:** 3.0, 4.0, 5.0, 6.0mm

 **Hex Inch:** 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"





**74989** Power Bit Belt Pack With Screw Holding Hex MagicRing Bits Includes The Following 10 Bits:  lbs. .34

 **Inch:** 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

 **Metric:** 3.0, 4.0, 5.0, 6.0mm

**74999** Power Bit Belt Pack With Ball End Screw Holding Hex Bits  lbs. .37

 **Inch:** 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"




 **Metric:** 3.0, 4.0, 5.0, 6.0mm

**Wiha Security Hex Inch & Metric Power Blades**






**760** Security Hex Metric Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item			
No.	mm	lbs.	pkg.
76001	2.5	.02	1
76002	3.0	.02	1
76003	4.0	.03	1
76004	5.0	.04	1




**760** Security Hex Inch Power Blades OAL 90mm/3.5".


Item			
No.	Inch	lbs.	pkg.
76045*	1/16	.01	1
76046	5/64	.01	1
76047	3/32	.02	1
76048	7/64	.02	1
76049	1/8	.03	1
76050	9/64	.03	1
76051	5/32	.04	1
76052	3/16	.04	1
76053	7/32	.05	1
76054	1/4	.06	1

\*1/16" Standard Inch Hex Only




**76090** 4 Piece Security Hex Blade Set

Item		Set includes:
No.	lbs.	Metric: 2.5, 3.0,
76090	.12	4.0, 5.0 x 90mm



**76096** 10 Piece Security Hex Blade Set

Item		Set includes:
No.	lbs.	Inch: 1/16*, 5/64, 3/32, 7/64,
76096	.32	1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 90mm







\*1/16" Standard Inch Hex Only

**Wiha Power Blade Holder**



**76000** CentroFix Cushion Grip Blade Holder




Wiha-SoftFinish® impact resistant, with roll off protection. Quick release bit holder with magnet.


Item						
No.	mm	mm	Inch	mm	Inch	lbs.
76000	6.0	149	5.9	34.6	1.36	.26

**Wiha Square Power Blades**




**760** Square Power Blades OAL 90mm/3.5".

Item			
No.	Size	lbs.	pkg.
76056	1	.02	1
76057	2	.03	1
76058	3	.04	1



**76095** 3 Piece Square Blade Set

Item		Set includes:
No.	lbs.	Square: #1, 2,
76095	.11	3 x 90mm

## Square Insert & Power Bits

### Square Bits



CVM, tool steel, hardened

○ Square

Suitable for all applications for both manual & machine hardness HRC 59-61



#### 718 Square Insert Bits, 1/4"

Item	○	—	—	—
No.	Size	mm	pkg.	lbs.
71801	1	25	10	.11
71802	2	25	10	.11
71803	3	25	10	.11

#### 30 Piece Contractor Grade Bits

#### 725 Square Insert Contractor Grade, 1/4"

Item	○	—	—	—
No.	mm	mm	pkg.	lbs.
72537	1	25	30 pc	.85
72538	2	25	30 pc	.85
72539	3	25	30 pc	.85

2 bit pack



#### 718 Square Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item	○	—	—	—
No.	Size	mm	lbs.	
71851	1	25	.03	
71852	2	25	.03	
71853	3	25	.03	



#### 71854 Square Insert Bit Packs, 1"

CVM S2 modified tool steel. 3 pc. bit pack

71854 Set includes the following bits:

○ Square: wt. .04 1, 2, 3 x 1" (25mm)

2 bit pack



#### 777 Square Double End Insert Bit Packs, 1/4" CVM S2 modified tool steel

Item	○	—	
No.	Size	mm	
77712	#1 + #2	30	
77713	#0 + #3	30	



#### 748 Square Power Bits, 1/4" Hex Drive, Length 2.0"/50mm

Item	○	—	—	—
No.	Size	mm	pkg.	lbs.
74813	1	50	10	.20
74816	2	50	10	.20
74819	3	50	10	.20

2 bit pack



#### 748 Square Power Bit Packs, 2"

CVM S2 modified tool steel.

Item	○	—	—
No.	Size	mm	lbs.
74860	1	50	.05
74861	2	50	.05
74862	3	50	.05



#### 74890 Square Power Bit Packs, 2" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 3 pc. bit pack.

74890 Set includes the following bits:

○ Square: wt. .08 1, 2, 3 x 2.0" (50mm)



#### 74895 Square Power Bit Packs, 2.0" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

74895 Set includes the following bits:

○ Square: 2 of each sizes wt. 1.2 1, 2, 3 x 2.0" (50mm)



#### 748 Square Power Bit, 1/4" Hex Drive, Length 3.5"/90mm CVM S2 modified tool steel.

Item	○	—	—
No.	Size	mm	lbs.
74811	1	90	.08
74812	2	90	.08
74814	3	90	.08

## Slotted Bits

The ideal multi-purpose bits for all around quality & performance

Made by Wiha - Production Quality

Highly resistant to wear and tear for a long tool life

Impact resistant modified CVM, tool steel, hardened

● Slotted



#### 710 Slotted Insert Bits, 1/4" Hex Drive, Length 25mm/.984"

Item	↑●	↑●	↓●	↓●	—
No.	mm	Inch	mm	Inch	pkg.
71001	4.5	.177	0.6	.024	10
71004	5.5	.216	0.8	.030	10
71002	6.5	.255	1.2	.039	10
71003	8.0	.315	1.6	.063	10

#### 30 Piece Contractor Grade Bits

#### 725 Slotted Insert Contractor Grade, 1/4"

Item	↑●	↑●	↓●	↓●	—
No.	mm	mm	pkg.	lbs.	
72534	4.5	25	30 pc	.85	
72535	5.5	25	30 pc	.85	
72536	6.0	25	30 pc	.85	

2 pc. bit pack!



#### 710 Slotted Insert Bits, 1/4" Hex Drive, Length 1.54"/39mm 2 pc. Bit pack.

Item	↑●	↑●	↓●	↓●	—
No.	mm	Inch	mm	Inch	pkg.
71030	3.0	.118	0.5	.020	2
71031	3.5	.139	0.6	.024	2
71032	4.0	.157	0.8	.031	2
71033	4.5	.177	0.6	.024	2
71034	5.5	.216	1.0	.039	2
71035	6.5	.255	1.2	.047	2
71036	8.0	.315	1.6	.063	2

2 bit pack



#### 777 Slotted Double End Insert Bit Packs, 1/4" CVM S2 modified tool steel

Item	○	—	
No.	Size	mm	
77715	3.0 + 4.5mm	30	
77716	4.0 + 6.0mm	30	
77717	5.5 + 6.5mm	30	




**Wiha Slotted Insert & Power Bits**



**720 Slotted Insert Bits. 5/16" Hex Drive, Length 41mm**

Item No.	mm	Inch	mm	pkg.	lbs.
72049	8.0	.315	1.6	10	.31
72050	10.0	.393	1.6	10	.46
72051	12.0	.472	2.0	10	.56



**720 Slotted Insert Bit Packs, 1" CVM S2 modified tool steel. 5/16" Hex Drive.**

Item No.	mm	mm	Inch	mm	lbs.
72025	1.2	6.5	.255	41	.06
72031	1.6	8.0	.315	41	.08
72039	1.6	10.0	.393	41	.10
72047	2.0	12.0	.472	41	.12



**740 Slotted Power Bits, 1/4" Hex Drive, Length 2.75"/70mm**

Item No.	mm	Inch	mm	Inch	pkg.
74033	2.5	.098	0.4	.015	10
74034	3.0	.118	0.5	.020	10
74035	3.5	.139	0.6	.024	10
74036	4.0	.157	0.8	.020	10
74039	5.5	.216	1.0	.032	10
74041	6.5	.255	1.2	.039	10



**739 Slotted Power Bits, 1/4" Hex Drive, Length 2.75"/70mm 2 bit pack**

Item No.	mm	Inch	mm	Inch	pkg.
73905	2.5	.098	0.4	.015	1
73906	3.0	.118	0.5	.020	1
73907	3.5	.139	0.6	.024	1
73908	4.0	.157	0.8	.020	1
73909	5.5	.216	1.0	.032	1
73910	6.5	.255	1.2	.039	1



**710 Slotted Insert Bit Packs, 1" CVM S2 modified tool steel.**

Item No.	mm	mm	Inch	mm	lbs.
71051	0.6	4.5	.177	25	.03
71052	0.8	5.5	.216	25	.03
71053	1.2	6.0	.255	25	.03
71054	1.6	8.0	.315	25	.03



**71055 Slotted Insert Bit Packs, 1" CVM S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 3 pc. bit pack.**

**71055 Set includes the following bits:**

Item No.	mm	mm	Inch	mm	lbs.
71051	0.6	4.5	.177	25	.03
71052	0.8	5.5	.216	25	.03
71053	1.2	6.0	.255	25	.03
71054	1.6	8.0	.315	25	.03

**Slotted:**

Item No.	mm	mm	Inch	mm	lbs.
71055	4.5	5.5	6.0	x 1"	(25mm)



**740 Slotted Power Bits, 1/4" Hex Drive, Length 2.0"/50mm 10pk. weight .20 lbs.**

Item No.	mm	Inch	mm	Inch	pkg.
74003	3.0	.118	0.5	.020	10
74006	3.5	.139	0.6	.024	10
74009	4.0	.157	0.5	.020	10
74010	4.0	.157	0.8	.030	10
74012	4.5	.177	0.6	.024	10
74015	5.5	.216	0.8	.032	10
74018	6.5	.255	1.2	.039	10
74021	8.0	.315	1.2	.039	10
74023	8.0	.315	1.6	.063	10



**740 Slotted Power Bit Packs, 2" CVM S2 modified tool steel.**

Item No.	mm	mm	lbs.
74061	3.0	50	.05
74062	3.5	50	.05
74063	4.0	50	.05
74064	4.0	50	.05
74065	4.5	50	.05
74066	5.5	50	.05
74067	6.5	50	.06
74068	8.0	50	.08
74069	8.0	50	.08



**74050 Slotted Power Bit Packs, 2" CVM S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 3 pc. bit pack.**

**74050 Set includes the following bits:**

Item No.	mm	mm	Inch	mm	lbs.
74050	4.5	5.5	6.5	x 2"	(50mm)

**Slotted:**

Item No.	mm	mm	Inch	mm	lbs.
74050	4.5	5.5	6.5	x 2"	(50mm)



**743 Slotted and Phillips Double End Bits, 1/4" Hex Drive, Length 2.36"/60mm**

Item No.	mm	Size	mm	pkg.	lbs.
74303	4.5	x 1	60	10	.22
74306	5.5	x 2	60	10	.30
74309	7.0	x 3	60	10	.32

**1/4" Stainless Steel Insert Bits**



**701 Stainless Steel Slotted Insert Bits, 1/4" Hex Drive, Length 25mm/984"**


Item No.	mm	Inch	mm	Inch	pkg.
70131	5.5	.216	0.8	.030	1
70133	8.0	.315	1.6	.063	1

**Wiha Slotted Power Blades**



**760 Slotted Power Blades**  
S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item No.	mm	lbs.	pkg.
76035	2.5	.02	1
76036	3.0	.02	1
76037	4.5	.03	1
76038	5.5	.03	1
76039	6.0	.04	1



**76093 5 Piece Slotted Blade Set**

Item No.	lbs.	Slotted:
76093	.16	2.5, 3.0, 4.5, 5.5, 6.0mm x 90mm

## Pozidriv® Bits

The ideal multi-purpose tools to meet production requirements for both quality and performance

Impact resistant modified CVM, tool steel, hardened







 Pozidriv®

Suitable for all applications for both manual and machine Hardness HRC 59-61

### PoziDriv® Insert & Power Bits







#### 712 Pozidriv® Insert Bits, 1/4"

Item				
No.	Size	mm	pkg.	lbs.
71200	0	25	10	.10
71201	1	25	10	.10
71202	2	25	10	.10
71203	3	25	10	.10







#### 742 Pozidriv® Power Bits. 1/4" Hex Drive, Length 2.0"/50mm

Item				
No.	Size	mm	pkg.	lbs.
74203	1	50	10	.24
74212	2	50	10	.25
74221	3	50	10	.26



#### 712 Pozidriv® Insert Bit Packs, 1"





CVM S2 modified tool steel.

Item				
No.	Size	mm	lbs.	
71250	0	25	.03	
71251	1	25	.03	
71252	2	25	.03	
71253	3	25	.04	



#### 742 Pozidriv® Power Bit Packs, 2"

CVM S2 modified tool steel.

Item				
No.	Size	mm	lbs.	
74261	1	50	.06	
74262	2	50	.06	
74263	3	50	.07	



#### 71254 Pozidriv® Insert Bit Packs, 1" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 3 pc. bit pack.

71254 Set includes the following bits:

 Pozidriv®:

wt. .04 1, 2, 3 x 1" (25mm)







#### 777 Pozidriv® Double End Insert Bit

Packs, 1/4" CVM S2 modified tool steel

Item		
No.	Size	mm
77710	#1 + #2	30







#### 742 Pozidriv® Power Bits. 1/4" Hex Drive, Length 2.75"/70mm

Item				
No.	Size	mm	pkg.	
74201	0	70	10	
74205	1	70	10	
74214	2	70	10	







#### 739 Pozidriv® Power Bits. 1/4" Hex Drive, Length 2.75"/70mm 2 bit pack

Item				
No.	Size	mm	pkg.	
73901	0	70	1	
73902	1	70	1	
73903	2	70	1	







#### 742 Pozidriv® Power Bits. 1/4" Hex Drive, Length 3.5"/90mm Single Pack

Item				
No.	Size	mm	pkg.	lbs.
74231	1	90	1	.03
74232	2	90	1	.04
74233	3	90	1	.05






#### 742 Pozidriv® Power Bits. 1/4" Hex Drive, Length 3.5"/90mm 10 Bit Pack

Item				
No.	Size	mm	pkg.	lbs.
74236	1	90	10	.34
74237	2	90	10	.46
74238	3	90	10	.53

### Wiha Stainless Steel Pozidriv® Insert & Power Bits







#### 712 Stainless Steel Pozidriv® Insert Bits, 1/4"


Item			
No.	Size	mm	pkg.
71241	1	25	1
71242	2	25	1
71243	3	25	1



#### 704 Stainless Steel Pozidriv® Power Bits. 1/4" Hex Drive, Length 2.0"/50mm





Item				
No.	Size	mm	pkg.	
70407	1	50	1	
70408	2	50	1	
70410	3	50	1	


### Wiha Pozidriv® Power Blades




#### 760 Pozidriv® Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item				
No.	Size	lbs.	pkg.	
76011	1	.03	1	
76012	2	.04	1	
76013	3	.04	1	



#### 76091 3 Piece Pozidriv® Blade Set

Item		Set includes:
No.	lbs.	Pozidriv®: #1, 2,
76091	.12	3 x 90mm

# Specialty

Highly resistant to wear and tear for a long tool life







 Tri-Wing

## Tri-Wing Bits






### 719 Triwing Insert Bits, 1/4"/25mm

Item				
No.	Size	mm	pkg.	lbs.
71900	0	25	10	.10
71901	1	25	10	.10
71902	2	25	10	.10
71903	3	25	10	.10
71904	4	25	10	.13
71905	5	25	10	.13

2 bit pack



### 719 Tri-Wing Insert Bit Packs, 1"


Item			
No.	Size	mm	lbs.
71949	0	25	.03
71950	1	25	.03
71951	2	25	.03
71952	3	25	.03
71953	4	25	.03
71913	5	25	.04




### 71954 Tri-Wing Insert Bit Packs, 1"

6 pc. bit pack.

71954 Set includes the following bits:

 Triwing: 0, 1, 2, wt. .07 3, 4, 5 x 1" (25mm)

# Bits







 Torq Set

Suitable for all applications for both manual & machine Hardness HRC 59-61






### 749 Tri-Wing Power Bits, 1/4"/50mm

Item				
No.	Size	mm	pkg.	lbs.
74901	3	50	10	.24
74902	4	50	10	.24
74903	5	50	10	.24
74904	6	50	10	.46

2 bit pack



### 749 Tri-Wing Power Bit Packs, 2"




Item			
No.	Size	mm	lbs.
74960	3	50	.06
74961	4	50	.06
74962	5	50	.06
74963	6	50	.10

## Wiha Tri-Wing Power Blades




### 760 Tri-Wing Power Blades

S2 modified tool steel. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item			
No.	Size	lbs.	pkg.
76031	1	.02	1
76032	2	.02	1
76033	3	.03	1
76034	4	.04	1







### 76088 4 Piece Tri-Wing Blade Set

Item		Set includes:
No.	lbs.	Tri-Wing: #1, 2,
76088	.16	3, 4 x 90mm

## Torq Set Bits







### 719 Torq Set Insert Bits, 1/4"

Item				
No.	Size	mm	pkg.	lbs.
71921	0	25	10	.10
71922	1	25	10	.10
71923	2	25	10	.10
71924	3	25	10	.10
71907	4	25	10	.10
71909	5	25	10	.10
71906	6	25	10	.10
71908	8	25	10	.13
71910	10	25	10	.13



### 749 Torq Set Power Bits, 1/4"/50mm




Item				
No.	Size	mm	pkg.	lbs.
74911	4	50	10	.03
74912	5	50	10	.03
74913	6	50	10	.03
74914	8	50	10	.04
74915	10	50	10	.04

2 bit pack



### 719 Torq Set Insert Bit Packs, 1"

CVM S2 modified tool steel.




Item			
No.	Size	mm	lbs.
71911	4	25	.03
71912	5	25	.03
71957	6	25	.03
71958	8	25	.04
71959	10	25	.04

2 bit pack



### 749 Torq Set Power Bit Packs, 2"

CVM S2 modified tool steel.

Item			
No.	Size	mm	lbs.
74964	4	50	.06
74965	5	50	.06
74966	6	50	.06
74967	8	50	.07
74968	10	50	.07

## Specialty Bits

Highly resistant to wear & tear for a long tool life

Spanner

Suitable for all applications for both manual and machine Hardness HRC 59-61



### Spanner Bits



#### 719 Spanner Insert Bits, 1/4"

Item				
No.	Size	mm	pkg.	lbs.
71914	4	25	10	.11
71916	6	25	10	.12
71918	8	25	10	.12
71920	10	25	10	.12



#### 719 Spanner Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item			
No.	Size	mm	lbs.
71963	4	25	.03
71964	6	25	.03
71965	8	25	.04
71966	10	25	.04

### Wiha Spanner Power Blades



#### 760 Spanner Power Blades

S2 modified tool steel. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item			
No.	Size	lbs.	pkg.
76022	6	.03	1
76023	8	.04	1
76024	10	.04	1



#### 76089 3 Piece Spanner Blade Set

Item		Set includes:
No.	lbs.	Spanner: #6, 8,
76089	.12	10 x 90mm

### XZN Insert Bits

## Specialty Bits

Suitable for all applications for both manual and machine Hardness HRC 59-61

Highly resistant to wear and tear for a long tool life



Impact resistant modified CVM, tool steel, hardened

Triple Square



#### 701 XZN Insert Bits, 1/4"

Item				
No.	Size	mm	pkg.	lbs.
70143	M3	25	2	.04
70144	M4	25	2	.04
70145	M5	25	2	.04
70146	M6	25	2	.04
70147	M8	25	2	.04



#### 355 XZN Triple Square L-key

Item				
No.	Size	mm	pkg.	lbs.
35510	M10	110	1	.01
35512	M12	124	1	.02
35514	M14	138	1	.04
35516	M16	156	1	.07

### Countersink & Drill Bits

High quality HSS steel, ground with radial relief. Universal application in metal, plastic and wood. Guarantees outstanding chip removal, chatter free operation & smooth surface finish.

### 90° Countersink Bit - 1/4" Shank



#### 786 HSS 1/4" Drive Countersinks

High quality HSS steel, ground with radial relief. 1/4" Hex shank according to DIN 3126 C 6.3.

Item						
No.	Size	Inch	mm	Inch	size	pkg
78615	6.3	.26	35	1.38	M3	1
78617	8.3	.33	35	1.38	M4	1
78619	10.4	.41	35	1.38	M5	1
78621	12.4	.49	35	1.38	M6	1
78622	16.5	.65	35	1.38	M8	1
78624	20.5	.81	35	1.38	M10	1

### 1/4" Shank High Speed Drill Bits



#### 780 1/4" Shank Stubby High Speed Drill Bits

DIN 3126 C 6.3.

Item				
No.	Size	Inch	pkg	lbs.
78002	1/16	1.26	1	.02
78005	3/32	1.41	1	.02
78008	1/8	1.57	1	.02
78011	5/32	1.73	1	.03
78015	3/16	1.97	1	.03
78018	1/4	1.97	1	.03

### High Precision Tool Holder For Countersinks & Drill Bits



Quick release tool holder for Drills, Countersinks & Power bits

#### 71480 CentroFix Bit Holder

Item					
No.	Size	Size	mm	Inch	lbs.
71480	1/4"	1/4"	60	2.3	.09


**Dura Torsion Insert and Power Bits**

**Carbide Coated**

*Positive location in the screw head with decrease of:*

- necessary pressure forces
- working time
- costs
- wear & tear of bits & screw heads
- anti-cam-out effect

With the Dura bit Wiha has again proved it's power of innovation. The extra hard, elastic Quattro Torsion bit is equipped with an extremely wear resistant tungsten carbide coating that grips the screw head.



**741 Dura Phillips Power Bits**  
1/4" Hex Drive, Length 2.0"/50mm

Item	+	≡	↶
No.	Size	mm	lbs.
74141	1	50	.04
74142	2	50	.04
74143	3	50	.04



**742 Dura Pozidriv® Power Bits**  
1/4" Hex Drive, Length 2.0"/50mm

Item	+	≡	↶
No.	Size	mm	lbs.
74241	1	50	.04
74242	2	50	.04
74243	3	50	.04



Bits Tungsten Carbide Coated

**71094 Bit-Selector With Dura Insert 1/4"**  
Bits. Set Includes Magnetic 1/4" Bit Holder & The Following 10 Bits:

- Slotted: 4.5, 5.5, 6.5mm
- Phillips: 1, 2, 3
- TORX®: T10, T15, T20, T25
- .29 lbs.



**710 Dura Bits, Slotted, 1/4"**

Item	+	≡	↶	≡	
No.	mm	Inch	mm	Inch	mm
71010	0.6	.024	4.5	.177	25
71011	0.8	.030	5.5	.216	25
71012	1.0	.039	5.5	.216	25
71013	1.2	.039	6.5	.255	25



**715 Dura Bits, TORX®, 1/4"**

Item	+	≡	↶
No.	Size	mm	lbs.
71576	T15	25	.02
71578	T20	25	.02
71582	T30	25	.02
71584	T40	25	.03



**711 Dura Bits, Phillips, 1/4"**

Item	+	≡	↶
No.	Size	mm	lbs.
71111	1	25	.02
71112	2	25	.02
71113	3	25	.02



**712 Dura Bits, Pozidriv, 1/4"**

Item	+	≡	↶
No.	Size	mm	lbs.
71211	1	25	.02
71212	2	25	.02
71213	3	25	.02


**Diamond Torsion Insert and Power Bits**

Diamond bits supplement Wiha's range of high-quality special bits. When used with machines, the increased tool life of the Wiha Diamond bit reduces cost.

- High wear resistance
- Micro particle coating with sapphire and diamond contents
- Optimized torsion zone

*Reduction of:*

- pressure forces to be applied
- wear and tear of bit and screw head
- working time & costs
- Cam-out effect



*The ideal bit even for the most difficult of applications*



**712 Diamond Bits, Pozidriv®, 1/4"**

Item	+	≡	↶
No.	Size	mm	lbs.
71221	1	25	.02
71222	2	25	.02
71223	3	25	.02



**710 Diamond Bits, Slotted, 1/4"**

Item	+	≡	↶	≡	
No.	mm	Inch	mm	Inch	mm
71020	4.5	.177	0.6	.024	25
71021	5.5	.216	0.8	.030	25
71022	5.5	.216	1.0	.039	25
71023	6.5	.255	1.2	.039	25



**711 Diamond Bits, Phillips, 1/4"**

Item	+	≡	↶
No.	Size	mm	lbs.
71181	1	25	.02
71182	2	25	.02
71183	3	25	.02



**715 Diamond Bits, TORX®, 1/4"**

Item	+	≡	↶
No.	Size	mm	lbs.
71516	T10	25	.02
71517	T15	25	.02
71518	T20	25	.02
71519	T25	25	.02
71521	T30	25	.02
71522	T40	25	.03




**741 Diamond Phillips Power Bits**  
1/4" Hex Drive, Length 2.0"/50mm

Item	+	≡	
No.	Size	mm	lbs.
74161	1	50	.03
74162	2	50	.03
74163	3	50	.04

## Wiha TiN Coated Insert/Power Bits

The abbreviation TiN stands for Titanium-Nitride, which has a hardness up to 85 HRC. This coating guarantees a high wear and tear resistance.



- Tough, hard torsion quality with very hard TiN coating
- Optimized torsion zone
- High wear resistance



715 TORX® TiN Coated Insert Bits, 1/4"				
Item				
No.	Size	mm	lbs.	
71585	T5	25	.02	
71586	T6	25	.02	
71587	T7	25	.02	
71588	T8	25	.02	
71562	T9	25	.02	
71563	T10	25	.02	
71564	T15	25	.02	
71565	T20	25	.02	
71566	T25	25	.02	
71569	T27	25	.02	
71567	T30	25	.02	
71568	T40	25	.02	

TiN - Titanium Nitride



711 Phillips TiN Coated Insert Bits 1/4" Hex Drive, Length 2.0"/50mm				
Item				
No.	Size	mm	lbs.	
71141	1	50	.04	
71142	2	50	.04	
71143	3	50	.04	

TiN - Titanium Nitride



71196 PokitPak - Phillips TiN Coated Insert Bits In Molded Case -	
Set Includes 6 - 1/4" Insert Bits	
Phillips: 2 of each - 1, 2, 3	
lbs. .31	

TiN - Titanium Nitride



711 Phillips TiN Coated Insert Bits, 1/4"				
Item				
No.	Size	mm	lbs.	
71121	1	25	.02	
71122	2	25	.02	
71123	3	25	.02	

TiN - Titanium Nitride



741 Phillips TiN Coated Power Bits 1/4" Hex Drive, Length 2.0"/50mm				
Item				
No.	Size	mm	lbs.	
74101	1	50	.04	
74105	2	50	.04	
74108	3	50	.04	


TiN - Titanium Nitride



71194 PokitPak - Phillips TiN Coated Insert Bits In Molded Case -	
Set Includes 6 - 1/4" Insert Bits	
Phillips: 1 of each - #1, #3	
Phillips: 4 of - #2	
lbs. .32	

TiN - Titanium Nitride

## Wear Characteristics



## Dura Torsion Insert PokitPak



71596 PokitPak - TORX® Dura Insert Bits In Molded Case -	
Set Includes 6 - 1/4" Insert Bits	
T10, T15, T20, T25, T30, T40	
lbs. .36	

## Diamond Insert PokitPak



71197 PokitPak - Diamond Coated Insert Bits In Molded Case. 6 - 1/4" Insert Bits	
Slotted: 5.5, 6.5mm	
lbs.  Phillips: #1, 3 & 2/each #2	
.18 1/4" Magnetic Bit Holder	

Wiha 90mm Power Blade Sets



**76099 37 Pc. Power Blade Set, In Durable Belt Pack** Set includes cushion grip CentroFix Blade Holder & 36 interchangeable blades.

Item No. 76099  lbs. 2.06

**Slotted:** 2.5, 3.0, 4.5, 5.5, 6.0mm

**Phillips:** #0, 1, 2, 3

**Security TORX®:** T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s

**Security Hex Inch:** 1/16", 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

**Pozidriv®:** #1, 2, 3 & **Square:** #1, 2, 3

**4" Nut Setters:** 1/4, 5/16, 3/8"

Cushion Grip CentroFix Blade Holder

\* 1/16" Standard Inch Hex Only



**76098 36 Pc. Power Blade Set, In Durable Belt Pack** Set includes cushion grip CentroFix Blade Holder & 35 interchangeable blades.

Item No. 76098  lbs. 1.86

**Slotted:** 2.5, 3.0, 4.5, 5.5, 6.0mm

**Phillips:** #0, 1, 2, 3

**Security TORX®:** T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s

**Security Hex Metric:** 2.5, 3.0, 4.0, 5.0mm

**Pozidriv®:** #1, 2, 3 & **Square:** #1, 2, 3

**Spanner:** #6, 8, 10 & **Tri-Wing:** #1, 2, 3, 4

Cushion Grip CentroFix Blade Holder



Fine 72 tooth reversible ratchet

**39297 23 Pc. Security SoftFinish Pistol Ratchet Set, In Zipper Case** Set includes SoftFinish Pistol Ratchet bit storage handle, 1/4" magnetic bit holder, 15 power blades, 6 bits.

Item No. 39297  lbs. 1.14

**90mm Power Blades- Security TORX® :** T10s, T15s, T20s, T25s, T27s, T30s

**Security Hex:** 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

**1/4" Insert Bits- Slotted:** 4.5, 5.5, 6.0mm

**Phillips Bits:** #1, 2, 3

1/4" Magnetic Bit Holder



**76087 61 Pc. Power Blade Service Kit, In Durable Zipper Case** Set includes Bit Holding Handle, MicroBit Storage Handle, 4mm to 1/4" Magnetic Adapter, 9 power blades, 46 bits & 3 nut setters.

Item No. 76087  lbs. 1.34

**90mm Power Blades: Slotted:** 4.5, 5.5, 6.0mm

**Phillips:** #1, 2, 3 & **Square:** #1, 2, 3

**75mm Security TORX® Bits:** T10s, T15s, T20s, T25s, T27s, T30s

**MicroBits: Phillips:** #000, 00, 0, 1, 2,

**Slotted:** .8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm

**Hex Inch:** .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

**Hex Metric:** 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm

**TORX®:** T1, T2, T3, T4, T5, T6, T7, T8, T9, T10

**Magnetic Nut Setters:** 1/4, 5/16, 3/8"


Wiha Cushion Grip Pop-Up Screwdriver Bit Sets




**38032 Pop-Up Bit Screwdriver Set**

Wiha Cushion Grip handle, multi-component. Compact storage for 12 bits in the handle. Bit holder stainless steel, magnetic. 8.25" OAL

 **Slotted:** 4.5, 5.5, 6.0mm  lbs.



 **Phillips:** 1, 2, 3 .42

 **TORX®:** T10, T15, T20, T25, T27, T30




**38041 Pop-Up Bit Screwdriver Set**

Wiha Cushion Grip handle, multi-component. Compact storage for 12 bits in the handle. Bit holder stainless steel, magnetic. 8.25" OAL

 **Slotted:** 4.5, 6.0mm  lbs.

 **Square:** 1, 2

 **Phillips:** 1, 2 .42

 **Hex:** 4.0, 5.0, 6.0mm

 **TORX®:** T20, T25, T30



## 26inOne!

- Includes:
  - 13 double end bits
  - Locking bit holder
  - Pop-up bit access
  - Rugged Industrial Design
  - Cushion grip handle
  - Professional quality
  - Made in Germany

“Grab & Go Tool Box”




*Ultra Lite!*  
*Ultra Compact!*  
*Ultra Fast Access!*  
*Ultra Quality!*



Twenty-Six  
Screwdrivers  
in One



Tradesman



Technician's



Industrial



### 77790 Cushion Grip Ultra Driver 26inOne

Wiha cushion grip handle & CVM tool steel shaft. SlimFix locking bit holder.

Includes the following 1/4" double end bits:

- Slotted: 3.0+4.5, 5.5+6.5mm
- Phillips: #1+2, #0+3 lbs.
- Pozidriv®: #1+2 .45
- Square: #1+2, #0+3
- TORX®: T10+T15, T20+T25
- Hex Inch: 1/8+9/64, 5/32+3/16"
- Hex Metric: 3.0+4.0, 5.0+6.0mm

### 77791 Cushion Grip Ultra Driver 26inOne

Wiha cushion grip handle & CVM tool steel shaft. SlimFix locking bit holder.

Includes the following 1/4" double end bits:

- Slotted: 3.0+4.5, 4.0+6.0, 5.5+6.5mm
- Phillips: #1+2, #0+3 lbs.
- Pozidriv®: #1+2 .45
- Square: #1+2, #0+3
- TORX®: T6+T7, T8+T9, T10+T15, T20+T25, T27+T30

### 77792 Cushion Grip Ultra Driver 26inOne

Wiha cushion grip handle & CVM tool steel shaft. SlimFix locking bit holder.

Includes the following 1/4" double end bits:

- Slotted: 4.0+6.0mm
- Phillips: #1+2 lbs.
- TORX®: T8+T9, T10+T15, T20+T25, T27+T30 .45
- Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16, 7/32+1/4"
- Hex Metric: 2.0+2.5, 3.0+4.0, 5.0+6.0mm

#### Tradesman Bit Reload



### 77780 13 Pc. Double End Insert Bit Reload For the 26inOne (For #77790)

Includes the following 1/4" double end bits:

- Slotted: 3.0+4.5, 5.5+6.5mm
- Phillips: #1+2, #0+3 lbs.
- Pozidriv®: #1+2 .45
- Square: #1+2, #0+3
- TORX®: T10+T15, T20+T25
- Hex Inch: 1/8+9/64, 5/32+3/16"
- Hex Metric: 3.0+4.0, 5.0+6.0mm

#### Technician's Bit Reload



### 77781 13 Pc. Double End Insert Bit Reload For the 26inOne (For #77791)

Includes the following 1/4" double end bits:

- Slotted: 3.0+4.5, 4.0+6.0, 5.5+6.5mm
- Phillips: #1+2, #0+3 lbs.
- Pozidriv®: #1+2 .45
- Square: #1+2, #0+3
- TORX®: T6+T7, T8+T9, T10+T15, T20+T25, T27+T30

#### Industrial Bit Reload



### 77782 13 Pc. Double End Insert Bit Reload For the 26inOne (For #77792)

Includes the following 1/4" double end bits:

- Slotted: 4.0+6.0mm
- Phillips: #1+2 lbs.
- TORX®: T8+T9, T10+T15, T20+T25, T27+T30 .45
- Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16, 7/32+1/4"
- Hex Metric: 2.0+2.5, 3.0+4.0, 5.0+6.0mm



Fits 26inOne Ultra Driver

### 77740 Valve Stem Double End Tool, 2 Pack CVM steel, hardened.

Item	mm	Inch	lbs.
77740	30	1.18	.02



Fits 26inOne Ultra Driver

### 77741 1/4" Socket Adapter 1/4" Hex to 1/4" Square Drive. CVM steel, hardened.

Item	mm	Inch	lbs.
77741	30	1.18	.01




**Combo Pliers & Bit Set**

**BiCut SuperCut & Ultra Driver**

26inOne!




**77786 15 Pc. Ultra Driver & Pliers Set** With BiCut SuperCut & Ultra Driver Bit Set  
**Item No. 77786**  lbs. 1.17  
**8.0" Soft Grip Vinyl BiCut SuperCut**  
 For cutting various materials from soft to extremely hard. Double the power at the press of a button.  
**Ultra Driver Double End Bits:**  
**Slotted:** 3.0+4.5, 5.5+6.5mm  
**Phillips:** #1+2, #0+3  
**Pozidriv®:** #1+2  
**Square:** #1+2, #0+3  
**Torx®:** T10+T15, T20+T25  
**Hex Inch:** 1/8+9/64, 5/32+3/16"  
**Hex MM:** 3.0+4.0, 5.0+6.0mm

**1/4" Sockets & Bit Set**

**Tradesman Ultra Driver & 1/4" To 1/4" Sq. Drive Sockets**

26inOne!



**77793 29 Pc. Ultra Driver & Socket Set**  
 1/4" Sockets, Adapter & Ultra Driver Bit Set  
**Item No. 77793**  lbs. .92  
**1/4" Square Drive Sockets**  
 Inch: 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 3/8"  
 Metric: 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0mm  
**1/4" x 1/4" Socket Adapter**  
**Ultra Driver Double End Bits:**  
**Slotted:** 3.0+4.5, 5.5+6.5mm  
**Phillips:** #1+2, #0+3  
**Pozidriv®:** #1+2  
**Square:** #1+2, #0+3  
**Torx®:** T10+T15, T20+T25  
**Hex Inch:** 1/8+9/64, 5/32+3/16"  
**Hex MM:** 3.0+4.0, 5.0+6.0mm

**Wiha BitFlip Sets - Insulated & Standard**

**"8-In-1 Bit Sets"**



BitFlip standard SoftFinish® handle, multi-component, cushion grip, easy access & 8 bit storage





Insulated BitFlip

Blade CVM tool steel, hardened

Each insulated tool individually tested to 10,000 volts







BitFlip Insulated

**38016 BitFlip Insulated Slot / Ph / Sq**  
 Wiha cushion grip handle & insulated shaft.  
 Tested to 10,000 volts.  
 **Slotted:** 4.5, 6.0mm   
 **Phillips:** 0, 1, 2, 3 lbs.  
 **Square:** 1, 2 .45



BitFlip Standard

**38026 BitFlip Standard Slot / Phil / Sq**  
 with Wiha cushion grip handle and CVM tool steel shaft.  
 **Slotted:** 4.5, 6.0mm   
 **Phillips:** 0, 1, 2, 3 lbs.  
 **Square:** 1, 2 .44



BitFlip Insulated

**38017 BitFlip Insulated Slot / Phil / TORX®**  
 **Slotted:** 4.5, 6.0mm   
 **Phillips:** 1, 2 lbs.  
 **TORX®:** T10, T15, T20, T25 .45





BitFlip Standard

**38027 BitFlip Standard Slot / Phil / TORX®**  
 **Slotted:** 4.5, 6.0mm   
 **Phillips:** 1, 2 lbs.  
 **TORX®:** T10, T15, T20, T25 .44




BitFlip Insulated

**38018 BitFlip Insulated Slotted / Phillips**  
 **Slotted:** 4.5, 5.5, 6.0, 8.0mm lbs.  
 **Phillips:** 0, 1, 2, 3 .45




BitFlip Standard

**38028 TORX® BitFlip Standard**  
 **TORX®:** T8, T10, T15, T20, T25, T27, T30, T40 lbs.  
 .44

**CushionGrip Stubby Bit Sets**







**38043 SoftFinish® Cushion Grip Stubby Bit Holder** with Wiha cushion grip handle & CVM tool steel shaft.

**Set includes the following 1/4" bits:**  
 **Slotted:** 4.5, 6.0mm   
 **Phillips:** #1, #2 lbs.  
 **Pozidriv®:** #1, #2 .20



**38048 SoftFinish® Cushion Grip Stubby Bit Holder** with Wiha cushion grip handle & CVM tool steel shaft.

**Set includes the following 1/4" bits:**  
 **Slotted:** 4.5, 6.0mm   
 **Phillips:** #1, #2 lbs.  
 **Square:** #1, #2 .20

## Wiha Security Bits Collectors



**71990** Bits Collector with Security **TORX**, Tri-Wing, Torq Set, Spanner, Security Hex, Slotted, Phillips, Pozidriv and Square bits. 39 Pc. Set includes: Handle, 1/4" magnetic bit holder, 1/4" Bit holding socket adapter, storage box & the following 1/4" bits:

- ⊛ Security **TORX**: T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s
  - ⊙ Security Hex: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
  - ⊕ Tri-Wing: 1, 2, 3, 4
  - ⊕ Torq Set: 6, 8, 10
  - ⊖ Spanner: 4, 6, 8, 10
  - ⊖ Slotted: 6.0, 8.0mm
  - ⊕ Phillips: 1, 2
  - ⊕ Pozidriv: 0, 1, 2, 3
  - ⊙ Square: 1, 2, 3
- lbs. 1.03

With Quick Release Holder



**71991** Bits Collector with Security **TORX**, Tri-Wing, Torq Set, Spanner, Security Hex, Slotted, Phillips, Pozidriv and Square bits. 39 Pc. Set includes: Handle, Clicfix quick release bit holder 1/4" Bit holding socket adapter, storage box & the following 1/4" bits:

- ⊛ Security **TORX**: T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s
  - ⊙ Security Hex: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
  - ⊕ Tri-Wing: 1, 2, 3, 4
  - ⊕ Torq Set: 6, 8, 10
  - ⊖ Spanner: 4, 6, 8, 10
  - ⊖ Slotted: 6.5, 8.0mm
  - ⊕ Phillips: 1, 2
  - ⊕ Pozidriv: 0, 1, 2, 3
  - ⊙ Square: 1, 2, 3
- lbs. 1.04



**71994** Bits Collector with **TORX**, Slotted, Phillips, Pozidriv, Square & Hex Bits. 38 Pc. Set Includes: Handle, 1/4" bit holder, storage box & the following 1/4" bits:

- ⊛ **TORX**: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40
- ⊕ Square: 1, 2, 3 & Pozidriv: 1, 2, 3
- ⊖ Slotted: 4.5, 5.5, 6.0mm
- ⊕ Phillips: 0, 1, 2, 3
- ⊖ Hex Metric: 2.5, 3.0, 4.0, 5.0, 6.0mm
- ⊖ Hex Inch: 1/16, 5/64, 3/32, .89 1/8, 5/32, 3/16, 7/32, 1/4"



**71095** Bits Collector with Phillips & Hex Inch bits. 51 Piece Set Includes: ClicFix Quick Release Bit Holder storage box and the following 1/4" bits:


- ⊕ 10 Each Phillips: 1, 2 &
- ⊖ 5 Phillips: 3
- ⊖ 10 Each Hex Inch: 1/8, 3/16" &
- 1.24 5 Hex Inch: 5/32"



**71992** Bits Collector with Security 1/4" Insert bits. 29 Piece Set Includes: 1/4" Bit Holder, 1/4" Bit holding socket adapter, 1/4" Universal Magnetic Bit Holder, storage box and the following 1/4" bits:

- Security **TORX**: T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s
- Security Hex: 1/8, 3/32, 7/64, 9/64, 5/32, 3/16, 7/32, 1/4"
- ⊕ Tri-Wing: 4, 5 & Torq Set: 5, 8,
- lbs. Pozidriv: 2 & Square: 1, 2,
- .99 Spanner: 6, 8, 10

## Wiha Security Bits Collector With Extra Fine 72 Tooth Ratchet



Low profile 72 tooth Fast action thumb ring



**71988** Bits Collector with Security **TORX**, Tri-Wing, Torq Set, Spanner, Security Hex, Slotted, Phillips, Pozidriv and Square bits. 38 Pc. Set includes: 1/4" Bit Holding Ratchet, 1/4" magnetic bit holder, storage box and 1/4" Insert bits:

- ⊛ Security **TORX**: T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s
  - ⊙ Security Hex: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
  - ⊕ Tri-Wing: 1, 2, 3, 4
  - ⊕ Torq Set: 6, 8, 10
  - ⊖ Spanner: 4, 6, 8, 10
  - ⊖ Slotted: 6.5, 8.0mm
  - ⊕ Phillips: 1, 2
  - ⊕ Pozidriv: 0, 1, 2, 3
  - ⊙ Square: 1, 2, 3
- lbs. 1.02

## Drive-Loc VI Adjustable



Adjustable locking (7/8" - 3 1/2" in 1/8" increments)

**71997** Drive-Loc VI Bits Collector with Security **TORX**, Tri-Wing, Torq Set, Spanner, Security Hex, Slotted, Phillips, Pozidriv & Square bits. 39 Piece Set Includes: Drive-Loc VI handle & 4" Bit holder, socket, storage box & the following 1/4" bits:

- ⊛ Security **TORX**: T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s
  - ⊙ Security Hex: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
  - ⊕ Tri-Wing: 1, 2, 3, 4
  - ⊕ Torq Set: 6, 8, 10
  - ⊖ Spanner: 4, 6, 8, 10
  - ⊖ Slotted: 6.5, 8.0mm
  - ⊕ Phillips: 1, 2
  - ⊕ Pozidriv: 0, 1, 2, 3
  - ⊙ Square: 1, 2, 3
- lbs. 1.05

**Wiha Bit Selectors**

Compact size and easy bit selection make the Bit Selector an ideal maintenance tool



Slide out drawer allows quick bit access and secure storage



**Plastic storage box** is compact, durable and light weight  
**1/4" Magnetic Adapter** fits all standard 1/4" bits

**Molded hex cavity in box end**  
 Magnetic adapter fits into opening so tool case can be used as a handle on quick fastening jobs

**792 Sets Bit-Selector Sets**

These handy sets include 10 hardened bits of chrome-vanadium-molybdenum steel. 1/4" magnetic bit holder can be used in power tools. Plastic storage box is compact, durable and light weight. Molded hex cavity turns box into handle for quick fastening jobs. Quick bit access with slide out drawer. Packaged in clear blister pack.



**79243 Bit-Selector With Slotted, Phillips & TORX® Bits, Includes 1/4" Bit Holder & The Following 10 Bits:**  $\frac{1}{4}$  lbs. .32

- ↓  **Slotted:** 4.5, 5.5, 6.0mm
- ⊕ **Phillips:** #0, 1, 2, 3
- ⊗ **TORX®:** T10, T15, T20

**79248 Bit-Selector With Slotted, Phillips & Square Bits, Includes 1/4" Bit Holder & The Following 10 Bits:**  $\frac{1}{4}$  lbs. .32

- ↓  **Slotted:** 4.5, 5.5, 6.0mm
- ⊕ **Phillips:** #0, 1, 2, 3
- ◻ **Square:** #1, 2, 3

**71090 Bit-Selector With Slotted, Phillips & Hex 1/4" Bits, Includes Magnetic 1/4" Bit Holder & The Following 9 Bits:**

- $\frac{1}{4}$  lbs. ↓  **Slotted:** 4.5, 5.5, 6.5mm
- ⊕ **Phillips:** #1, 2, 3
- ⬢ **Hex Inch:** 1/8, 5/32, 3/16"

**Wiha XSelector & XLSelector Bit Sets**

Compact size and easy bit selection make the Wiha XSelector an ideal maintenance tool



Easy bit access with hinged cover




**XLSelector Pocket Sized** 5.3" x 3.1" x .7"  
**XSelector Pocket Sized** 3 1/8" x 2 1/8" x 1/2"

Sets include Clicfix quick release holder

These handy sets include 10 hardened bits of CVM steel. 1/4" Quick Release holder can be used in power tools. Quick bit access through integrated bit-clamp.




**79443 XSelector Bit Set With Slotted, Phillips, and TORX® Bits Set Includes Quick Release Holder & the following 10 bits:**

- ↓  **Slotted:** 5.5, 6.5, 8.0mm  $\frac{1}{4}$  lbs.
- ⊕ **Phillips:** #0, 1, 2, 3
- ⊗ **TORX®:** T10, T15, T20 .27




**79499 XLSelector 1/4" Ratchet & Bit Set**  
 Wiha 1/4" ratchet bit handle, bit holder & 15 Insert bits Includes:

- ↓  **Slotted:** 4.5, 5.5, 6.0mm
- ⊕ **Phillips:** #0, 1, 2
- ⊗ **TORX®:** T7, T8, T9, T10, T15, T20, T25
- ◻ **Square:** #1, 2
- $\frac{1}{4}$  lbs. ↓  lbs. .56




**79491 XLSelector 1/4" Ratchet & Bit Set**  
 Wiha 1/4" ratchet bit handle, bit holder & 15 Insert bits Includes:

- ↓  **Slotted:** 4.5, 6.0mm  $\frac{1}{4}$  lbs.
- ⊕ **Phillips:** #1, 2, 3
- ◻ **Square:** #1, 2 .56
- ⊕ **Pozidriv:** #1, 2
- ⬢ **Hex Metric:** 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm




**79495 XLSelector Bit Set With Slotted, Phillips, TORX®, Hex Bits, 31 Pc. Set Includes: ClicFix Bit Holder-magnetic & 30 Insert Bits:**

- ↓  **Slotted:** 4.5, 5.5, 6.0mm
- ⊕ **Phillips:** #0, 1, 2, 3
- ⊗ **TORX®:** T6, T7, T8, T9, T10, T15, T20, T25  $\frac{1}{4}$  lbs.
- ⬢ **Metric Hex:** 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm .62
- ⬢ **Inch Hex:** 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"




**79490 XLSelector Security Bit Set, 31 Pc. Set Includes Universal Bit Holder-magnetic and the following 30 bits:**

- ↓  **Slotted:** 6.0mm
- ⊕ **Phillips:** #1, 2
- ⊕ **Torq Set:** #6, 8, 10
- ◻ **Square:** #1, 2
- ⊕ **Triwing:** #2, 3, 4, 5
- ⊕ **Pozidriv:** #1, 2
- ⊕ **Spanner:** #4, 6, 8, 10  $\frac{1}{4}$  lbs.
- ⊗ **Security TORX®:** T8s, T10s, T15s, T20s, T25s .64
- ⬢ **Security Hex:** 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"



**79493 XLSelector Security Bit Set, 31 Pc. Set Includes Universal Bit Holder-magnetic and the following 30 bits:**

- ↓  **Slotted:** 4.5, 5.5, 6.0mm
- ⊕ **Phillips:** #1, 2, 3
- ◻ **Square:** #1, 2
- ⊗ **TORX®:** T7, T8, T9, T10, T15, T20, T25
- ⬢ **Hex Metric:** 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm
- ⬢ **Hex Inch:** 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"  $\frac{1}{4}$  lbs. .64

## Six Tools in One!

**1/4" Magnetic Bit Holder** directs magnetism through the bit for powerful screw holding

**Cap snaps** on & off, doesn't unscrew while you're using the tool



### Chambered Bit Storage

- Turn the transparent selector to the bit you need
- No time wasted fumbling or sorting to find the right bit

**Cap rotates** eliminating palm blisters

**Allows one handed** turning & frees other hand for positioning the work piece



**Ergonomic Powerhandle** for maximum comfort & exceptional torque

## Wiha Multi-Bit Screwdrivers

Insulated Bit Holder



**38006** Slotted/Phillips Multi-Bit Screwdriver with Wiha Powerhandle and insulated shaft.

Set includes the following 1/4" bits:

- Slotted: 5.5, 6.0mm  $\leftarrow \rightarrow$  lbs.
- ⊕ Phillips: 0, 1, 2, 3 .39



**38033** Slotted/Phillips & ClicFix Quick Release Magnetic Bit Holder 7 Pc. Set with Wiha Powerhandle and CVM steel, hardened shaft.

- Slotted: 6.5, 8.0mm  $\leftarrow \rightarrow$  lbs.
- ⊕ Phillips: 0, 1, 2, 3 .43



**38007** Slotted/Phillips/Square Multi-Bit Screwdriver with Wiha Powerhandle and insulated shaft. 6 Insert 1/4" bits.

Set includes the following 1/4" bits:

- Slotted: 4.5, 6.0mm  $\leftarrow \rightarrow$  lbs.
- ⊕ Phillips: 1, 2 lbs.
- Square: 1, 2 .41



**38059** Slotted/Phillips & ClicFix Quick Release Magnetic Bit Holder 7 Pc. Set with Wiha Powerhandle and CVM steel, hardened shaft.

- Slotted: 4.5, 5.5, 6.0mm  $\leftarrow \rightarrow$  lbs.
- ⊕ Phillips: 1, 2, 3 .44

## Wiha SoftGrip Ratchet Set




**72**  
72 Tooth Ratchet

**59 Pc.**  
Set

**39291** 59 Pc. SoftGrip Ratchet Set Includes SoftGrip Pistol Ratchet Handle, 1/4" Bit Holder & 1/4" Socket Adapter For Pistol Ratchet, Dynamic Handle, 1/4" Socket Adapter & Drive-Loc Bit Holder.

- $\leftarrow \rightarrow$  Slotted: 4.5, 5.5, 6.0mm
- lbs. Phillips: 0, 1, 2, 3
- 2.12 TORX®: T7, T8, T9, T10, T15, T20, T25, T30, T40
- Pozidriv®: 1, 2, 3 & Square: 1, 2, 3
- Hex Inch: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"
- Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm
- Sockets Inch: 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 3/8"
- Sockets Metric: 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0mm

## Wiha 1/4" Ratchet & Bit Sets



**74992** Ratchet Bit Set, 29 Pcs. In Canvas Pouch. Includes Wiha 1/4" ratchet bit handle, bit holder & 27 Insert bits.

Item No. 1/4" Ratchet Bit Set

**74992** Set includes the following bits:

- ⊕ Slotted: 5.5, 6.0mm/Phillips: #0, 1, 2
- ⊕ Square: #1, 2 / Pozidriv®: #1, 2
- ⊗ TORX®: T8, T9, T10, T15, T20, T25
- Hex Metric: 2.0, 2.5, 3.0, 4.0, 5.0mm
- Hex Inch: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"
- 1/4" Bit Holder
- $\leftarrow \rightarrow$  lbs. .90



**74996** Ratchet Bit Set, 35 Pcs. Includes: Wiha 1/4" ratchet bit handle, bit holder, Hex/Sqr. Adapter & 33 Insert bits.

Item No. 74996 1/4" Ratchet Bit Set




- Slotted: 5.5, 6.0mm
- ⊕ Phillips: #0, 1, 2, 3
- Square: #1, 2
- ⊗ TORX®: T8, T10, T15, T20, T25, T27, T30
- Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm
- Hex Inch: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"
- 1/4" ClicFix Bit Holder
- 1/4" Hex to 1/4" Square Adapter
- $\leftarrow \rightarrow$  lbs. .80

Wiha Insert Bit Blister Pack



**72593 10 Pack Slotted, Phillips & Square**

Insert Bit Pack CVM S2 modified tool steel.

-  **Slotted:** 4.5, 5.5, 6.0mm lbs.
-  **Phillips:** #1, 2, 3 .16
-  **Square:** #1, 2, 3

Wiha Adjustable TorqueControl Tool Sets In Durable Storage Box



**28590 24 Pc. TorqueVario-S Micro-Bit Set**

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes ergonomic multi-component adjustable TorqueVario-S handle, 21 Micro Bits, Micro Bit holder & Torque adjustment tool. Packed in a compact durable storage box.

- Item No.** **Slotted:** 1.5, 2.0, 3.0, 4.0mm
- 28590 Phillips:** #00, #0, #1
- TORX®:** T6, T7, T8, T9, T10, T15
- Hex Inch:** .050, 1/16, 5/64, 3/32, lbs. 7/64, 1/8, 9/64, 5/32
- 1.35 28504 - Handle Range 7.5-20 In/lbs.



**28593 24 Pc. TorqueVario-S Micro-Bit Set**





Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes ergonomic multi-component adjustable TorqueVario-S handle, 21 Micro Bits, Micro Bit holder and Torque adjustment tool. Packed in a compact durable storage box.

- Item No.** **Slotted:** 1.5, 2.0, 3.0, 4.0mm
- 28593 Phillips:** #00, #0, #1
- TORX®:** T6, T7, T8, T9, T10, T15 lbs.
- Hex Inch:** .050, 1/16, 5/64, 3/32, 1.35 7/64, 1/8, 9/64, 5/32
- 28501 - TorqueVario-S handle Range 15 - 80 Inch/oz (+/- 10%)

Wiha Power Bit Belt Packs




**74983 Power Bit Belt Pack With Slotted, Phillips & TORX® Bits Includes the following 10 bits:**

-  **Slotted:** 4.5, 5.5, 6.5mm 
-  **Phillips:** #1, 2, 3 lbs.
-  **TORX®:** T10, T15, T20, T25 .30







**28595 53 Pc. TorqueVario-S Bit Set, In Storage Box**

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes ergonomic multi-component adjustable TorqueVario-S handle, 50 Insert bits, 1/4" Bit holder and Torque adjustment tool.

- Item No.** **28595**
-  **Slotted:** 4.5, 5.5, 6.5, 8.0mm lbs.
- Phillips:** #0, #1, #2, #3
- 2.85 TORX®:** T6, T7, T8, T9, T10, T15, T20, T25, T27, T30
- Hex Inch:** 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"
- Hex Metric:** 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm
- Pozidriv:** #0, #1, #2, #3
- Torq Set:** #4, #5, #6, #8
- Square:** #1, #2, #3
- Triwing:** #0, #1, #2, #3, #4
- 28506-Handle Range 10 - 50 In/lbs.
- 28581 - 1/4" Bit Holder




**74988 Power Bit Belt Pack With Slotted, Phillips & Square Bits Includes the following 10 bits:**

-  **Slot:** 3.0, 4.5, 5.5, 6.5mm 
-  **Phillips:** #1, 2, 3 lbs.
-  **Square:** #1, 2, 3 .30



**28589 59 Piece TorqueVario-S Bit Set, In Storage Box**

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes 3 ergonomic multi-component adjustable TorqueVario-S handles, 39 Insert bits, 15 Sockets, 1/4" Bit holder, 1/4" Hex to 1/4" Square adapter and Torque adjustment tool.

- Item No.** **Slotted:** 4.5, 5.5, 6.5mm
- 28589 Phillips:** #0, 1, 2
-  **TORX®:** T5, T6, T7, T8, T9, T10, lbs. T15, T20, T25, T30
- 2.73 Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"
- Hex Metric:** 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm
- Pozidriv:** #1, 2 & **Square:** #1, 2, 3
- Inch Sockets:** 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 3/8"
- Metric Sockets:** 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0mm
- 3 Handles:** 15-80 Inch/oz., 5-10 & 10-50 In/lbs.



Micro Bits Made in Germany

## Wiha SYSTEM 4 Micro Bits - 10 Bit Packs



CVM steel, hardened,  
on 4 mm hex stock.



Tips Exact fit,  
precision machined

Bits High alloy  
CVM steel,  
hardened

Use bits directly in handle or  
with 4" bit extension



10 Bit Pack

### 756 SYSTEM 4 Slotted Micro Bits

Item No.	mm	mm	Inch	lbs.
75602	0.8	28	1.1	.06
75603	1.2	28	1.1	.06
75604	1.5	28	1.1	.06
75605	1.8	28	1.1	.06
75606	2.0	28	1.1	.07
75607	2.5	28	1.1	.07
75608	3.0	28	1.1	.07
75609	3.5	28	1.1	.07
75610	4.0	28	1.1	.08



10 Bit Pack

### 756 SYSTEM 4 Phillips Micro Bits

Item No.	Size	mm	Inch	lbs.
75611	000	28	1.1	.06
75612	00	28	1.1	.06
75613	0	28	1.1	.06
75614	1	28	1.1	.07
75615	2	28	1.1	.07



10 Bit Pack

### 756 SYSTEM 4 Pentalobe Micro Bits

Item No.	Size	mm	Inch	lbs.
75672	PL1	28	1.1	.06
75673	PL2	28	1.1	.06
75674	PL3	28	1.1	.07
75675	PL4	28	1.1	.07
75676	PL5	28	1.1	.07
75677	PL6	28	1.1	.08



10 Bit Pack

### 756 SYSTEM 4 Hex Metric Micro Bits

Item No.	mm	mm	Inch	lbs.
75616	.7	28	1.1	.06
75617	.9	28	1.1	.06
75618	1.3	28	1.1	.06
75619	1.5	28	1.1	.07
75620	2.0	28	1.1	.07
75621	2.5	28	1.1	.07
75622	3.0	28	1.1	.08
75623	4.0	28	1.1	.08



10 Bit Pack

### 756 SYSTEM 4 Hex Inch Micro Bits

Item No.	Inch	mm	Inch	lbs.
75628	.028	28	1.1	.06
75629	.035	28	1.1	.06
75630	.050	28	1.1	.06
75631	1/16	28	1.1	.06
75632	5/64	28	1.1	.06
75633	3/32	28	1.1	.07
75634	7/64	28	1.1	.07
75635	1/8	28	1.1	.07
75636	9/64	28	1.1	.08
75637	5/32	28	1.1	.08



10 Bit Pack

### 756 SYS 4 Metric Security Hex Micro Bits


Item No.	mm	mm	Inch	lbs.
75624	2.0	28	1.1	.06
75625	2.5	28	1.1	.07
75626	3.0	28	1.1	.07
75627	4.0	28	1.1	.08



10 Bit Pack

### 756 SYS 4 Security Hex Inch Micro Bits

Item No.	Inch	mm	Inch	lbs.
75638	5/64	28	1.1	.06
75639	3/32	28	1.1	.06
75640	7/64	28	1.1	.07
75641	1/8	28	1.1	.07
75642	9/64	28	1.1	.08
75643	5/32	28	1.1	.08



10 Bit Pack

### 756 SYSTEM 4 TORX Micro Bits

Item No.	Size	mm	Inch	lbs.
75660	T1	28	1.1	.06
75661	T2	28	1.1	.06
75662	T3	28	1.1	.06
75663	T4	28	1.1	.06
75664	T5	28	1.1	.06
75665	T6	28	1.1	.06
75666	T7	28	1.1	.06
75667	T8	28	1.1	.07
75668	T9	28	1.1	.07
75669	T10	28	1.1	.07
75670	T15	28	1.1	.08
75671	T20	28	1.1	.08



10 Bit Pack

### 756 SYSTEM 4 Security TORX Micro Bits


Item No.	Size	mm	Inch	lbs.
75678	T7s	28	1.1	.06
75679	T8s	28	1.1	.06
75680	T9s	28	1.1	.06
75681	T10s	28	1.1	.07
75682	T15s	28	1.1	.07
75683	T20s	28	1.1	.08



10 Bit Pack

### 756 SYSTEM 4 Inch Nut Setters

Item No.	Inch	mm	mm	Inch	lbs.
75644	5/64	30		1.2	.07
75645	3/32	30		1.2	.07
75646	7/64	30		1.2	.07
75647	1/8	30		1.2	.07
75648	9/64	30		1.2	.08
75649	5/32	30		1.2	.08
75650	3/16	30		1.2	.08
75651	7/32	30		1.2	.09



10 Bit Pack

### 756 SYSTEM 4 Metric Nut Setters

Item No.	Metric	mm	mm	Inch	lbs.
75652	2.0	30		1.2	.07
75653	2.5	30		1.2	.07
75654	3.0	30		1.2	.07
75655	3.5	30		1.2	.07
75656	4.0	30		1.2	.08
75657	4.5	30		1.2	.08
75658	5.0	30		1.2	.08
75659	5.5	30		1.2	.09

Wiha SYSTEM 4 Micro Bits - On 4mm Hex Stock

**SYSTEM 4 Handles & Micro Bits**



**Rotating Cap**  
for precise turning and control





**Tips**  
Exact fit, precision machined

**Tapered Handle**  
allows rapid rotation, requires less clearance





**Bits High alloy**  
CVM steel, hardened

Use bits directly in handle or with 4" bit extension


**750 SYSTEM 4 Slotted Micro Bits**  
CVM steel, hardened, on 4 mm hex stock.

Item				
No.	mm	mm	Inch	lbs.
75008	0.8	28	1.1	.01
75012	1.2	28	1.1	.01
75015	1.5	28	1.1	.01
75018	1.8	28	1.1	.01
75020	2.0	28	1.1	.01
75025	2.5	28	1.1	.01
75030	3.0	28	1.1	.01
75035	3.5	28	1.1	.01
75040	4.0	28	1.1	.01





**757 SYSTEM 4 TORX® Micro Bits**  
CVM steel, hardened, on 4 mm stock.

Item				
No.	Size	mm	Inch	lbs.
75701	T1	28	1.1	.01
75702	T2	28	1.1	.01
75703	T3	28	1.1	.01
75704	T4	28	1.1	.01
75705	T5	28	1.1	.01
75706	T6	28	1.1	.01
75707	T7	28	1.1	.01
75708	T8	28	1.1	.01
75709	T9	28	1.1	.01
75710	T10	28	1.1	.01
75715	T15	28	1.1	.01
75720	T20	28	1.1	.01





**75800 SYSTEM 4 Standard Precision Bit**  
Handle Accepts all SYSTEM 4 Series bits.  
110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
75800	4.0	.1574	14.0	.55	.06

**753 SYSTEM 4 Hex Metric Micro Bits**  
CVM steel, hardened, on 4 mm hex stock.






Item				
No.	mm	mm	Inch	lbs.
75307	.7	28	1.1	.01
75309	.9	28	1.1	.01
75313	1.3	28	1.1	.01
75315	1.5	28	1.1	.01
75320	2.0	28	1.1	.01
75325	2.5	28	1.1	.01
75330	3.0	28	1.1	.01
75340	4.0	28	1.1	.01

**757 SYSTEM 4 Security TORX® Micro Bits**  
CVM steel, hardened, on 4 mm stock.





Item				
No.	Size	mm	Inch	lbs.
75727	T7s	28	1.1	.01
75728	T8s	28	1.1	.01
75729	T9s	28	1.1	.01
75735	T10s	28	1.1	.01
75739	T15s	28	1.1	.01
75742	T20s	28	1.1	.01

**75801 SYSTEM 4 ESD Safe Dissipative Precision Bit Handle** 110mm/4.3" OAL  
Advantages:





- For working in ESD sensitive applications  
Surface resistant 10<sup>6</sup>-10<sup>9</sup> Ohms
- Ball retainer holds bits securely in place
- Accepts all SYSTEM 4 Series bits

Item					
No.	mm	Inch	mm	Inch	lbs.
75801	4.0	.1574	14.0	.55	.06





**753 SYS 4 Metric Security Hex Micro Bits**  
CVM steel, hardened, on 4 mm hex stock.

Item				
No.	mm	mm	Inch	lbs.
75322	2.0	28	1.1	.01
75327	2.5	28	1.1	.01
75332	3.0	28	1.1	.01
75342	4.0	28	1.1	.01

**753 SYSTEM 4 Hex Inch Micro Bits**  
CVM steel, hardened, on 4 mm hex stock.

Item				
No.	Inch	mm	Inch	lbs.
75307	.028	28	1.1	.01
75309	.035	28	1.1	.01
75313	.050	28	1.1	.01
75350	1/16	28	1.1	.01
75352	5/64	28	1.1	.01
75354	3/32	28	1.1	.01
75356	7/64	28	1.1	.01
75358	1/8	28	1.1	.01
75360	9/64	28	1.1	.01
75340	5/32	28	1.1	.01

**753 SYS 4 Security Hex Inch Micro Bits**

Item				
No.	Inch	mm	Inch	lbs.
75362	5/64	28	1.1	.01
75364	3/32	28	1.1	.01
75366	7/64	28	1.1	.01
75368	1/8	28	1.1	.01
75370	9/64	28	1.1	.01
75372	5/32	28	1.1	.01

## Wiha SYSTEM 4 Micro Bits



**757 SYSTEM 4 Pentalobe Micro Bits**  
CVM steel, hardened, on 4 mm hex stock.

Item No.	Size	mm	Inch	lbs.
75743	PL1	28	1.1	.01
75744	PL2	28	1.1	.01
75745	PL3	28	1.1	.01
75746	PL4	28	1.1	.01
75747	PL5	28	1.1	.01
75748	PL6	28	1.1	.01



**758 SYSTEM 4 Inch Nut Setters**  
CVM steel, hardened, on 4 mm hex stock.

Item No.	Inch	mm	mm	Inch	lbs.
75810	5/64	30	1.2	.01	
75811	3/32	30	1.2	.01	
75812	7/64	30	1.2	.01	
75813	1/8	30	1.2	.01	
75814	9/64	30	1.2	.01	
75815	5/32	30	1.2	.01	
75816	3/16	30	1.2	.01	
75817	7/32	30	1.2	.01	



**758 SYSTEM 4 Metric Nut Setters**  
CVM steel, hardened, on 4 mm hex stock.

Item No.	Metric	mm	mm	Inch	lbs.
75820	2.0	30	1.2	.01	
75821	2.5	30	1.2	.01	
75822	3.0	30	1.2	.01	
75823	3.5	30	1.2	.01	
75824	4.0	30	1.2	.01	
75825	4.5	30	1.2	.01	
75826	5.0	30	1.2	.01	
75827	5.5	30	1.2	.01	

## Micro Bit 4mm To 1/4" Socket Adapter



**75806 Micro Bit 4mm to 1/4" Socket Adapter**  
CVM steel, hardened.

Item No.	mm	Inch	lbs.
75806	28	1.125	.02

## SYSTEM 4 Micro Bit Extension Blades



**75900 Extension Blade For SYS 4 Micro Bits**  
Shaft CVM steel, hardened, corrosion protected.  
Ball retainer bit extension for 4mm bits.

Item No.	Size	mm	mm	lbs.
75900	4.0	100	4.0	.07



**75901 Magnetic Bit Extension Blade For SYS 4 Micro Bits**  
Shaft CVM steel, hardened, corrosion protected. Magnetic bit holder.

Item No.	Size	mm	mm	lbs.
75901	4.0	100	4.0	.04

## Micro Bit 1/4" Drive Power Tool Adapter



**75902 Micro Bit 1/4" Drive Power Tool Adapter**  
Shaft CVM steel, hardened, corrosion protected. For 4mm bits. 2.3" OAL

Item No.	Size	mm	mm	lbs.
75902	4.0	60	4.0	.07

## 1/4" Drive Micro Bit Tool Adapters



**75802 Micro Bit To 1/4" Drive Insert Bit Adapter**  
magnets to hold 4mm Micro Bits

Item No.	Size	mm	mm	lbs.
75802	4.0	25	4.0	.01

**75803 Long Micro Bit To 1/4" Drive Insert Bit Adapter**  
Uses spring clip non-magnetic to hold 4mm Micro Bits

Item No.	Size	mm	mm	lbs.
75803	4.0	38	4.0	.02

## Wiha SYS 4 Micro Bits Compact Bit Sets



**75968 SYSTEM 4 Master Tech Micro Bit Set, 68 Pcs.** Includes Wiha ESD Safe Precision Handle, Micro Bit Storage Handle, 1/4" to 4mm Adapter, 100mm Bit Extension & 64 Micro Bits.

- Item No. SYSTEM 4 Micro Bit Set**
- 75968 Includes The Following Bits:**
- Slotted: 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
  - Phillips: 000, 00, 0, 1, 2
  - TORX®: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10, T15, T20
  - Hex Metric: 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
  - Hex Inch: .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
  - Pentalobe: PL1, PL2, PL3, PL4, PL5, PL6
  - Nut Driver Metric: 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5mm
  - Nut Driver Inch: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32"
  - lbs. .70




**75971 SYSTEM 4 Master Tech Micro Bit Set, 68 Pcs.** Includes Wiha ESD Safe Precision Handle, Micro Bit Storage Handle, 1/4" to 4mm Adapter, 100mm Bit Extension & 64 Micro Bits.

- Item No. SYSTEM 4 Micro Bit Set**
- 75971 Includes The Following Bits:**
- Slotted: 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
  - Phillips: 000, 00, 0, 1, 2
  - TORX®: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10, T15, T20
  - Hex Metric: 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
  - Hex Inch: .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
  - Pentalobe: PL1, PL2, PL3, PL4, PL5, PL6
  - Nut Driver Metric: 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5mm
  - Nut Driver Inch: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32"
  - lbs. .96




**Wiha SYS 4 Micro Bits & Compact Bit Sets**




**75996 SYSTEM 4 Interchangeable Bit Set, 40 Pcs.** Includes Wiha precision handle, bit extension & 38 interchangeable bits.

Item	SYSTEM 4
No.	Combination Bit Set
75996	Set with ESD Safe Precision Handle
<b>Set includes the following bits:</b>	
↓	<b>Slotted:</b> 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
+	<b>Phillips:</b> 000, 00, 0, 1
⊗	<b>TORX®:</b> T3, T4, T5, T6, T7, T8, T9, T10, T15
⬡	<b>Hex Metric:</b> 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
⬡	<b>Hex Inch:</b> .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
○	<b>100mm Bit Extension</b>
↔	lbs. 1.04




**75994 SYSTEM 4 Slotted/Phillips/Hex Metric/TORX® Precision Interchangeable Bit Set, 27 Pcs. In Compact Fold Out Box.** Set includes Wiha precision handle, bit extension & 25 Wiha interchangeable bits.

Item	SYSTEM 4
No.	Combination Bit Set
75994	Set with ESD Safe Precision Handle
<b>Set includes the following bits:</b>	
↓	<b>Slotted:</b> 1.5, 2.0, 3.0, 4.0mm
+	<b>Phillips:</b> 000, 00, 0, 1
⊗	<b>TORX®:</b> T3, T4, T5, T6, T7, T8, T9, T10, T15
⬡	<b>Hex Metric:</b> .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
○	<b>100mm Bit Extension</b>
↔	lbs. .64



**75995 SYS 4 Precision Interchangeable Bit Set, 26 Pcs. In Compact Fold Out Box** Sets includes Wiha precision handle, bit extension & 24 Wiha interchangeable bits.

Item	SYSTEM 4 Micro Bit Set
No.	Set with ESD Safe Precision Handle
75995	and the following bits:
⊗	<b>TORX®:</b> T1, T2, T3, T4, T5, T6, T7, T8, T9, T10
⊕	<b>Pentalobe:</b> PL1, PL2, PL3, PL4, PL5, PL6
↓	<b>Slotted:</b> 1.5, 2.0, 2.5, 3.0mm
+	<b>Phillips:</b> #000, 00, 0, 1
○	<b>100mm Bit Extension</b>
↔	lbs. .54




**75999 SYSTEM 4 Slotted, Phillips, Hex Inch & Metric Precision Interchangeable Bit Set, 26Pc.** Wiha precision handle, bit extension & 24 interchangeable bits.

Item No.	Combination Bit Set
75999	Set with Standard Precision Handle
<b>Set includes the following bits:</b>	
↓	<b>Slotted:</b> 1.5, 2.0, 3.0, 4.0mm
+	<b>Phillips:</b> 000, 00, 0, 1
⬡	<b>Hex Metric:</b> .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
⬡	<b>Hex Inch:</b> .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
○	<b>100mm Bit Extension</b>
↔	lbs. .64



**75395 SYS 4 Hex Inch & Metric Precision Interchangeable Bit Set, 18 Pcs. In Compact Fold Out Box.** Wiha precision handle, bit extension and 16 Wiha interchangeable bits.

Item No.	Combination Bit Set
75395	Set with Standard Precision Handle
<b>Includes the following bits:</b>	
⬡	<b>Hex Metric:</b> .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
⬡	<b>Hex Inch:</b> .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
○	<b>100mm Bit Extension</b>
↔	lbs. .58



**759 sets SYS 4 Slotted / Phillips / Hex In / TORX® Precision Interchangeable Bit Set, 27 Pcs. In Compact Fold Out Box.** Sets include your choice of Wiha precision handle, bit extension & 25 Wiha interchangeable bits.

Item	Handle Options for SYSTEM 4
No.	Combination Bit Sets
75991	Set with Standard Precision Handle
75992	Set with ESD Safe Precision Handle
<b>Sets include the following bits:</b>	
↓	<b>Slotted:</b> 1.5, 2.0, 3.0, 4.0mm
+	<b>Phillips:</b> 000, 00, 0, 1
⊗	<b>TORX®:</b> T3, T4, T5, T6, T7, T8, T9, T10, T15
⬡	<b>Hex Inch:</b> .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
○	<b>100mm Bit Extension</b>
↔	lbs. .64



## Wiha Master Tech Micro Bit Sets





- 75965 SYSTEM 4 Master Tech ESD & Ratchet With Micro Bits, 65 Pieces In Storage Box.** Includes Wiha precision ESD Safe handle, micro bit extension, 72 tooth 1/4" ratchet & 62 interchangeable micro bits.
- Item** Includes the following micro bits:
- No.** **Slotted:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 75965 3.0, 3.5, 4.0mm
- Phillips:** 000, 00, 0, 1
- lbs.** **TORX®:** T3, T4, T5, T6, T7, T8, 1.16 T9, T10, T15, T20
- Hex Metric:** .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- Nut Drivers Metric:** 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5mm
- Nut Drivers Inch:** 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32"
- Pentalobe:** PL1, PL2, PL3, PL4, PL5, PL6
- Magnetic 1/4" to 4mm Adapter




- 75977 SYSTEM 4 Master Tech Micro Bit Set, 68 Pcs.** Includes Wiha ESD Safe Precision Handle, ESD Safe Tweezers, 1/4" to 4mm Adapter, 100mm Bit Extension & 64 Micro Bits.
- Item No. SYSTEM 4 Micro Bit Set**
- 75977 Includes The Following Bits:**
- Slotted:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
- lbs.** 1.00 **Phillips:** 000, 00, 0, 1, 2
- TORX®:** T1, T2, T3, T4, T5, T6, T7, T8, T9, T10, T15, T20
- Hex Metric:** 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- Hex Inch:** .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- Pentalobe:** PL1, PL2, PL3, PL4, PL5, PL6
- Nut Driver Metric:** 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5mm
- Nut Driver Inch:** 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32"
- ESD Fine Round Point Tweezers 3cSA

## Technician's Micro Bit Sets

- Micro Precision Bits on 4mm Hex Drive
  - Bits of Exclusive CRM-72 Tool Steel
  - Handle uses non-magnetic ball retainer
  - Use bits in extension only
  - Standard extension adds 4" to length
  - Non-magnetic bit extension
- Surface resistance of handles is 10<sup>9</sup> - 10<sup>10</sup> Ohms



- 75093 SYSTEM 4 Slotted, Phillips, TORX® Compact ESD Precision Interchangeable Bit Set, 16 Pcs.** Wiha precision handle, bit extension & 14 interchangeable bits.
- Item No. Combination Bit Set**
- 75093** Set with ESD Safe Precision Handle
- Slotted:** 1.5, 2.0, 2.5, 3.0mm
- Phillips:** 00, 0, 1
- lbs.** **TORX®:** T6, T7, T8, T9, T10, T15, T20
- .17 **100mm Bit Extension**




- 75094 SYS 4 Slotted, Phillips, Hex Inch Compact ESD Precision Interchangeable Bit Set, 16 Pcs.** Wiha precision handle, bit extension & 14 interchangeable bits.
- Item No. Combination Bit Set**
- 75094** Set with ESD Safe Precision Handle
- Slotted:** 1.5, 2.0, 2.5, 3.0mm
- Phillips:** 00, 0, 1
- Hex Inch:** .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8"
- lbs.** .17 **100mm Bit Extension**



- 75095 SYS 4 Slotted, Phillips, Hex Metric Compact ESD Precision Interchangeable Bit Set, 16 Pcs.** Wiha precision handle, bit extension & 14 interchangeable bits.
- Item No. Combination Bit Set**
- 75095** Set with ESD Safe Precision Handle
- Slotted:** 1.5, 2.0, 2.5, 3.0mm
- Phillips:** 00, 0, 1
- Hex Metric:** .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- lbs.** .17 **100mm Bit Extension**

- 75096 SYSTEM 4 Hex Inch & Metric Compact ESD Precision Interchangeable Bit Set, 16 Pcs.** Wiha precision handle, bit extension & 14 interchangeable bits.
- Item No. Combination Bit Set**
- 75096** Set with ESD Safe Precision Handle
- Hex Inch:** 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- Hex Metric:** .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- lbs.** .17 **100mm Bit Extension**




- 75097 SYS 4 Slotted, Phillips & 5Point Compact ESD Precision Interchangeable Bit Set, 16 Pcs.** Wiha precision handle, bit extension & 14 interchangeable bits.
- Item No. Combination Bit Set**
- 75097** Set with ESD Safe Precision Handle
- Slotted:** 1.2, 1.5, 2.0, 2.5, 3.0mm
- Phillips:** 000, 00, 0, 1, 2
- Pentalobe:** PL1, PL2, PL3, PL4
- lbs.** .17 **100mm Bit Extension**



**Micro Bit Handle Storage Sets**


Micro precision bits on 4mm hex drive



Storage handle


Bits hardened for extreme durability


Bits of exclusive CRM-72 tool steel



**75981 Micro Bit Handle Storage Slotted & Phillips Bit Set, 7 Pcs.** Wiha precision storage handle & 6 interchangeable bits.

**Item No. Set with Precision Storage Handle**

**75981**  **Slotted:** 1.2, 1.5, 2.0mm

lbs. .12  **Phillips:** 000, 00, 0



**75983 Micro Bit Handle Storage Hex Inch Bit Set, 7 Pcs.** Wiha precision storage handle & 6 interchangeable bits.

**Item No. Set with Precision Storage Handle**


**75983**  **Hex Inch:** .050, 1/16, 5/64,


lbs. .12 **3/32, 7/64, 1/8"**



**75985 Micro Bit Handle Storage TORX® Bit Set, 7 Pcs.** Wiha precision storage handle & 6 interchangeable bits.

**Item No. Set with Precision Storage Handle**




**75985**  **TORX®:** T3, T4, T5, T6, T7, T8

lbs. .12 



**75805 SYS 4 Micro Bit Storage Handle**

Accepts SYS 4 Series bits. 108mm/4.25" OAL

Item			
No.	mm	Inch	lbs.
<b>75805</b>	4.0	.1574	.05

**ESD Safe Cushion Grip Bit Holders**

 **ESD Safe** Bit holders without magnetics



For working on static sensitive components

Dissipative material offers protection against electrostatic discharge

Surface resistance of handles is 10<sup>6</sup> - 10<sup>9</sup> Ohms

**28180 ESD Safe Stubby 1/4" Bit Holder With Ring Retainer, Wiha-SoftFinish® Cushion Grip Handle, IEC 61340-5-1, DIN 3126, ISO 1173** Dissipative SoftFinish® cushion grip handle, multi-component, ESD Safe surface resistance 10<sup>6</sup> - 10<sup>9</sup> Ohm.

Item					
No.	Inch	mm	Inch	lbs.	pkg.
<b>28180</b>	1/4"	57	2.2	.11	1

**38701 ESD Safe Quick Release 1/4" Bit Holder, With Wiha-SoftFinish® Cushion Grip Handle, IEC 61340-5-1, DIN 3126, ISO 1173** Stainless steel with retaining ring bit holder. Dissipative SoftFinish® cushion grip handle, multi-component, ESD Safe surface resistance 10<sup>6</sup> - 10<sup>9</sup> Ohm.

Item							
No.	Inch	mm	Inch	mm	Inch	lbs.	pkg.
<b>38701</b>	1/4"	148	5.8	38	1.5	.24	1


**In Durable Pouch**

Surface resistance of handle is 10<sup>6</sup> - 10<sup>9</sup> Ohms



**38790 ESD Safe 1/4" Quick Release Blade Holder Set 20 Pc. Set With Interchangeable Blades & Quick Release Blade Holder Extension**

Blades are CVM tool steel, hardened.

**Item No. 38790**  lbs. .67


**Slotted:** 2.5, 3.0, 3.5, 4.0, 5.5, 6.5mm

**Phillips:** 0, 1, 2

**TORX®:** T6, T7, T8, T9, T10, T15

**Pozidriv®:** 0, 1, 2

**Wiha Magnetic Bit Holders**



Pull Sleeve Forward

Remove Bit







Insert New Bit

Pull Sleeve Back To Lock

- Narrow Profile
- One handed bit changes
- Internal bit lock mechanism



**714 ClicFix Bit Holder, Magnetic For Insert Bits**

Item						
No.	Size	Size mm	Inch	lbs.	pkg.	
<b>71490</b>	1/4"	1/4"	60	2.4	.07	1
<b>71491</b>	1/4"	1/4"	75	2.9	.07	1



**38060 Mini Bit Ratchet & ClicFix Set**

Extra fine 72 tooth ratchet, rugged drop forged steel. ClicFix quick release holder, precision narrow profile, magnetic. Accepts 1/4" Bits.

**Item No. Includes Phillips: #2**






**38060**  lbs. .28

**High Precision Tool Holder**

Quick release tool holder for Drills, Countersinks & Power bits



**71480 CentroFix Bit Holder**

Item					
No.	Size	Size mm	Inch	lbs.	pkg.
<b>71480</b>	1/4"	1/4"	60	2.4	.09 1

## Wiha Cushion Grip Pistol Ratchet & Adapters



Bit Holder in the handle can hold up to 6 bits

### 39210 Cushion Grip Pistol Ratchet

Finely serrated ratchet with 72 teeth enables 5° switching angle. Cushion grip handle for high torque.

Item					
No.	Size mm	Inch mm	Inch lbs.	pkg.	
39210	6.0	107 4.2	121 4.8	.42	1

## Adapters For Pistol Ratchets



**39251 Pistol Ratchet Power Bit Holder 1/4" Drive Bits - Magnetic** Shaft CVM steel, hardened, corrosion protected.

Item					
No.	Size mm	mm lbs.	pkg.		
39251	1/4	6.0 50	.04	1	

**39256 Pistol Ratchet Socket Adapter 1/4" Square Sockets** Shaft CVM steel, hardened, corrosion protected.

Item					
No.	Size mm	lbs.	pkg.		
39256	1/4	53	.04	1	

**39257 Pistol Ratchet Socket Adapter 3/8" Square Sockets** Shaft CVM steel, hardened, corrosion protected.

Item					
No.	Size mm	lbs.	pkg.		
39257	3/8	53	.06	1	

**39258 Pistol Ratchet Adapter Fits Drive-Loc VI Blades** Shaft CVM steel, hardened, corrosion protected.

Item					
No.	Size mm	lbs.	pkg.		
39258	6.0	59	.04	1	

## Wiha Bit Holders



**38030 ClicFix Quick Release Magnetic Bit Holder** Blade high alloy CVM steel, hardened, hard chrome. Wiha Powerhandle impact resistant.

Item					
No.	Size mm	Inch mm	Inch lbs.	pkg.	
38030	1/4"	120 4.7	230 9.0	.27	1

**38800 Bit Holder With Wiha T-handle** Retainer out of stainless steel. Wiha-T-handle high quality plastic, impact resistant.

Item					
No.	Size mm	Inch mm	Inch lbs.	pkg.	
38800	1/4"	150 6.0	80 3.0	.18	1

**38600 Bit Holder 1/4" with Retaining Ring With Flexible Shaft** Wiha-SoftFinish® handle multi-component, cushion grips.

Item					
No.	Inch mm	Inch mm	Inch lbs.	pkg.	
38600	1/4"	150 5.9	268 10.6	.30	1

**28103 Magnetic 1/4" Bit Holder With Wiha SoftFinish® Stubby Handle** Stainless steel with strong magnet. Wiha-SoftFinish® handle multi-component, cushion grips.

Item					
No.	Inch mm	Inch lbs.	pkg.		
28103	1/4"	57	2.2	.11	1

**28489 Drive-Loc VI Bit Holder** High alloy CVM steel, through hardened, hard chrome finish. Wiha-SoftFinish® handle multi-component, cushion grips.

Item					
No.	Inch	Extends	lbs.	pkg.	
28489	1/4"	1-3/4" to 4-7/8"	.36	1	

### Magnetic

**384 1/4" Magnetic Bit Holding Drivers, With Wiha SoftFinish® Handle** Ergonomic cushion grip, magnetic, holds bit and screw. Shaft CVM steel, nickel-plated.

Item					
No.	Size mm	Inch mm	Inch lbs.		
38450	1/4"	125 5.0	240 9.46	.23	
38460	1/4"	300 11.8	400 15.69	.37	

**52650 1/4" Bit holding Screwdriver, With Wiha MicroFinish Handle** Retainer out of stainless steel. Shaft CVM steel, nickel-plated. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil & grease resistant.

Item					
No.	Size mm	Inch mm	Inch lbs.	pkg.	
52650	1/4"	125 5.0	244 9.6	.24	1

**48401 1/4" Bit holding Screwdriver, With Wiha Ergo 3K Handle** Magnetic, holds bit and screw. Retainer out of stainless steel. Shaft CVM tool steel, nickel plated.

Item					
No.	Size mm	Inch mm	Inch lbs.	pkg.	
48401	1/4"	125 5.0	211 8.3	.24	1

**48400 1/4" Bit Holding Screwdriver, With Wiha Protorn Handle** Magnetic, holds bit and screw. Shaft CVM steel, nickel-plated. Handle, molded on, impact resistant.

Item					
No.	Size mm	Inch mm	Inch lbs.	pkg.	
48400	1/4"	125 5.0	243 9.6	.24	10

**66850 1/4" Bit Holding Screwdriver, With Wiha Protorn Precision handle.** Magnetic, holds bit and screw. Retainer out of stainless steel. Shaft CVM steel, nickel-plated.

Item					
No.	Size mm	Inch mm	Inch lbs.		
66850	1/4"	60	2.36	170 6.7	.07


## Wiha Bit Holders



Holds 6 bits  
(bits not included)

**38025 Magnetic Bit Holder, 1/4"**  
Wiha-Powerhandle, Insulated, impact resistant. Snap-lock rotatable cap. Chambered bit holder equipped with transparent selector for easy selection of bits. 1/4" bit holder, shielded, magnetic, holds bit and screw.


Item	Size	mm	Inch	mm	Inch	lbs.	pkg.
<b>38025</b>	1/4"	120	4.7	230	9.0	.26	1



Holds 6 bits  
(bits not included)

**38015 Magnetic Bit Holder, 1/4"**  
Wiha-Powerhandle impact resistant. Snap-lock rotatable cap. Chambered bit holder equipped with transparent selector for easy selection of bits. 1/4" bit holder, stainless steel, magnetic, holds bit and screw. Shaft CVM steel.

Item	Size	mm	Inch	mm	Inch	lbs.	pkg.
<b>38015</b>	1/4"	120	4.7	230	9.0	.25	1



With magnets

Item	Size	mm	Inch	lbs.
<b>71475</b>	2.4"	60	2.4	.06
<b>71476</b>	3.9"	100	3.9	.09
<b>71477</b>	5.9"	150	5.9	.11
<b>71478</b>	7.9"	200	7.8	.14
<b>71479</b>	9.9"	250	9.8	.17

**71474 5 Pc. Protturn 1/4" Quick Release Bit Holder Set With magnets**  
Includes: 60mm, 100mm, 150mm, 200mm, 250mm lbs. .58



**711 Universal Magnetic Bit Holder, 1/4" For Insert Bits**

Item	Size	Size	mm	Inch	lbs.
<b>71130</b>	1/4"	1/4"	74	2.9	.06
<b>71131</b>	1/4"	1/4"	59	2.3	.05



**71139 Magnetic Bit Holder, 1/4"**

Item	Size	Size	mm	Inch	lbs.
<b>71139</b>	1/4"	1/4"	100	4.0	.08



Holds 1" (25mm) Bits  
All Stainless with Rubber O-Ring

**714 Screw Cap Bit Holder with O-Ring**

Item	Size	Size	mm	Inch	lbs.
<b>71492</b>	1/4"	1/4"	62	2.4	.10 Non Magnetic
<b>71493</b>	1/4"	1/4"	76	3.0	.10 Magnetic

**"SlimFix" Impact Rated**

Rated to 70Nm / 600 In.lbs.

Item	Size	Size	mm	Inch	lbs.
<b>71496</b>	1/4"	1/4"	66.5	2.62	.06


**71496 "SlimFix" Impact Rated Locking 1/4" Bit Holder For 1/4" Insert Bits** Faster, sleeker, more productive "SlimFix" for instant bit changes. Just 10.9mm / 0.42 Diameter. Bit Locks securely in place. CV hardened sleeve.



**71494 Stainless Steel Bit Holder, 1/4" For Insert Bits**

Internal C-ring for bit holding & magnet.

Item	Size	Size	mm	Inch	lbs.
<b>71494</b>	1/4"	1/4"	54	2.1"	.05



Retaining Ring Bit Holders

Magnetic



**714 Bit Holder, Retaining Ring & Magnetic**

Item	Size	Size	mm	Inch	lbs.
<b>71431</b>	1/4"	1/4"	60	2.4	.05
<b>71433</b>	1/4"	1/4"	67	2.6	.05
<b>71435</b>	1/4"	1/4"	100	3.9	.07
<b>71437</b>	1/4"	1/4"	150	5.9	.11
<b>71439</b>	1/4"	1/4"	200	7.8	.13
<b>71441</b>	1/4"	1/4"	253	10.0	.16

**71499 5 Pc. Bit Holder Set In Vinyl Pouch**

Includes: 60mm, 100mm, 150mm, 200mm, 253mm lbs. .60



**71470 Auto Lock Magnetic Bit Holder, Spring Loaded Bit Ejection, 1/4" For Insert & Power Bits**

Item	Size	Size	mm	Inch	lbs.
<b>71470</b>	1/4"	1/4"	60	2.4	.08


## Wiha Inch & Metric Nut Setters

Magnetic 1/4"



**704 Metric Nut Setters Standard With Permanent Industrial Magnet, 1/4" Hex**

Item No.	Size	mm	lbs.
70437	5.0	55	.04
70438	5.5	55	.05
70440	6.0	55	.05
70442	7.0	55	.05
70445	8.0	55	.05
70448	10.0	55	.06
70450	13.0	55	.07



3/8"



**704 Nut Setters Standard. 3/8" Hex Inch** Permanent industrial magnet.

Item No.	Length	mm	lbs.
70474	2.5"	65	.08
70476	4.0"	102	.14
70477	6.0"	152	.18
70479	12.0"	305	.41



4"



**70491 3 pc. Hex Inch Nut Setter Set** Permanent industrial magnet. 102mm OAL

Item No.	lbs.	Set includes the following:
70491	.39	1/4, 5/16, 3/8 x 4.0"



6"



**70492 3 pc. Hex Inch Nut Setter Set** Permanent industrial magnet. 152mm OAL

Item No.	lbs.	Set includes the following:
70492	.54	1/4, 5/16, 3/8 x 6.0"




12"



**70493 3 pc. Hex Inch Nut Setter Set** Permanent industrial magnet. 305mm OAL

Item No.	lbs.	Set includes the following:
70493	1.03	1/4, 5/16, 3/8 x 12.0"



Canvas Belt Clip Pouch



**74990 19 Pc. Quick Change Bit Belt Pack Set, Includes: 1/4" quick release bit holder and the following 1/4" bits and Nut Setters:**

- ⦿ Slotted - Power: 4.5, 5.5, 6.5mm x 50mm
- ⊕ Phillips - Power: #1, #2, #3 x 50mm
- ⦶ Square - Power: #1, #2, #3 x 50mm
- ⦿ Torx® - Insert: T10, T15, T20, T25, T27, T30 x 25mm
- ⦶ Nut Setters-Power: 1/4, 5/16, 3/8" Magnetic lbs. .93

Non Magnetic



**704 Nut Setters Standard. 1/4" Hex Inch**

Item No.	Size	mm	lbs.
70424	1/4	55	.05
70427	5/16	55	.05
70430	3/8	55	.06

1/4"



**704 Nut Setters Standard. 1/4" Hex Inch** Permanent industrial magnet.

Item No.	Length	mm	lbs.
70462	2.5"	65	.06
70463	4.0"	102	.10
70464	6.0"	152	.15
70466	12.0"	305	.27

55mm



**70494 3 pc. Hex Metric Nut Setter Set** Permanent industrial magnet. 55mm OAL Hex Metric Nut Setters.

Item No.	lbs.	Set includes the following:
70494	.21	7, 8, 10 x 55mm

5/16"



**704 Nut Setters Standard. 5/16" Hex Inch** Permanent industrial magnet.

Item No.	Length	mm	lbs.
70468	2.5"	65	.07
70469	4.0"	102	.12
70470	6.0"	152	.17
70472	12.0"	305	.28

2.5"



**70490 3 pc. Hex Inch Nut Setter Set** Permanent industrial magnet. 65mm OAL Hex Inch Nut Setters.

Item No.	lbs.	Set includes the following:
70490	.25	1/4, 5/16, 3/8 x 2.5"

**Wiha TORX®, TORXPlus® & Security TORX® Bit Sockets**



**761 TORX® Sockets** 1/4" Square Drive

Item	No.	Size	mm	lbs.
	76106	T6	38	.04
	76107	T7	38	.04
	76109	T8	38	.04
	76111	T9	38	.04
	76113	T10	38	.04
	76117	T15	38	.04
	76119	T20	38	.04
	76121	T25	38	.04
	76123	T27	38	.04
	76129	T30	38	.05
	76131	T40	38	.05



**763 TORX® Sockets** 3/8" Square drive, Set screw replaceable bit. 1/4" bits.

Item	No.	Size	mm	lbs.
	76312	T9	42	.09
	76314	T10	42	.09
	76316	T15	42	.09
	76318	T20	42	.09
	76322	T25	42	.09
	76324	T27	42	.09
	76326	T30	42	.09
	76328	T40	42	.09



**763 TORX® Sockets** 3/8" Square drive, Set screw replaceable bit. 5/16" bits. 2" OAL

Item	No.	Size	mm	lbs.
	76346	T40	51	.11
	76348	T45	51	.11
	76352	T50	51	.11
	76354	T55	51	.13

**1/2" Square Drive Sockets**



**764 TORX® Sockets** 1/2" Square Drive

Item	No.	Size	mm	lbs.	pkg.
	76403	T30	59	.10	1
	76404	T40	59	.10	1
	76405	T45	59	.10	1
	76406	T50	59	.10	1
	76407	T55	59	.11	1
	76408	T60	59	.11	1



**763 Security TORX® Sockets** 3/8" Square drive, 5/16" bits.

Item	No.	Size	mm
	76339	T40s	51
	76340	T45s	51
	76341	T50s	51
	76342	T55s	51



**763 Security TORX® Sockets** 1/4" Square drive, 1/4" bits.

Item	No.	Size	mm
	76329	T7s	38
	76330	T8s	38
	76331	T9s	38
	76332	T10s	38
	76333	T15s	38
	76334	T20s	38
	76335	T25s	38
	76336	T27s	38
	76337	T30s	38
	76338	T40s	38



**701 Security TORX® Sockets** 3/8" Square drive, 1/4" bits. 2" OAL

Item	No.	Size	mm	lbs.
	70107	T7s	42	.09
	70108	T8s	42	.09
	70109	T9s	42	.09
	70110	T10s	42	.09
	70113	T15s	42	.09
	70115	T20s	42	.09
	70117	T25s	42	.09
	70119	T27s	42	.09
	70121	T30s	42	.09
	70123	T40s	42	.09



**764 Security TORX® Sockets** 1/2" Square Drive

Item	No.	Size	mm	lbs.	pkg.
	76411	T40s	59	.11	1
	76412	T45s	59	.11	1
	76413	T50s	59	.11	1
	76414	T55s	59	.12	1



**716 TORXPlus® Sockets** 1/4" Square Drive, Set Screw Replaceable Bit. 1/4" bits

Item	No.	Size	mm	lbs.
	71661	IP6	38	.04
	71662	IP7	38	.04
	71663	IP8	38	.04
	71664	IP9	38	.04
	71665	IP10	38	.04
	71666	IP15	38	.04
	71667	IP20	38	.04
	71668	IP25	38	.04
	71669	IP27	38	.04
	71670	IP30	38	.04
	71671	IP40	38	.04



**716 TORXPlus® Sockets** 3/8" Square Drive, Set Screw Replaceable Bit. 1/4" bits

Item	No.	Size	mm	lbs.
	71673	IP9	42	.09
	71674	IP10	42	.09
	71675	IP15	42	.09
	71676	IP20	42	.09
	71677	IP25	42	.09
	71678	IP27	42	.09
	71680	IP30	42	.09
	71681	IP40	42	.09

**1/2" Square Drive Sockets**



**764 Slotted Bit Sockets** 1/2" Square Drive

Item	No.	mm	mm	lbs.	pkg.
	76417	8	59	.12	1
	76418	10	59	.12	1
	76419	12	59	.12	1



**764 Phillips Bit Sockets** 1/2" Square Drive

Item	No.	Size	mm	lbs.	pkg.
	76422	2	59	.15	1
	76423	3	59	.15	1
	76424	4	59	.15	1

## Hex Inch/Metric Bit Sockets



**713 Hex Sockets** 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item	Hex	Square	Hex	Hex
No.	Inch	mm	lbs.	
71371	1/16	38	.05	
71370	5/64	38	.05	
71372	3/32	38	.05	
71374	7/64	38	.05	
71376	1/8	38	.05	
71378	9/64	38	.05	
71380	5/32	38	.05	
71382	3/16	38	.05	
71384	7/32	38	.05	
71386	1/4	38	.05	



**713 Hex Sockets** 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM tool steel.

Item	Hex	Square	Hex	Hex
No.	Inch	mm	lbs.	
71375	1/8	42	.09	
71377	9/64	42	.09	
71379	5/32	42	.09	
71381	3/16	42	.09	
71383	7/32	42	.09	
71385	1/4	42	.09	
71388	5/16	42	.10	
71390	3/8	42	.10	



**713 Hex Metric Sockets** 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item	Hex	Square	Hex	Hex
No.	mm	mm	lbs.	
71301	1.5	38	.04	
71302	2.0	38	.04	
71305	2.5	38	.04	
71313	3.0	38	.04	
71314	4.0	38	.04	
71317	5.0	38	.05	
71319	6.0	38	.05	
71327	8.0	38	.05	
71340	10.0	38	.05	



**713 Hex Metric Sockets** 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item	Hex	Square	Hex	Hex
No.	mm	mm	lbs.	
71300	2.0	42	.09	
71316	2.5	42	.09	
71341	3.0	42	.09	
71331	4.0	42	.09	
71323	5.0	42	.09	
71325	6.0	42	.09	
71320	8.0	42	.10	
71322	10.0	42	.11	



**713 Hex Metric Sockets** 3/8" Square drive socket. Replaceable bit. 5/16" bits CVM steel.

Item	Hex	Square	Hex	Hex
No.	mm	mm	lbs.	
71332	12.0	75	.22	



**761 Security Hex Inch Sockets** 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item	Hex	Square	Hex	Hex
No.	Inch	mm	lbs.	
76164	5/64	42	.09	
76165	3/32	42	.09	
76166	7/64	42	.09	
76167	1/8	42	.09	
76168	9/64	42	.09	
76169	5/32	42	.09	
76170	3/16	42	.09	
76171	7/32	42	.09	
76172	1/4	42	.09	



**761 Security Hex Metric Sockets** 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item	Hex	Square	Hex	Hex
No.	mm	mm	lbs.	
76132	2.0	42	.09	
76133	2.5	42	.09	
76134	3.0	42	.09	
76135	4.0	42	.09	
76136	5.0	42	.09	
76137	6.0	42	.09	
76138	8.0	42	.09	

## Wiha Ball End Hex Inch & Metric Bit Sockets



**717 Ball End Hex Inch Sockets** 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item	Hex	Square	Hex	Hex
No.	Inch	mm	lbs.	
71761	3/32	38	.05	
71762	7/64	38	.05	
71763	1/8	38	.05	
71764	9/64	38	.05	
71765	5/32	38	.05	
71766	3/16	38	.05	
71767	7/32	38	.05	
71768	1/4	38	.05	



**717 Ball End Hex Metric Sockets** 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item	Hex	Square	Hex	Hex
No.	mm	mm	lbs.	
71771	1.5	51	.11	
71772	2.0	51	.11	
71773	2.5	51	.11	
71774	3.0	51	.11	
71775	4.0	51	.11	
71776	5.0	51	.12	
71777	6.0	51	.12	

## Socket Adapters



**721 Hex To Square** 1/4" socket bit adapter.

Item	Hex	Square	Hex	Hex
No.	Size	mm	Drive	lbs.
72110	1/4"	25	1/4"	.03
72115	1/4"	30	3/8"	.05



**724 Tool Shaft** 1/4" drive socket power adapter.





Item	Hex	Square	Hex	Hex
No.	Drive	mm	Drive	lbs.
72401	1/4"	100	1/4"	.09
72405	1/4"	50	1/4"	.03
72410	1/4"	100	3/8"	.17
72415	1/4"	50	3/8"	.06



**Wiha Bit Holding Socket Replacements**







**72014 1/4" Drive Bit Holding Socket With Retaining Ring** For 1/4" drive bits.

Item				
No.	Bit	mm	Drive	lbs.
72014	1/4"	25	1/4"	.04







**72040 3/8" Drive Bit Holding Socket With Retaining Ring** For 5/16" drive bits.

Item				
No.	Bit	mm	Drive	lbs.
72040	5/16"	25	3/8"	.08







**72038 3/8" Drive Bit Holding Socket With Retaining Ring** For 1/4" drive bits.

Item				
No.	Bit	mm	Drive	lbs.
72038	1/4"	25	3/8"	.08

**Impact Bit Holding Sockets**







**720 Impact Bit Holding Socket With Retaining Ring** For 5/16" drive bits.

Item				
No.	Bit	mm	Drive	lbs.
72004	5/16"	25	1/4"	.04
72005	5/16"	30	3/8"	.04
72006	5/16"	35	1/2"	.04


**Impact Bit Holding Sockets**



**720 Impact Bit Holding Socket With Retaining Ring** For 1/4" drive insert bits.

Item				
No.	Bit	mm	Drive	lbs.
72001	1/4"	25	1/4"	.05
72002	1/4"	30	3/8"	.10
72003	1/4"	35	1/2"	.21




**72090 3 Piece Bit Holding Socket Set** for use with 1/4" insert bits

**Drive:**  lbs. 1/4", 3/8", 1/2" .40

**Wiha Long Blade Sockets & Sets**






**771 Hex Inch Sockets**  
1/4" Drive 6" Long Bit Socket

Item			
No.	Inch	Inch	lbs.
77128	3/32	6	.12
77130	7/64	6	.12
77132	1/8	6	.12
77134	9/64	6	.12
77136	5/32	6	.12
77138	3/16	6	.12
77139	7/32	6	.12
77141	1/4	6	.12

**77191 8 Pc. Hex Inch Socket Blade Set**  
Inch: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"  wt. .97







**771 Hex Inch Sockets**  
3/8" Drive 6" Long Bit Socket

Item			
No.	Inch	Inch	lbs.
77165	3/32	6	.12
77167	7/64	6	.12
77169	1/8	6	.12
77171	9/64	6	.12
77173	5/32	6	.12
77175	3/16	6	.12
77177	7/32	6	.12
77179	1/4	6	.12






**771 Hex Metric Sockets**  
1/4" Drive 6" Long Bit Socket


Item			
No.	mm	Inch	lbs.
77140	2.5	6	.12
77142	3.0	6	.12
77144	4.0	6	.12
77146	5.0	6	.12
77148	6.0	6	.12

**77192 5 Pc. Hex Metric Socket Blade Set**  
Metric: 2.5, 3.0, 4.0, 5.0, 6.0mm  lbs. .51






**771 TORX Sockets**  
1/4" Drive 6" Long Bit Socket

Item			
No.	Size	Inch	lbs.
77151	T8	6	.12
77153	T9	6	.12
77152	T10	6	.12
77154	T15	6	.12
77156	T20	6	.12
77158	T25	6	.12
77160	T27	6	.12
77162	T30	6	.12
77164	T40	6	.12


**77193 7 Pc. TORX Socket Blade Set**  
TORX: T10, T15, T20, T25, T27, T30, T40  wt. .69




**771 TORX Sockets**  
3/8" Drive 6" Long Bit Socket

Item			
No.	Size	Inch	lbs.
77101	T8	6	.12
77103	T9	6	.12
77105	T10	6	.12
77107	T15	6	.12
77109	T20	6	.12
77111	T25	6	.12
77113	T27	6	.12
77115	T30	6	.12
77117	T40	6	.12

**77195 9 Pc. TORX Socket Blade Set**  
TORX: T8, T9, T10, T15, T20, T25, T27, T30, T40  wt. 1.08



**77198 22 Pc. Hex & TORX Long Blade Socket Set, 1/4" Drive**  
Inch Hex: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"  
Metric Hex: 2.5, 3.0, 4.0, 5.0, 6.0mm  
TORX: T8, T9, T10, T15, T20, T25, T27, T30, T40  lbs. 2.82


## Wiha Socket Sets On Molded Rails



<b>76194</b>	<b>6 pc. TORX® Socket Set</b>
1/4" Square Drive Replaceable Bit Socket.	
Bits CVM tool steel.	
Item No.	↕
<b>76194</b>	lbs. <b>Set includes the following:</b>
.20	T10, T15, T20, T25, T27, T30



<b>76395</b>	<b>8 pc. TORX® Socket Set</b>
3/8" Square Drive Replaceable Bit Socket.	
Bits CVM tool steel. OAL 1.5"	
Item	↕
<b>No.</b>	lbs. <b>Set includes the following:</b>
<b>76395</b>	.75 T9, T10, T15, T20, T25, T27, T30, T40



<b>70195</b>	<b>10 pc. Security TORX® Socket Set</b>
1/4" Square drive replaceable bit socket.	
1/4" Bits CVM tool steel.	
Item	↕
<b>No.</b>	lbs. <b>Set includes the following:</b>
<b>70195</b>	.48 T7s, T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s




<b>76191</b>	<b>10 pc. TORX® Socket Set</b>
1/4" Square Drive Replaceable Bit Socket.	
Bits CVM tool steel. OAL 1.5"	
Item	↕
<b>No.</b>	lbs. <b>Set includes the following:</b>
<b>76191</b>	.49 T7, T8, T9, T10, T15, T20, T25, T27, T30, T40



<b>76396</b>	<b>8 pc. TORX® Socket Set</b>
3/8" Square Drive Replaceable Bit Socket.	
1/4" & 5/16" Bits CVM tool steel. OAL 1.65"	
Item	↕
<b>No.</b>	lbs. <b>Set includes the following:</b>
<b>76396</b>	.84 1/4": T20, T25, T27, T30, T40, 5/16": T45, T50, T55



<b>76397</b>	<b>9 pc. Security TORX® Socket Set</b>
1/4" & 3/8" Sq. Drive Replaceable Bit Socket.	
1/4" & 5/16" Bits CVM tool steel.	
Item	↕
<b>No.</b>	lbs. <b>Set includes the following:</b>
<b>76397</b>	.85 1/4": T10s, T15s, T20s, T25s, T27s, T30s, 3/8": T40s (1/4" bit), 3/8": T45s, T50s (5/16" bit)



<b>76490</b>	<b>6 pc. TORX® Socket Set</b>
1/2" Square Drive Replaceable Bit Socket.	
Bits CVM tool steel.	
Item No.	↕
<b>76490</b>	lbs. <b>Set includes the following:</b>
1.06	T30, T40, T45, T50, T55, T60




<b>71698</b>	<b>8 pc. TORXPlus® Socket Set On Rail, In Vinyl Pouch</b>
1/4" & 3/8" Square Drive Replaceable Bit Socket. Bits CVM tool steel.	
Item	↕
<b>No.</b>	lbs. <b>Set includes the following:</b>
<b>71698</b>	.60 1/4": IP9, IP10, IP15, IP20, 3/8": IP25, IP27, IP30, IP40



<b>76399</b>	<b>12 pc. Security TORX® Socket Set</b>
1/4" & 3/8" Square Drive Replaceable Bit Socket. 1/4" & 5/16" Bits CVM tool steel.	
Item No.	↕
<b>76399</b>	lbs. <b>Set includes the following:</b>
.80	1/4": T7s, T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s, 5/16": T45s, T50s, T55s


**Wiha Socket Sets On Molded Rails**



**71391 10 Piece Hex Inch Socket Set**  
 1/4" Square drive replaceable bit socket.  
 Bits CVM tool steel. OAL 1.5"  
**Item No.**   


No.	lbs.	Set includes the following:
71391	.48	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"




**71392 8 Piece Hex Inch Socket Set**  
 3/8" Square Drive Replaceable Bit Socket.  
 1/4" Bits CVM tool steel. OAL 1.65"  
**Item No.**   


71392	lbs.	Set includes the following:
	.78	1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"



**71999 9 Pc. Security Hex Inch Socket Set**  
 3/8" Square Drive Replaceable Bit Socket.  
 1/4" Bits CVM tool steel.  
**Item No.**   


71999	lbs.	Set includes the following:
	.86	Inch: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"



**71798 8 Pc. Ball End Hex Inch Socket Set**  
 1/4" Square Drive Replaceable Bit Socket.  
 1/4" Bits CVM tool steel.  
**Item No.**   


71798	lbs.	Set includes the following:
	.80	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"



**71393 5 Piece Hex Inch Socket Set**  
 3/8" Square Drive Replaceable Bit Socket.  
 1/4" Bits CVM tool steel.  
**Item No.**   


71393	lbs.	Set includes the following:
	.54	Hex Inch: 1/8, 3/16, 1/4, 5/16, 3/8"



**71989 7 Pc. Security Hex Metric Socket Set**  
 3/8" Square Drive Replaceable Bit Socket.  
 1/4" Bits CVM tool steel.  
**Item No.**   


71989	lbs.	Set includes the following:
	.72	Metric: 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm



**71398 7 Pc. Ball End Hex Inch Socket Set**  
 1/4" Square Drive Replaceable Bit Socket.  
 1/4" Bits CVM tool steel.  
**Item No.**   


71398	lbs.	Set Includes:
	.48	3/32, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"




**71394 5 Piece Hex Metric Socket Set**  
 3/8" Square Drive Replaceable Bit Socket.  
 1/4" Bits CVM tool steel.  
**Item No.**   


71394	lbs.	Set includes the following:
	.56	Hex Metric: 4.0, 5.0, 6.0, 8.0, 10.0mm



**71797 7 Pc. Ball End Hex Metric Socket Set**  
 1/4" Square Drive Replaceable Bit Socket.  
 1/4" Bits CVM tool steel.  
**Item No.**   

71797	lbs.	Set includes the following:
	.72	Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm






**71996 9 Piece Hex Metric Socket Set**  
 1/4" & 3/8" Square Drive Replaceable Bit Socket.  
 1/4" Bits CVM tool steel. OAL 1.65"  
**Item No.**   

71996	lbs.	Set includes the following:
	.66	1/4": 1.5, 2.0, 2.5, 3.0, 4.0mm 3/8": 5.0, 6.0, 8.0, 10.0mm


**Wiha Universal Socket Rail System**




**91095 Universal Rail For 1/4, 3/8 and 1/2" Sockets** Select any combination of socket drive sizes. Socket snaps firmly into place for a secure hold. Clips required.  
**Item**     

No.	lbs.	pkg.	lbs.
91095	.057	1	.06




**91110 Replacement 1/4" Clips For The Universal Socket Rail** Package of 10 pieces.  
**Item No.**  lbs.  
**91110** .03



**91112 Replacement 3/8" Clips For The Universal Socket Rail** Package of 10 pieces.  
**Item No.**  lbs.  
**91112** .03



**91114 Replacement 1/2" Clips For The Universal Socket Rail** Package of 10 pieces.  
**Item No.**  lbs.  
**91114** .05

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
28103	44	70127	12	70507	12	71121	30	71317	48	71399	23
28180	43	70128	12	70508	12	71122	30	71318	19	71404	18
28489	44	70129	12	70509	12	71123	30	71319	48	71414	18
28589	37	70131	25	70510	12	71125	16	71320	48	71424	18
28590	37	70133	25	70515	12	71126	17	71321	19	71431	45
28593	37	70135	12	70520	12	71127	17	71322	48	71433	45
28595	37	70139	12	70525	12	71128	17	71323	48	71435	45
35510	28	70142	12	70527	12	71130	45	71324	19	71437	45
35512	28	70143	28	70530	12	71131	45	71325	48	71439	45
35514	28	70144	28	70533	12	71132	16	71326	19	71441	45
35516	28	70145	28	70534	12	71133	18	71327	48	71452	18
38003	10	70146	28	70535	12	71134	18	71328	19	71453	18
38004	10	70147	28	70536	12	71135	18	71329	19	71455	18
38006	36	70148	12	70537	12	71139	45	71330	19	71456	18
38007	36	70150	12	70538	12	71141	30	71331	48	71464	18
38008	10	70151	12	70539	12	71142	30	71332	48	71465	18
38009	13	70152	12	70540	12	71143	30	71333	19	71466	18
38010	13	70153	12	70545	12	71149	16	71336	19	71470	45
38014	22	70154	12	70550	12	71150	16	71339	19	71474	45
38015	45	70155	12	70555	12	71151	16	71340	48	71475	45
38016	33	70156	12	70556	12	71152	16	71341	48	71476	45
38017	33	70157	12	70557	12	71153	16	71342	19	71477	45
38018	33	70158	12	70558	12	71154	16	71343	21	71478	45
38025	45	70159	12	70559	12	71155	16	71345	19	71479	45
38026	33	70160	12	70560	12	71165	17	71346	21	71480	28,43
38027	33	70163	12	70561	12	71166	17	71348	19	71490	43
38028	10,33	70168	12	70562	12	71167	17	71349	21	71491	43
38030	44	70171	21	70563	12	71181	29	71351	19	71492	45
38032	31	70172	21	70564	12	71182	29	71352	21	71493	45
38033	36	70175	21	70565	12	71183	29	71353	19	71494	45
38041	31	70176	21	70566	12	71194	30	71354	21	71496	45
38042	13	70190	13	70567	12	71195	10	71356	19	71499	45
38043	33	70195	50	70568	12	71196	30	71358	21	71500	10
38044	10	70401	18	71001	24	71197	30	71359	19	71501	10
38045	10	70402	18	71002	24	71198	17	71360	19	71502	10
38046	13	70405	18	71003	24	71199	16	71361	19	71503	10
38047	13	70407	26	71004	24	71200	26	71362	19	71504	10
38048	33	70408	26	71010	29	71201	26	71363	19	71505	8
38049	22	70410	26	71011	29	71202	26	71364	19	71506	8
38056	23	70411	10	71012	29	71203	26	71365	19	71507	8
38057	22	70413	10	71013	29	71211	29	71366	19	71508	8
38058	22	70414	10	71020	29	71212	29	71367	19	71509	8
38059	36	70416	10	71021	29	71213	29	71368	19	71510	8
38060	43	70417	10	71022	29	71221	29	71369	19	71511	10
38450	44	70424	46	71023	29	71222	29	71370	48	71512	10
38460	44	70427	46	71030	24	71223	29	71371	48	71513	10
38600	44	70430	46	71031	24	71241	26	71372	48	71515	8
38701	43	70437	46	71032	24	71242	26	71373	19	71516	29
38790	43	70438	46	71033	24	71243	26	71374	48	71517	29
38800	44	70440	46	71034	24	71250	26	71375	48	71518	29
39210	44	70442	46	71035	24	71251	26	71376	48	71519	29
39251	44	70445	46	71036	24	71252	26	71377	48	71520	8
39256	44	70448	46	71051	25	71253	26	71378	48	71521	29
39257	44	70450	46	71052	25	71254	26	71379	48	71522	29
39258	44	70462	46	71053	25	71300	48	71380	48	71523	8
39291	36	70463	46	71054	25	71301	48	71381	48	71524	8
39297	31	70464	46	71055	25	71302	48	71382	48	71525	8
48400	44	70466	46	71056	16	71303	19	71383	48	71527	8
48401	44	70468	46	71090	35	71304	21	71384	48	71530	8
52650	44	70469	46	71094	29	71305	48	71385	48	71536	11
66850	44	70470	46	71095	34	71306	19	71386	48	71537	11
70107	47	70472	46	71100	16	71307	21	71387	19	71538	11
70108	47	70474	46	71101	16	71308	19	71388	48	71540	8
70109	47	70476	46	71102	16	71309	19	71390	48	71541	11
70110	47	70477	46	71103	16	71310	21	71391	51	71542	11
70113	47	70479	46	71105	17	71311	21	71392	51	71543	11
70115	47	70490	46	71106	17	71312	19	71393	51	71544	11
70117	47	70491	46	71107	17	71313	48	71394	51	71545	11
70119	47	70492	46	71111	29	71314	48	71396	19	71546	11
70121	47	70493	46	71112	29	71315	19	71397	19	71547	11
70123	47	70494	46	71113	29	71316	48	71398	51	71548	8

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
71549	8	71664	47	71803	24	71985	21	72552	12	73921	20
71550	8	71665	47	71851	24	71988	34	72555	8	73922	20
71551	8	71666	47	71852	24	71989	51	72556	8	73923	20
71552	8	71667	47	71853	24	71990	34	72557	12	73924	20
71553	8	71668	47	71854	24	71991	34	72562	12	73925	20
71554	8	71669	47	71900	27	71992	34	72563	12	73926	20
71555	8	71670	47	71901	27	71994	34	72564	12	73928	20
71556	8	71671	47	71902	27	71995	22	72567	12	73929	20
71557	8	71673	47	71903	27	71996	51	72572	8	73930	20
71558	8	71674	47	71904	27	71997	34	72573	8	73931	20
71559	8	71675	47	71905	27	71998	22	72574	8	73932	20
71560	8	71676	47	71906	27	71999	51	72575	8	73933	20
71561	8	71677	47	71907	27	72001	49	72576	8	73934	20
71562	30	71678	47	71908	27	72002	49	72577	8	73936	20
71563	30	71680	47	71909	27	72003	49	72578	8	73937	20
71564	30	71681	47	71910	27	72004	49	72579	8	73938	20
71565	30	71690	14	71911	27	72005	49	72580	8	73939	20
71566	30	71692	14	71912	27	72006	49	72581	8	73940	20
71567	30	71698	50	71913	27	72014	48	72582	19	73941	20
71568	30	71701	20	71914	28	72025	25	72583	19	73942	20
71569	30	71702	20	71916	28	72031	25	72584	19	73943	20
71570	8	71703	20	71918	28	72038	48	72585	19	73944	20
71571	8	71704	20	71920	28	72039	25	72586	19	73945	20
71576	29	71705	20	71921	27	72040	49	72587	19	73946	20
71578	29	71706	20	71922	27	72047	25	72590	10	74003	25
71582	29	71707	20	71923	27	72049	25	72593	37	74006	25
71584	29	71708	20	71924	27	72050	25	72595	10	74009	25
71585	30	71711	20	71930	21	72051	25	72596	22	74010	25
71586	30	71712	20	71932	21	72090	49	73301	19	74012	25
71587	30	71713	20	71934	21	72102	17	73302	19	74015	25
71588	30	71714	20	71936	21	72103	17	73303	19	74018	25
71596	30	71715	20	71938	21	72104	17	73304	19	74021	25
71603	14	71716	20	71939	21	72110	48	73305	19	74023	25
71604	14	71717	20	71940	21	72115	48	73306	19	74033	25
71605	14	71718	20	71941	21	72388	19	73307	19	74034	25
71606	14	71719	20	71942	21	72401	48	73308	19	74035	25
71607	14	71720	20	71943	21	72405	48	73309	19	74036	25
71608	14	71721	20	71944	21	72410	48	73310	11	74039	25
71609	14	71722	20	71945	21	72415	48	73311	11	74041	25
71610	14	71723	20	71946	21	72502	19	73312	11	74050	25
71615	14	71724	20	71949	27	72503	19	73313	11	74061	25
71620	14	71725	20	71950	27	72504	19	73314	11	74062	25
71625	14	71726	21	71951	27	72506	19	73315	11	74063	25
71627	14	71728	21	71952	27	72507	19	73316	11	74064	25
71630	14	71730	21	71953	27	72508	19	73317	11	74065	25
71631	14	71732	21	71954	27	72509	19	73318	11	74066	25
71632	14	71734	21	71955	21	72511	19	73319	11	74067	25
71633	14	71736	21	71956	21	72512	19	73320	11	74068	25
71634	14	71738	21	71957	27	72513	19	73901	26	74069	25
71635	14	71740	21	71958	27	72519	16	73902	26	74100	17
71636	14	71750	21	71959	27	72521	16	73903	26	74101	30
71637	14	71760	21	71960	21	72522	16	73905	25	74102	17
71638	14	71761	48	71963	28	72523	16	73906	25	74103	17
71639	14	71762	48	71964	28	72525	8	73907	25	74104	17
71640	14	71763	48	71965	28	72527	8	73908	25	74105	30
71641	14	71764	48	71966	28	72530	8	73909	25	74106	17
71642	14	71765	48	71970	21	72531	8	73910	25	74107	17
71643	14	71766	48	71971	21	72534	24	73912	17	74108	30
71644	14	71767	48	71972	21	72535	24	73913	17	74109	17
71645	14	71768	48	71973	21	72536	24	73914	17	74111	17
71648	15	71771	48	71974	21	72537	24	73915	17	74112	17
71650	15	71772	48	71975	21	72538	24	73916	17	74113	17
71652	15	71773	48	71976	21	72539	24	73918	20	74115	17
71654	15	71774	48	71977	21	72540	8	73919	20	74116	17
71656	15	71775	48	71978	21	72541	8	73920	20	74118	17
71657	15	71776	48	71979	21	72542	12				
71658	15	71777	48	71980	21	72545	8				
71660	15	71797	51	71981	21	72546	8				
71661	47	71798	51	71982	21	72547	12				
71662	47	71801	24	71983	21	72550	8				
71663	47	71802	24	71984	21	72551	8				

**CALIFORNIA PROPOSITION 65 WARNING**

These products contain chemicals known to the state of California to cause cancer and birth defects or other reproductive harm. (California law requires this warning to be given to customers in the state of California.)

54 Tools that work for you

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
74121	17	74345	20	74518	9	74601	14	74964	27	75613	38
74123	17	74346	20	74519	9	74602	14	74965	27	75614	38
74124	17	74347	20	74520	15	74603	14	74966	27	75615	38
74126	17	74348	20	74521	9	74604	14	74967	27	75616	38
74127	17	74349	20	74522	15	74608	14	74968	27	75617	38
74130	17	74350	20	74523	9	74611	14	74981	11	75618	38
74131	17	74351	20	74524	15	74612	14	74982	14	75619	38
74133	17	74352	20	74525	9	74613	14	74983	37	75620	38
74136	17	74353	20	74526	15	74614	14	74985	10	75621	38
74141	29	74354	20	74527	9	74616	14	74986	22	75622	38
74142	29	74355	20	74528	15	74617	14	74987	13	75623	38
74143	29	74356	20	74529	9	74620	14	74988	37	75624	38
74150	17	74357	20	74530	9	74624	14	74989	23	75625	38
74157	17	74360	20	74531	9	74628	14	74990	46	75626	38
74158	17	74361	20	74532	15	74632	14	74992	36	75627	38
74161	29	74362	20	74533	9	74636	14	74996	36	75628	38
74162	29	74363	20	74534	15	74659	14	74999	23	75629	38
74163	29	74364	20	74535	9	74660	14	75008	39	75630	38
74164	17	74365	20	74536	9	74661	14	75012	39	75631	38
74165	17	74366	20	74537	15	74662	14	75015	39	75632	38
74166	17	74369	21	74538	9	74663	14	75018	39	75633	38
74167	17	74371	21	74539	15	74664	14	75020	39	75634	38
74168	17	74373	21	74540	9	74665	14	75025	39	75635	38
74201	26	74375	21	74541	15	74666	14	75030	39	75636	38
74203	26	74377	21	74542	9	74667	14	75035	39	75637	38
74205	26	74379	21	74543	15	74668	14	75040	39	75638	38
74212	26	74380	20	74544	9	74669	14	75093	42	75639	38
74214	26	74381	20	74545	15	74670	14	75094	42	75640	38
74221	26	74382	20	74546	9	74711	11	75095	42	75641	38
74231	26	74383	20	74547	15	74714	11	75096	42	75642	38
74232	26	74384	20	74548	9	74717	11	75097	42	75643	38
74233	26	74385	20	74549	15	74721	11	75105	39	75644	38
74236	26	74386	20	74550	15	74724	11	75110	39	75645	38
74237	26	74387	20	74551	9	74728	11	75115	39	75646	38
74238	26	74388	20	74552	15	74732	11	75120	39	75647	38
74241	29	74411	9	74553	9	74736	11	75125	39	75648	38
74242	29	74413	9	74554	15	74739	11	75207	39	74549	38
74243	29	74415	9	74555	15	74742	11	75309	39	75650	38
74261	26	74417	9	74556	9	74760	11	75313	39	75651	38
74262	26	74419	9	74557	15	74761	11	75315	39	75652	38
74263	26	74421	9	74558	9	74762	11	75320	39	75653	38
74301	21	74423	9	74559	9	74763	11	75322	39	75654	38
74303	18,25	74429	9	74561	9	74764	11	75325	39	75655	38
74304	18	74431	9	74562	15	74765	11	75327	39	75656	38
74305	21	74433	9	74563	9	74766	11	75330	39	75657	38
74306	18,25	74435	9	74564	15	74767	11	75332	39	75658	38
74307	21	74460	9	74565	9	74768	11	75340	39	75659	38
74308	18	74461	9	74566	12	74769	11	75342	39	75660	38
74309	18,25	74462	9	74567	9	74811	24	75350	39	75661	38
74310	18	74463	9	74568	12	74812	24	75352	39	75662	38
74311	20	74464	9	74569	9	74813	24	75354	39	75663	38
74312	20	74465	9	74570	12	74814	24	75356	39	75664	38
74313	20	74466	9	74571	9	74816	24	75358	39	75665	38
74314	20	74467	9	74572	12	74819	24	75360	39	75666	38
74315	20	74468	9	74573	9	74860	24	75362	39	75667	38
74316	20	74469	9	74574	12	74861	24	75364	39	75668	38
74317	20	74470	9	74575	9	74862	24	75366	39	75669	38
74318	20	74501	9	74576	12	74890	24	75368	39	75670	38
74319	21	74502	9	74577	9	74895	24	75370	39	75671	38
74325	20	74503	9	74579	9	74901	27	75372	39	75672	38
74330	20	74504	9	74580	9	74902	27	75395	41	75673	38
74332	20	74505	15	74581	9	74903	27	75602	38	75674	38
74333	20	74506	9	74582	9	74904	27	75603	38	75675	38
74334	20	74508	9	74583	9	74911	27	75604	38	75676	38
74335	20	74510	9	74584	9	74912	27	75605	38	75677	38
74336	20	74511	9	74585	9	74913	27	75606	38	75678	38
74337	20	74512	9	74586	9	74914	27	75607	38	75679	38
74340	20	74513	9	74587	9	74915	27	75608	38	75680	38
74341	20	74514	9	74588	9	74960	27	75609	38	75681	38
74342	20	74515	9	74589	9	74961	27	75610	38	75682	38
74343	20	74516	9	74590	9	74962	27	75611	38	75683	38
74344	20	74517	9	74591	9	74963	27	75612	38	75701	39

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
75702	39	76015	13	76171	48	76534	5	76865	7	77701	8
75703	39	76020	13	76172	48	76535	5	76866	7	77702	8
75704	39	76022	28	76191	50	76538	4	76870	7	77703	8
75705	39	76023	28	76194	50	76539	4	76871	7	77704	8
75706	39	76024	28	76312	47	76540	4	76872	7	77705	8
75707	39	76025	13	76314	47	76543	6	76873	7	77707	16
75708	39	76027	13	76316	47	76544	6	76874	7	77708	16
75709	39	76030	13	76318	47	76545	6	76875	7	77710	26
75710	39	76031	27	76322	47	76548	6	76876	5	77712	24
75715	39	76032	27	76324	47	76549	6	76877	5	77713	24
75720	39	76033	27	76326	47	76550	6	76878	6	77715	24
75727	39	76034	27	76328	47	76553	6	76879	6	77716	24
75728	39	76035	25	76329	47	76554	6	76880	6	77717	24
75729	39	76036	25	76330	47	76555	6	76881	5	77719	19
75735	39	76037	25	76331	47	76556	6	76890	5	77720	19
75739	39	76038	25	76332	47	76557	6	76891	5	77721	19
75742	39	76039	25	76333	47	76558	6	76892	7	77723	19
75743	40	76040	13	76334	47	76559	6	76893	5	77724	19
75744	40	76041	18	76335	47	76563	7	76894	7	77725	19
75745	40	76042	18	76336	47	76564	7	76895	5	77726	19
75746	40	76043	18	76337	47	76565	7	76896	7	77740	32
75747	40	76044	18	76338	47	76566	7	76897	5	77741	32
75748	40	76045	23	76339	47	76570	7	76898	4	77780	32
75800	39	76046	23	76340	47	76571	7	76899	5	77781	32
75801	39	76047	23	76341	47	76572	7	77101	49	77782	32
75802	40	76048	23	76342	47	76573	7	77103	49	77786	33
75803	40	76049	23	76346	47	76574	7	77105	49	77790	32
75805	43	76050	23	76348	47	76575	7	77107	49	77791	32
75806	40	76051	23	76352	47	76578	6	77109	49	77792	32
75810	40	76052	23	76354	47	76579	6	77111	49	77793	33
75811	40	76053	23	76395	50	76580	6	77113	49	78002	28
75812	40	76054	23	76396	50	76801	4	77115	49	78005	28
75813	40	76056	23	76397	50	76802	4	77117	49	78008	28
75814	40	76057	23	76399	50	76803	4	77128	49	78011	28
75815	40	76058	23	76403	47	76806	4	77130	49	78015	28
75816	40	76087	31	76404	47	76807	4	77132	49	78018	28
75817	40	76088	27	76405	47	76808	4	77134	49	78615	28
75820	40	76089	28	76406	47	76810	4	77136	49	78617	28
75821	40	76090	23	76407	47	76811	4	77138	49	78619	28
75822	40	76091	26	76408	47	76812	4	77139	49	78621	28
75823	40	76092	13	76411	47	76813	4	77140	49	78622	28
75824	40	76093	25	76412	47	76814	4	77141	49	78624	28
75825	40	76094	18	76413	47	76816	4	77142	49	79242	10
75826	40	76095	23	76414	47	76817	4	77144	49	79243	35
75827	40	76096	23	76417	47	76823	5	77146	49	79245	10
75900	40	76098	31	76418	47	76824	5	77148	49	79246	22
75901	40	76099	31	76419	47	76825	5	77151	49	79247	13
75902	40	76106	47	76422	47	76826	5	77152	49	79248	35
75965	42	76107	47	76423	47	76830	5	77153	49	79256	22
75968	40	76109	47	76424	47	76831	5	77154	49	79266	22
75971	40	76111	47	76490	50	76832	5	77156	49	79276	23
75977	42	76113	47	76501	4	76833	5	77158	49	79283	11
75981	43	76117	47	76502	4	76834	5	77160	49	79443	35
75983	43	76119	47	76503	4	76835	5	77162	49	79445	10
75985	43	76121	47	76506	4	76838	4	77164	49	79446	22
75991	41	76123	47	76507	4	76839	4	77165	49	79447	13
75992	41	76129	47	76508	4	76840	4	77167	49	79450	15
75994	41	76131	47	76510	4	76843	6	77169	49	79491	35
75995	41	76132	48	76511	4	76844	6	77171	49	79490	35
75996	41	76133	48	76512	4	76845	6	77173	49	79493	35
75999	41	76134	48	76513	4	76848	6	77175	49	79495	35
76000	13,18,23	76135	48	76514	4	76849	6	77177	49	79499	35
76001	23	76136	48	76516	4	76850	6	77179	49	91095	51
76002	23	76137	48	76517	4	76853	6	77191	49	91110	51
76003	23	76138	48	76523	5	76854	6	77192	49	91112	51
76004	23	76164	48	76524	5	76855	6	77193	49	91114	51
76008	13	76165	48	76525	5	76856	6	77195	49		
76009	13	76166	48	76526	5	76857	6	77198	49		
76010	13	76167	48	76530	5	76858	6				
76011	26	76168	48	76531	5	76859	6				
76012	26	76169	48	76532	5	76863	7				
76013	26	76170	48	76533	5	76864	7				

**CALIFORNIA PROPOSITION 65 WARNING**

These products contain chemicals known to the state of California to cause cancer and birth defects or other reproductive harm. (California law requires this warning to be given to customers in the state of California.)

MANUFACTURING  
EXCELLENCE  
AWARD  
BESTES KMU  
2014

WIHA – WINNER OF THE  
MX AWARD 2014.  
GERMANY'S BEST SME.



**wiha**   
Tools that work for you



(800) 494-6104  
fax: (800) 494-7456  
cservice@wihatools.com  
www.wihatools.com

Catalog Item No. 99951 .wo  
version - 4/1/17

Subject to change  
without notice

©2017 Willi Hahn Corporation

®Torx is a registered trademark of  
Acument Intellectual Properties LLC.




**Wiha Quality Tools**

1348 Dundas Circle  
Monticello, MN 55362  
tel: 763.295.6591  
fax: 763.295.6598

**Wiha Tools Canada Ltd.**

www.wihatools.ca  
Brampton, ONT L6T 4X4  
tel: 866.494.0096 or 763.295.6591  
fax: 763.295.6598

To:




91330.wo - Tooling Catalog



99004.wo - Shop Tools Catalog



99914.wo - TORX Catalog



99002.wo - Screwdrivers Catalog



99919.wo - Insulated Catalog



99001.wo - TorqueControl Catalog



99934.wo - Hex Tools Catalog



99006.wo - Tech Tools Catalog



99945.wo - ESD Catalog



99977.wo - Pliers/Crimpers Catalog