# **COVENTRY** TM Clean Room Products

Division of Chemtronics

**TDS # 44070** 

### 44070 Conical Foam Swabs

### PRODUCT DESCRIPTION

The **44070 Conical Sealed Foam Swabs** are constructed from reticulated 100 pores per inch medical grade polyurethane foam which features the best open cell structure, providing excellent particle entrapment characteristics. The head is thermally bonded to the handle without using adhesives. The conical head tapers to a fine point for precision cleaning of hard to reach areas.

- Traps surface particles while cleaning
- Fiberless construction does not generate loose fibers or particles
- No adhesives or binders are used in the construction
- Good for tight tolerance work

### TYPICAL APPLICATIONS

Conical Sealed Foam Swabs can be used for:

- Removing Contamination from Disk Drives
- Micro Mechanical Cleaning
- Cleaning & Removing Excess Adhesives & Chemical Residues
- Remove flux residue from Printed Circuit Boards

### **COMPATIBILITY**

<u>Polyurethane Foam Heads</u> are compatible with most common solvents such as isopropyl alcohol and methanol. Not recommended for use with ketones such as acetone or methyl ethyl ketone.

<u>Polypropylene</u>, <u>ESD Handles</u> are compatible with most common solvents and dilute or weak acids.

### AVAILABILITY

44070 3.2"(8.0 cm)Polypropylene Handle,

0.13" (3.3 mm), Conical Foam Head

**44070ESD** 3.2"(8.0 cm) ESD Handle,

0.13" (3.3 mm), Conical Foam Head

COVENTRY<sup>TM</sup> Clean Room Products Division of Chemtronics 8125 Cobb Center Drive Kennesaw, GA 30152 USA

1-770-424-4888 REV. A (08/13)

**TECHNICAL HOT LINE 1-800-TECH-401** 

## 44070 Conical Swabs Test Data

### **Cleanliness Data**

Head		
Material	Polyurethane Foam	
Swab□	44070	44070I
Head Diameter	0.13"	0.13"
	(3.3 mm)	(3.3 mm)
Handle	3.2"	3.2"
Length	(8.0 cm)	(8.0 cm)
Particles:		
0.5 - 1 um	1,867	897
1.0 - 3 um	336	183
3.0 - 5 um	71	54
5.0 - 10 um	31	33
10 - 25 um	15	19
over 25 um	2	1
TOTAL	2,322	1,186
Chlorides	0.21	None Detected
(ug/swab)		

The swabs were tested by Particle Measurement Technology. All the swabs tests were done using the recommended practices of the Institute of Environmental Science, Swabs and Wipes Working Group.

# TECHNICAL AND APPLICATION ASSISTANCE

Coventry<sup>TM</sup> Clean Room Products provides a technical hotline to answer your technical and application related questions.

The toll free number is: 1-800-TECH-401

Chemtronics® is a registered trademark of Chemtronics. All rights reserved. Coventry $^{TM}$  is a trademark of Chemtronics. All rights reserved.

## **ESD Handles** 44070ESD

	EGD II II	
	ESD Handles	
Surface Resistivity	10 <sup>10</sup> ohms/sq	
Material	Polypropylene/Static Dissipative Copolymer Blend	
Color	Blue	

The ESD handles do not contain silicone, amides, or static dissipative coatings. The proprietary copolymer blend is not humidity dependent. The handles have excellent chemical compatibility, even in acetone.

## **DISTRIBUTED BY:**

TECHNICAL HOT LINE 1-800-TECH-401