



Northbrook, Illinois • (847) 272-8800  
 Melville, New York • (631) 271-6200  
 Santa Clara, California • (408) 985-2400  
 Research Triangle Park,  
 North Carolina • (919) 549-1400  
 Carnas, Washington • (360) 817-5500

LITTELFUSE INC  
 MR W TRAVIS, STANDARDS ENGINEER  
 800 E NORTHWEST HWY  
 DES PLAINES IL 60016

RE: Project Number(s) - 00NB9518/00NK40972

Your most recent listing is shown below. Please review this information and report any inaccuracies to the UL Engineering staff member who handled your project.

For information on placing an order for UL Listing Cards in a 3 x 5 inch format, please refer to the enclosed ordering information.

JDYX October 13, 2000  
 Fuses, Miscellaneous, Miniature, and Micro

LITTELFUSE INC  
 800 E NORTHWEST HWY, DES PLAINES IL 60016

E10480

Miscellaneous, cartridge enclosed, nonrenewable:

Type or Cat. No.	Size	Amps	V AC
Cat. Nos. 532, KLK * followed by .300 to 030 incl.	13/32x1-1/2 in.	0.3-30	600
Cat. Nos. 519, KLKD * followed by .300 to 030 incl.	13/32x1-1/2 in.	0.3-30	600 dc
Cat. No. KLQ followed by 001 to 006	13/32x1-1/2 in.	1.0-6.0	600
Cat. Nos. 533, FLM * followed by 0.10 to 030 incl.	13/32x1-1/2 in.	0.1-30	250
Cat. Nos. 536, BLF * followed by 20.0 to 30.0 incl.	13/32x1-1/2 in.	20.0-30.0	125
Cat. Nos. 537, BLS * followed by .200 to 5 incl.	13/32x1-1-3/8 in.	0.2-5.0	600
Cat. Nos. 535, BLN, * followed by 0.5 to 30.0 incl.; WP91770 (List 1-13)	13/32 x 1-1/2 in.	0.5-30.0	250

# Underwriters Laboratories Inc. \*

Type or Cat. No.	Size	Amps	V AC
Cat. Nos. 536, BLF * followed by .5 to 15 incl.	13/32 x 1-1/2 in.	5-15	250
Cat. Nos. EV60030	13/32x1-1/2 in.	30	600 ac /dc
Cat. No. FLA * followed by 0.10 to 030 incl.	13/32 x 1 1/2 in.	0.1-30	125
Cat. Nos. 538, FLQ * followed by .100 to 030 incl.	13/32 x 1 1/2 in.	0.1-30	500
<b>Miniature, cartridge enclosed, nonrenewable.</b>			
Cat. No. 300144 *	1/4 x 5/8 in.	0.6	125
Cat. Nos. 303.500 *, 304.500	1/4 x 7/8 in.	0.5	125
Cat. No. 310278 *	1/4 x 1 1/4 in.	3	250
Cat. No. 310279 *	1/4 x 1 1/4 in.	7	125
Cat. No. 310296 *	1/4 x 1-1/4 in.	15	250
Cat. No. 310299 *	1/4 x 1-1/4 in.	10	250
Cat. No. 310306 *	1/4 x 1-1/4 in.	7	125
Cat. Nos. * 312.010 to 312010 incl., 318.010 to 318010 incl.,	1/4 x 1-1/4 in.	0.01-10.0	250
Cat. Nos. 313, 315 *, 313ID followed by 0.01 to 008 incl.	1/4 x 1-1/4 in.	0.01-8.0	250
Cat. Nos * . 314.125 to 314015 incl., 324.125 to 324015 incl., WP91768 (List 1-16, 101-116)	1/4 x 1-1/4 in.	0.125-15.0	250 125 dc
Cat. Nos * . 326.250 to 326010 incl. WP91769 (List 101-134).	1/4 x 1-1/4 in.	0.25-10.0	250
Cat. Nos * . 325.250 to 325010 incl. WP91769 (List 01-34).	1/4 x 1-1/4 in.	0.25-10.0	250
Cat. Nos * . 334.750 to 334005 incl., 336.750 to 336005 incl.	1/4 x 1-1/4 in.	0.75-5.0	125
Cat. Nos * . 362.125 to 362002 incl., 368.125 to 368002 incl.	1/4 x 1 in.	0.125-2.0	250
Cat. Nos * . 36202.5 to 362006 incl., 36802.5 to 368006 incl.	1/4 x 1 in.	2.5-6.0	125
Cat. No. LMF * followed by 0.3 to 10 incl.	1/4 x 1.82 with knob	0.3-10	300
Cat. No. LGR * followed by 0.5 to 15 incl.	1/4 x 1.82 with knob	0.5-15	300

Type or Cat. No.	Size	Amps	V AC
Cat. Nos. * 300154, 301001, 30101.5, 309001, 30901.5	1/4 x 5/8 in.	1-1.5	125
Cat. Nos. 229*, 230* (with pigtailed) followed by 0.25 to 03.5 incl., WP90904 followed by List Nos. 01-10, 101-110	4.5 x 15 mm	0.25-3.5	250
Cat. No. 220010 *	4.5 x 15 mm	.55	250
Cat. No. 220018 *	4.5 x 15 mm	3	250
Cat. No. 220024 *	4.5 x 15 mm	1	250
Cat. No. 220025 *	4.5 x 15 mm	1.25	250
Cat. No. 220026 *	4.5 x 15 mm	1.5	250
Cat. No. 220030 *	4.5 x 15 mm	0.375	250
Cat. No. 220031 *	4.5 x 15 mm	0.375	250
Cat. No. 220033 *	4.5 x 15 mm	1.5	250
Cat. No. 220036 *	4.5 x 15 mm	0.5	300
Cat. No. 220037 *	4.5 x 15 mm	0.75	250
Cat. Nos. 224*, 225* followed by .100, to 010 incl., WP90736 followed by (List 01-15, 112-115)	4.5 x 15 mm	0.1-3.5 4.0-10.0	250 125
Cat. No. 220043 *	4.5x15 mm	1.0	250
Cat. No. 220 * followed by 001, 002, 003, 004, 006, 011 or 029; WP90400 followed by List No. 1, 4 or 6; WP90109 followed by List No. 1	4.5 x 15 mm	0.35	250
Cat. Nos. 373 *, 375 * followed by 004 to 015 incl.	1/4 x 1-1/4 in.	4.0-10.0 10.1-15.0	250 125
Cat. Nos. 235*, 236* (with pigtailed) followed by .100 to 006 incl.	5 mm x 20 mm	0.1-3.0 4.0-6.0	250 125
Cat. Nos. 238*, 239* (with pigtailed) followed by 0.2 to 3.15 incl.	5 mm x 20 mm	0.2-3.15	250
Cat. Nos. 238*, 239* (with pigtailed) followed by 004-007	5 mm x 20 mm	4.0-7.0	125
Cat. No. 237* followed by 001 to 010 incl.	5 mm x 20 mm	1-10	125
Cat. No. 234 *	5 mm x 20 mm	1-10	250

Type or Cat. No.	Size	Amps	V AC
followed by 001 to 010 incl. Cat. No. 233 *	5 mm x 20 mm	1.0 to 6.3 incl.	125
followed by 1.0 to 6.3 incl.			

Miniature, cartridge enclosed, non-renewable, Car. No. 665 followed by -.050, -.063, -.080, -.100, -.125, -.160, -.200, -.250, -.315, -.400, -.500, -.630, -.800, -.001, -.125, -.016, -.002, -.025, -.315, -.004, -.005, -.063 followed by -ZRL, -HXLL or -HXSL; Cat. No. 6651 followed by -.00, -.25, -.60, followed by -ZRL, -HXLL or -HXSL; Cat. No. 6652 followed by -.00 or -.50, followed by -ZRL, -HXLL or -HXSL; Cat. No. 6653 15 followed by -ZRL, -HXLL or -HXSL; Car. No. 6654 or 6655 followed by -.00, followed by -ZRL, -HXLL or -HXSL; Car. No. 6656.3 followed by -ZRL, -HXLL or -HXSL

\*With or without one prefix character and with or without additional suffix characters that signify options that do not affect the electrical characteristics.

**LOOK FOR LISTING MARK ON PRODUCT**