

## RJ45 sleeve housings - VS-08-T-RJ45/IP 20 - 1688638

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




RJ45 sleeve housing IP20, for pin insert VS-08-ST-RJ45, with push-pull interlocking for panel mounting frames, for cable cross section 5.0 mm ... 6.5 mm



**Ethernet**

### Key commercial data

|                                      |   |
|--------------------------------------|---|
| Packing unit                         | 5 pc  |
| Minimum order quantity               | 5 pc  |
| GTIN                                 | <br>4 017918 607920 |
| Weight per Piece (excluding packing) | 5.85 g  |
| Custom tariff number                 | 85472000  |
| Country of origin                    | Germany   |
| Note                                 | Made to Order (non-returnable)  |

### Technical data

#### Mechanical characteristics

|                             |                 |
|-----------------------------|-----------------|
| Insertion/withdrawal cycles | ≥ 750           |
| External cable diameter     | 5 mm ... 6.5 mm |
| Cable exit                  | Straight        |
| Color                       | gray            |

#### Ambient conditions

|                                 |                  |
|---------------------------------|------------------|
| Ambient temperature (operation) | -40 °C ... 80 °C |
| Degree of protection            | IP20             |

#### Material data

|   |    |
|---|----|
| Inflammability class according to UL 94 | V0 |
| Housing material                        | PA |

## RJ45 sleeve housings - VS-08-T-RJ45/IP 20 - 1688638

### Classifications

#### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 4.0 | 27140816 |
| eCl@ss 4.1 | 27260701 |
| eCl@ss 5.0 | 27260701 |
| eCl@ss 5.1 | 27260701 |
| eCl@ss 6.0 | 27260705 |
| eCl@ss 7.0 | 27440309 |

#### ETIM

|          |          |
|----------|----------|
| ETIM 2.0 | EC000764 |
| ETIM 3.0 | EC001121 |
| ETIM 4.0 | EC001121 |
| ETIM 5.0 | EC002641 |

#### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 31261501 |
| UNSPSC 7.0901 | 31261501 |
| UNSPSC 11     | 31261501 |
| UNSPSC 12.01  | 31261501 |
| UNSPSC 13.2   | 31261501 |

### Accessories

#### Accessories

##### Male insert

RJ45 male insert - VS-08-ST-RJ45 - 1688573




RJ45 pin insert, CAT5e, 8-pos., shielded, IDC connection method, for litz wires AWG 26 and solid wires AWG 26 ...  
24

### Drawings

## RJ45 sleeve housings - VS-08-T-RJ45/IP 20 - 1688638

Dimensioned drawing



RJ45 sleeve housing, IP20

---

Phoenix Contact 2015 © - all rights reserved  
<http://www.phoenixcontact.com>