

## Electronic housing - ME MAX 22,5 SF G 2-2 BU - 2199485

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Complete housing without vents, Complete housing, Cross connection: DIN rail bus connector, Color: blue, Width: 22.5 mm, Constructional height: 70.4 mm, Number of positions cross connector: 5


The illustration shows the gray version

### Why buy this product

- Item is from the ME-MAX product range
- Easy mounting
- Available in overall widths from 6.2 mm to 90 mm, modular extension is possible
- Inflammability class V0 according to UL 94
- Variety of connection technologies
- Can be mounted on the DIN rail
- Optional with bus connector for DIN rail mounting as well as power connection system



### Key commercial data

Packing unit	50 pc
Minimum order quantity	500 pc
GTIN	 4 046356 341844
Weight per Piece (excluding packing)	33.19 g
Custom tariff number	85472000
Country of origin	Germany
Note	Made to Order (non-returnable)

### Technical data

#### General

Housing type	Complete housing
Housing material	Polyamide
Color	blue

#### Ambient conditions

Ambient temperature (operation)	-40 °C (depending on power dissipation)
---------------------------------	---

# Electronic housing - ME MAX 22,5 SF G 2-2 BU - 2199485

## Technical data

### Dimensions

Length	85 mm
Constructional height	70.4 mm
Width	22.5 mm

### Technical data

Inflammability class according to UL 94	V0
Power dissipation at 20°C in the horizontal mounting position	5.5 W 9.6 W
Number of positions	16

## Classifications

### eCl@ss

eCl@ss 4.0	27180401
eCl@ss 4.1	27180401
eCl@ss 5.0	27180506
eCl@ss 5.1	27180506
eCl@ss 6.0	27180802
eCl@ss 7.0	27182702
eCl@ss 8.0	27182702

### ETIM

ETIM 3.0	EC001031
ETIM 4.0	EC001031
ETIM 5.0	EC001031

### UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501

## Approvals

### Approvals

---

Approvals

UL Recognized

---

Ex Approvals

---

# Electronic housing - ME MAX 22,5 SF G 2-2 BU - 2199485

## Approvals

Approvals submitted

## Approval details

UL Recognized

## Accessories

Accessories

Ground contact


Electronic housing - ME FE-CONTACT - 2908294




Functional earth ground contact, for intermediate elements.

## Drawings

Dimensioned drawing




Dimensioned drawing



Housing inner dimensions ME MAX... Flat/extra-flat

# Electronic housing - ME MAX 22,5 SF G 2-2 BU - 2199485


Dimensioned drawing



Dimensional drawing of the ME MAX ...SF 2-2 PCB for plug connection (MSTBO), view: Component side

# Electronic housing - ME MAX 22,5 SF G 2-2 BU - 2199485

Dimensioned drawing



Dimensional drawing of the ME MAX ...SF 2-2 PCB for PCB terminal block connection (MKDSO), view: Component side