



# CP50 Recodable Combination Range

Heavy Duty, All-Weather Padlocks



no keys  
to lose

Patent  
pending

# CP50 Recodable Combination Range



Hardened steel shackle

50mm die cast alloy body with dual compound cover

Wheels are spaced for ease of use

Fully recodable 4 wheel with 10,000 possible combinations

Numbered 0-9

New improved padlock!

## Setting new standards in combination padlocks

Convenience and quality is the trademark of the new CP50 range.

With its modern design, it answers all your customer needs for a better quality, higher security combination padlock.

These robust recodable combination padlocks deliver heavy duty security, and there are no keys to lose.

The die cast alloy lock body has a dual compound protective cover for high corrosion resistance and excellent weather protection.

The padlocks come with a 8mm hardened steel shackle, with long shackle and closed shackle options.

All locks can be coded and recoded as required and they can be coded alike, so one code opens several locks.

The 4-combination wheels are spaced comfortably apart, making them easier to use.

And the recodable mechanism offer 10,000 possible combinations, making it difficult to pick.



no keys to lose



**10** year guarantee



CP50 - Open shackle



CP50CS - Closed shackle



CP501.5 - Long shackle



CP502.5 - Extra long shackle



Patent pending

European Patent No 07251150.4

USA Patent No 11/687761




## Recommended for

Gates, vans, sheds, lorries, lockers, lockups, garages, boats, valves.

## Key benefits

- Modern attractive design
- Hardened steel 8.0mm diameter shackle for extra security
- 50mm wide, die cast alloy body with dual compound cover for easy handling
- Unique new recodable mechanism, cannot be accidentally recoded
- 10,000 combinations
- Numbers on wheels from 0-9 (10 numbers)
- 4 options: open shackle, closed shackle, long shackle and extra long shackle
- Padlock can be customised upon request

## Product dimensions



Model Number	Body Width (mm)	Body Thickness (mm)	Shackle Diameter (mm)	Vertical Shackle Clearance (mm)	Horizontal Shackle Clearance (mm)	Shackle Material	Hardened Shackle	Mechanism	Body Material	Code Variations
<b>Open Shackle</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>					
CP50	50.0	26.0	8.0	26.0	22.6	Steel	Yes	Recodable Combination	Die Cast	10,000
CP50/1.5	50.0	26.0	8.0	38.1	22.6	Steel	Yes	Recodable Combination	Die Cast	10,000
CP50/2.5	50.0	26.0	8.0	63.5	22.6	Steel	Yes	Recodable Combination	Die Cast	10,000
<b>Closed Shackle</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>					
CP50CS	50.0	26.0	8.0	26.0	22.6	Steel	Yes	Recodable Combination	Die Cast	10,000



## Product Innovation - CP50 Range



Henry Squire & Sons Limited, Hilton Cross Business Park, Cannock Road, Featherstone, Wolverhampton, WV10 7QZ  
Tel: 01902 308050 Fax: 01902 308051 E-Mail: [info@henry-squire.co.uk](mailto:info@henry-squire.co.uk)

**Website: [www.squirelocks.co.uk](http://www.squirelocks.co.uk)**