

Product data sheet 3RV2902-1AF0

UNDERVOLTAGE RELEASE, AC 110V/50HZ, AC 120V/60HZ, W. SCREW CONNECTION; FOR CIRCUIT-BREAKERS, SZ S00/S0

General technical data:		
Product brand name		SIRIUS
Product designation		undervoltage release
Size of the circuit-breaker		S00, S0
Acceptability for application		motor circuit breaker
Protection class IP / frontal/front side		IP20
Design of the short-circuit protection		fuse
Degree of pollution		3
Insulation voltage / rated value	V	690
Insulation voltage / with degree of pollution 3 / rated value	V	690
Ambient temperature		
during storage	°C	-50 80
during the operating phase	°C	-20 60
Item designation		
 according to DIN 40719 extendable after IEC 204-2 / according to IEC 750 		F
• according to DIN EN 61346-2		F
Auxiliary circuit:		
Number of NC contacts / for auxiliary contacts		
• instantaneous switching		0
Number of NO contacts / for auxiliary contacts		
instantaneous switching		0
Number of changeover contacts / of the auxiliary contacts		
• non-delayed		0
Control circuit:		
Type of voltage / of the controlled supply voltage		AC
type of terminal commence capped terminal		
control supply voltage frequency		
	Hz	50
control supply voltage frequency	Hz Hz	50 60
control supply voltage frequency • 1 / initial rated value		

V 120

Installation/mounting/dimensions:		
Type of fixing/fixation		snap-on mounting
Width	mm	18.5
Height	mm	90
Depth	mm	68

Certificates/	approvals:
---------------	------------

verification of suitability CE / UL / CSA / CCC

Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/industrial-controls/catalogs

Global Industry Mall (Online ordering system)


http://www.siemens.com/industrial-controls/mall


Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

http://support.automation.siemens.com/WW/view/en/3RV2902-1AF0/all

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3RV2902-1AF0







last change: Apr 26, 2010