



LV HRC FUSE LINK GL/GG WITH INSULATED GRIP LUGS WITH COMBINATION INDICATOR SIZE 000, 40A, AC 500V/DC 250V

Similar to image

#### Technical data:

|   |    |                    |
|---|----|--------------------|
| <b>Current / for AC / rated value</b>                       | A  | 40                 |
| <b>Operating class of the fuse link</b>                     |    | gG                 |
| <b>Size of the fallback-system / acc. to DIN EN 60269-1</b> |    | NH000              |
| <b>Supply voltage</b>                                       |    |                    |
| • for AC / rated value                                      | V  | 500                |
| • for DC  | V  | 250                |
| <b>Switching capacity current</b>                           |    |                    |
| • in accordance with IEC 60947-2 / rated value              | kA | 120                |
| • with DC / in accordance with IEC 60947-2 / rated value    | kA | 25                 |
| <b>Design of an identification indicator</b>                |    | Combination alarms |
| <b>Ambient temperature</b>                                  |    |                    |
| • minimum   | °C | -5                 |
| • maximum   | °C | 40                 |

#### Certificates/approvals:

**General Product Approval****Declaration of  
Conformity****Test Certificates**

CSA



KEMA



[ROSTEST](#)

VDE

[Manufacturer](#)[Manufacturer](#)**Shipping Approval**

GL

**Further information:****Information- and Downloadcenter (Catalogs, Brochures,...)**<http://www.siemens.com/lowvoltage/catalogs>**Industry Mall (Online ordering system)**<http://www.siemens.com/lowvoltage/mall>**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**<http://support.automation.siemens.com/WW/view/en/3NA6817/all>**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3NA6817](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NA6817)**CAX-Online-Generator**<http://www.siemens.com/cax>



last change:

Aug 26, 2011