

Item no.: 870-501
 Product description: DOUBLE DECK TERMINAL BLOCK; THROUGH/THROUGH;
 L/L; Housing color: gray; LATERAL MARKING; for DIN 35 rail



Packing unit 50 pieces

Product group	16 (RAIL MOUNTED TERMINAL BLOCK WITH CCC)
Number of levels	2
Cross section from [mm ²]	0,08 mm ²
Cross section to [mm ²]	2,5 mm ²
Cross section from [AWG]	28 AWG
Cross section to [AWG]	14 AWG
Wiring method	e+f
Connection method	CAGE CLAMP®COMPACT CONNECTION
Cross section from [mm ²]	0,08 mm ²
Cross section to [mm ²]	4 mm ²
Cross section from [AWG]	28 AWG
Cross section to [AWG]	12 AWG
Wiring method	f
Connection method	CAGE CLAMP®COMPACT CONNECTION
Measured voltage EN	500 V
Measured shock voltage	6 kV
Pollution degree	3
Current intensity EN	24 A
Weight	9,584 g
Color	grey
Wiring type	Front-entry
No. of connection Points	4



Height	40 mm
Height	1,57 in
Width	5 mm
Width	0,197 in
Depth	70 mm
Depth	2,76 in
Strip length from	6 mm
Strip length to	7 mm
Strip length	0,26 in



Item number	Admission office	Approval no.	Voltage [V]	Current [A]	Cross section [mm ²]
870-501	ABS	05-HG476175/1-PDA	500	24	2,5
870-501	BBJ	B/12/83/03	500		2,5
870-501	BV	07436/Co	500	24	2,5
870-501	cURus	E45172	300/600	20/5	28-12
870-501	DNV	E7570	500	24	2,5
870-501	GL	17295-00HH	500	24	2,5
870-501	KEMA	2061395.01	500	24	2,5
870-501	LR	91/20112(E5)	500	24	2,5

Sorting criteria: admission office - approval number

© WAGO Kontakttechnik GmbH & Co. KG

Specifications are subject to changes and errors may be expected