

Residual Current Breakers with Overload Protection RCBo

DS203 M AC-B20/0,03

General Information

Extended Product Type: DS203 M AC-B20/0,03
Product ID: 2CSR273001R1205
EAN: 8012542933601
Catalog Description: DS203 M AC-B20/0,03 - RCBo

Long Description:

The RCBOs DS200 series has the function to protect against overload and short-circuit currents; protection against effects of sinusoidal alternating earth fault currents; protection against indirect contacts and additional protection a* against direct contacts.

Ordering

EAN: 8012542933601
Minimum Order Quantity: 1 piece
Customs Tariff Number: 85363030

Dimensions

Product Net Width: 0.087 m
Product Net Height: 0.093 m
Product Net Depth: 0.069 m
Product Net Weight: 0.610 kg

Container Information

Package Level 1 Units: 1 piece
Package Level 1 Width: 0.105 m
Package Level 1 Height: 0.08 m
Package Level 1 Length: 0.1 m
Package Level 1 Gross Weight: 0.655 kg
Package Level 1 EAN: 8012542933601
Package Level 2 Units: 1 piece
Package Level 2 Width: 0.10 m
Package Level 2 Height: 0.105 m
Package Level 2 Length: 0.08 m
Package Level 2 Gross Weight: 0.655 kg
Package Level 2 EAN: 8012542933618

Environmental

RoHS Status:
Planned to follow EU Directive 2002/95/EC August 18, 2005 and amendment after 2006-07-01

Additional Information

IIT Publishing Status: Level 0 - Information enabled
Number of Poles: 3

Number of Protected Poles:	3
Power Loss:	Per Pole 9.3 W
Product Main Type:	DS200
Product Name:	Residual Current Breaker with Overload Protection
Rated Current (I_n):	20 A
Rated Residual Current:	30 mA
Rated Short-Circuit Capacity (I_{cn}):	(230 / 400V AC) 10 kA
Standards:	IEC EN 61009
Tripping Characteristic:	B
Type of Residual Current:	AC type

Certificates and Declarations (Document Number)

Declaration of Conformity - CE: [ITSCE129DS200](#)

Classifications

Object Classification Code: Q

